## Juliano Elvis de Oliveira

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2189064/juliano-elvis-de-oliveira-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77
papers

1,547
citations

1,647
h-index

82
ext. papers

1,904
ext. citations

36
g-index

4.77
L-index

#	Paper	IF	Citations
77	Controlled release and antiviral activity of acyclovir-loaded PLA/PEG nanofibers produced by solution blow spinning <b>2022</b> , 212785		3
76	Biochar-graphene oxide composite is efficient to adsorb and deliver copper and zinc in tropical soil. <i>Journal of Cleaner Production</i> , <b>2022</b> , 132170	10.3	0
75	Potential use of poly(lactic acid) nanofibers mats as Nano-sachets in postharvest of climacteric fruits and vegetables. <i>Journal of Applied Polymer Science</i> , <b>2021</b> , 138, 50735	2.9	O
74	Development of quaternary nanocomposites made up of cassava starch, cocoa butter, lemongrass essential oil nanoemulsion, and brewery spent grain fibers. <i>Journal of Food Science</i> , <b>2021</b> , 86, 1979-199	6 <sup>3.4</sup>	2
73	Characterization of cassava starch/soy protein isolate blends obtained by extrusion and thermocompression. <i>Industrial Crops and Products</i> , <b>2021</b> , 160, 113092	5.9	13
72	Zinc slow-release systems for maize using biodegradable PBAT nanofibers obtained by solution blow spinning. <i>Journal of Materials Science</i> , <b>2021</b> , 56, 4896-4908	4.3	5
71	A Principal Curves-Based Method for Electronic Tongue Data Analysis. <i>IEEE Sensors Journal</i> , <b>2021</b> , 21, 4957-4965	4	1
70	Development of an Electronic Tongue Based on a Nanocomposite for Discriminating Flavor Enhancers and Commercial Salts. <i>IEEE Sensors Journal</i> , <b>2021</b> , 21, 1250-1256	4	7
69	Development and characterization of a poly (vinyl alcohol) and sodium alginate blend foam for wound dressing loaded with propolis and all-trans retinoic acid. <i>Journal of Applied Polymer Science</i> , <b>2021</b> , 138, 50480	2.9	1
68	Effectiveness of Core-Shell Nanofibers Incorporating Amphotericin B by Solution Blow Spinning Against and Species. <i>Frontiers in Bioengineering and Biotechnology</i> , <b>2020</b> , 8, 571821	5.8	7
67	Effect of carboxymethyl cellulose concentration on mechanical and water vapor barrier properties of corn starch films. <i>Carbohydrate Polymers</i> , <b>2020</b> , 246, 116521	10.3	17
66	Halochromic Polystyrene Nanofibers Obtained by Solution Blow Spinning for Wine pH Sensing. <i>Sensors</i> , <b>2020</b> , 20,	3.8	10
65	Development, physical-chemical properties, and photodegradation of pectin film reinforced with malt bagasse fibers by continuous casting. <i>Journal of Applied Polymer Science</i> , <b>2020</b> , 137, 49178	2.9	10
64	Development of bionanocomposites of pectin and nanoemulsions of carnauba wax and neem oil pectin/carnauba wax/neem oil composites. <i>Polymer Composites</i> , <b>2020</b> , 41, 858-870	3	14
63	Development of zein nanofibers for the controlled delivery of essential amino acids for fish nutrition. <i>SN Applied Sciences</i> , <b>2020</b> , 2, 1	1.8	O
62	Advances in Functional Polymer Nanofibers: From Spinning Fabrication Techniques to Recent Biomedical Applications. <i>ACS Applied Materials &amp; Englishing Science</i> , <b>2020</b> , 12, 45673-45701	9.5	65
61	Production and efficacy of neem nanoemulsion in the control of Aspergillus flavus and Penicillium citrinum in soybean seeds. <i>European Journal of Plant Pathology</i> , <b>2019</b> , 155, 1105-1116	2.1	5

## (2017-2019)

60	2,4-Dichlorophenoxyacetic acid adsorption on montmorillonite organoclay for controlled release applications. <i>SN Applied Sciences</i> , <b>2019</b> , 1, 1	1.8	4
59	Antimicrobial coatings based on poly(dimethyl siloxane) and silver nanoparticles by solution blow spraying. <i>Progress in Organic Coatings</i> , <b>2019</b> , 133, 19-26	4.8	13
58	In vitro growth of L. affected by silver nanoparticles. 3 Biotech, <b>2019</b> , 9, 145	2.8	5
57	Biodegradable Polymer Nanofibers Applied in Slow Release Systems for Agri-Food Applications <b>2019</b> , 291-316		2
56	Physical-Mechanical and Antifungal Properties of Pectin Nanocomposites / Neem Oil Nanoemulsion for Seed Coating. <i>Food Biophysics</i> , <b>2019</b> , 14, 456-466	3.2	12
55	CELLULOSE NANOFIBRILS MODIFICATION WITH POLYANILINE AIMING AT ENHANCING ELECTRICAL PROPERTIES FOR APPLICATION IN FLEXIBLE ELECTRONICS. <i>Cellulose Chemistry and Technology</i> , <b>2019</b> , 53, 775-786	1.9	4
54	Sulfonated Kraft lignin addition in ureaformaldehyde resin. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2019</b> , 137, 1537-1547	4.1	4
53	Silver nanoparticles in the micropropagation of Campomanesia rufa (O. Berg) Nied. <i>Plant Cell, Tissue and Organ Culture</i> , <b>2019</b> , 137, 359-368	2.7	9
52	Polystyrene bioactive nanofibers using orange oil as an ecofriendly solvent. <i>Journal of Applied Polymer Science</i> , <b>2019</b> , 136, 47337	2.9	7
51	Bio-based thin films of cellulose nanofibrils and magnetite for potential application in green electronics. <i>Carbohydrate Polymers</i> , <b>2019</b> , 207, 100-107	10.3	21
50	Influence of morphology and dispersion stability of CNC modified with ethylene oxide derivatives on mechanical properties of PLA-based nanocomposites. <i>Polymer Composites</i> , <b>2019</b> , 40, E399	3	8
49	Effect of reinforcement percentage of eucalyptus fibers on physico-mechanical properties of composite hand lay-up with polyester thermosetting matrix. <i>Journal of Natural Fibers</i> , <b>2019</b> , 16, 806-816	51.8	9
48	Chemical composition and antibacterial activity of Eugenia brejoensis essential oil nanoemulsions against Pseudomonas fluorescens. <i>LWT - Food Science and Technology</i> , <b>2018</b> , 93, 659-664	5.4	18
47	Rheological and thermo-mechanical evaluation of bio-based chitosan/pectin blends with tunable ionic cross-linking. <i>International Journal of Biological Macromolecules</i> , <b>2018</b> , 118, 1817-1823	7.9	16
46	Antimicrobial activity of PLA/PEG nanofibers containing terpinen-4-ol against Aggregatibacter actinomycetemcomitans. <i>Journal of Applied Polymer Science</i> , <b>2018</b> , 135, 45782	2.9	13
45	Solution blow spinning fibres: New immunologically inert substrates for the analysis of cell adhesion and motility. <i>Acta Biomaterialia</i> , <b>2017</b> , 51, 161-174	10.8	20
44	Poly(lactic acid)/poly(vinyl pyrrolidone) membranes produced by solution blow spinning: Structure, thermal, spectroscopic, and microbial barrier properties. <i>Journal of Applied Polymer Science</i> , <b>2017</b> , 134,	2.9	18
43	Enhanced silk performance by enriching the silkworm diet with bordeaux mixture. <i>Journal of Materials Science</i> , <b>2017</b> , 52, 2684-2693	4.3	4

42	Solution blow spun nanocomposites of poly(lactic acid)/cellulose nanocrystals from Eucalyptus kraft pulp. <i>Carbohydrate Polymers</i> , <b>2017</b> , 174, 923-932	10.3	26
41	Extraction and characterization of cellulose nanowhiskers from Mandacaru (Cereus jamacaru DC.) spines. <i>Cellulose</i> , <b>2017</b> , 24, 119-129	5.5	21
40	Soil Biodegradation of PLA/CNW Nanocomposites Modified with Ethylene Oxide Derivatives. <i>Materials Research</i> , <b>2017</b> , 20, 899-904	1.5	15
39	Chemical sensors based on hybrid nanomaterials for food analysis <b>2017</b> , 205-244		9
38	Production and Stability of Carnauba Wax Nanoemulsion. <i>Advanced Science, Engineering and Medicine</i> , <b>2017</b> , 9, 977-985	0.6	4
37	An electronic tongue based on conducting electrospun nanofibers for detecting tetracycline in milk samples. <i>RSC Advances</i> , <b>2016</b> , 6, 103740-103746	3.7	24
36	Solution blow spinning: parameters optimization and effects on the properties of nanofibers from poly(lactic acid)/dimethyl carbonate solutions. <i>Journal of Materials Science</i> , <b>2016</b> , 51, 4627-4638	4.3	48
35	Biodegradable polymer blends based on corn starch and thermoplastic chitosan processed by extrusion. <i>Carbohydrate Polymers</i> , <b>2016</b> , 137, 452-458	10.3	195
34	Poly(lactic acid) fibers obtained by solution blow spinning: Effect of a greener solvent on the fiber diameter. <i>Journal of Applied Polymer Science</i> , <b>2016</b> , 133, n/a-n/a	2.9	20
33	Accelerated Sonochemical Extraction of Cellulose Nanowhiskers. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2016</b> , 16, 6535-9	1.3	5
32	Production of submicrometric fibers of mullite by solution blow spinning (SBS). <i>Materials Letters</i> , <b>2015</b> , 149, 47-49	3.3	38
31	Controlled Release of Linalool Using Nanofibrous Membranes of Poly(lactic acid) Obtained by Electrospinning and Solution Blow Spinning: A Comparative Study. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2015</b> , 15, 5628-36	1.3	32
30	In vitro antimicrobial activity of solution blow spun poly(lactic acid)/polyvinylpyrrolidone nanofibers loaded with Copaiba (Copaifera sp.) oil. <i>Materials Science and Engineering C</i> , <b>2015</b> , 48, 372-7	8.3	70
29	Modification of eucalyptus pulp fiber using silane coupling agents with aliphatic side chains of different length. <i>Polymer Engineering and Science</i> , <b>2015</b> , 55, 1273-1280	2.3	10
28	Nanostructured Polylactic Acid/Candeia Essential Oil Mats Obtained by Electrospinning. <i>Journal of Nanomaterials</i> , <b>2015</b> , 2015, 1-9	3.2	27
27	Evaluation of hemagglutination activity of chitosan nanoparticles using human erythrocytes. BioMed Research International, <b>2015</b> , 2015, 247965	3	26
26	Obten <sup>^</sup> 🗓 👨 de micro e nanofibras de PVC pela t <sup>^</sup> 🖺 nica de Fia <sup>^</sup> 🗓 👨 por Sopro em Solu <sup>^</sup> 🗓 👨 . <i>Polimeros</i> , <b>2015</b> , 25, 229-235	1.6	8
25	Electrospinning of zein/tannin bio-nanofibers. <i>Industrial Crops and Products</i> , <b>2014</b> , 52, 298-304	5.9	51

## (2011-2014)

24	Influence of Vitamin C on Morphological and Thermal Behaviour of Biomedical UHMWPE.  Macromolecular Symposia, <b>2014</b> , 344, 8-13	0.8	10
23	Impact of different silkworm dietary supplements on its silk performance. <i>Journal of Materials Science</i> , <b>2014</b> , 49, 6302-6310	4.3	11
22	Bio-inspired sensor for insect pheromone analysis based on polyaniline functionalized AFM cantilever sensor. <i>Sensors and Actuators B: Chemical</i> , <b>2014</b> , 191, 643-649	8.5	27
21	Effect of Solvent on the Physical and Morphological Properties of Poly(Lactic Acid) Nanofibers Obtained by Solution Blow Spinning. <i>Journal of Engineered Fibers and Fabrics</i> , <b>2014</b> , 9, 15589250140090	oo <sup>0.9</sup>	7
20	Nanostructured conjugated polymers in chemical sensors: synthesis, properties and applications. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2014</b> , 14, 6509-27	1.3	56
19	Fluorescent PMMA/MEH-PPV electrospun nanofibers: Investigation of morphology, solvent, and surfactant effect. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2014</b> , 52, 1388-1394	2.6	27
18	Sensor Array for Water Analysis Based on Interdigitated Electrodes Modified With Fiber Films of Poly(Lactic Acid)/Multiwalled Carbon Nanotubes. <i>IEEE Sensors Journal</i> , <b>2013</b> , 13, 759-766	4	21
17	Development of poly(lactic acid) nanostructured membranes for the controlled delivery of progesterone to livestock animals. <i>Materials Science and Engineering C</i> , <b>2013</b> , 33, 844-9	8.3	46
16	Structural and Morphological Characterization of Micro and Nanofibers Produced by Electrospinning and Solution Blow Spinning: A Comparative Study. <i>Advances in Materials Science and Engineering</i> , <b>2013</b> , 2013, 1-14	1.5	73
15	Properties of poly(lactic acid) and poly(ethylene oxide) solvent polymer mixtures and nanofibers made by solution blow spinning. <i>Journal of Applied Polymer Science</i> , <b>2013</b> , 129, 3672-3681	2.9	49
14	A Study of the Precursors and Photoactivity of Nanostructures of Ti Oxides Synthesized by the Alkaline Hydrothermal Method. <i>Science of Advanced Materials</i> , <b>2013</b> , 5, 71-85	2.3	8
13	Modification of electrospun nylon nanofibers using layer-by-layer films for application in flow injection electronic tongue: Detection of paraoxon pesticide in corn crop. <i>Sensors and Actuators B: Chemical</i> , <b>2012</b> , 171-172, 249-255	8.5	42
12	Poly(lactic acid)/Carbon Nanotube Fibers as Novel Platforms for Glucose Biosensors. <i>Biosensors</i> , <b>2012</b> , 2, 70-82	5.9	28
11	Eletrofia <sup>^</sup> [] B de pol <sup>^</sup> [heros em solu <sup>^</sup> [] B: parte II: aplica <sup>^</sup> [] Bs e perspectivas. <i>Polimeros</i> , <b>2012</b> , 22, 178-18	8 <b>5</b> .6	9
10	Eletrofia <sup>^</sup> [] [b] de Pol <sup>^</sup> [heros em Solu <sup>^</sup> [] [b]: parte I: fundamenta <sup>^</sup> [] [b] Te <sup>^</sup> [hica. <i>Polimeros</i> , <b>2012</b> , 22, 170-17	71.6	18
9	Multi-walled carbon nanotubes and poly(lactic acid) nanocomposite fibrous membranes prepared by solution blow spinning. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2012</b> , 12, 2733-41	1.3	27
8	Biossensor amperom <sup>^</sup> Erico para determina <sup>^</sup> <sup>^</sup> <sup>^</sup> <sup>0</sup> de per <sup>^</sup> <sup>^</sup> Lxido de hidrog <sup>^</sup> <sup>^</sup> Bio em leite. <i>Ecletica Quimica</i> , <b>2011</b> , 36, 143-157	2.6	1
7	Nano and submicrometric fibers of poly(D,L-lactide) obtained by solution blow spinning: Process and solution variables. <i>Journal of Applied Polymer Science</i> , <b>2011</b> , 122, 3396-3405	2.9	104

6	QCM and FT-IR Study of Phospholipid Bilayers Obtained by Langmuir-Blodgett Method. <i>Solid State Phenomena</i> , <b>2007</b> , 121-123, 863-866	0.4	2
5	Development and characterization of starch-based films added ora-pro-nobis mucilage and study of biodegradation and photodegradation. <i>Journal of Applied Polymer Science</i> ,52108	2.9	1
4	Development of controlled release fertilizer systems for KCl using glycerol-based polymers. <i>Journal of Applied Polymer Science</i> ,51747	2.9	1
3	Environmentally friendly adhesives derived from glycerol-based polymers. <i>Journal of Adhesion Science and Technology</i> ,1-11	2	1
2	The effect of clay organophilization on wood plastic composite (WPC) based on recycled high density polyethylene (HDPE) and coir fiber. <i>Progress in Rubber, Plastics and Recycling Technology</i> ,14777	760g21	10194
1	Fruit ripeness sensors based on poly(lactic acid)/polyaniline solution blow-spun fibrous membranes.  Journal of Applied Polymer Science,52386	2.9	1