

# Heather A Coker

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2189130/publications.pdf>

Version: 2024-02-01

21  
papers

2,409  
citations

516215

16  
h-index

713013

21  
g-index

25  
all docs

25  
docs citations

25  
times ranked

3133  
citing authors

#	ARTICLE	IF	CITATIONS
1	Xist-mediated silencing requires additive functions of SPEN and Polycomb together with differentiation-dependent recruitment of SmcHD1. <i>Cell Reports</i> , 2022, 39, 110830.	2.9	9
2	Acute depletion of METTL3 implicates <i>N<sup>6</sup></i> -methyladenosine in alternative intron/exon inclusion in the nascent transcriptome. <i>Genome Research</i> , 2021, 31, 1395-1408.	2.4	37
3	Time-resolved structured illumination microscopy reveals key principles of Xist RNA spreading. <i>Science</i> , 2021, 372, .	6.0	42
4	The role of the Xist 5â€™ m6A region and RBM15 in X chromosome inactivation. <i>Wellcome Open Research</i> , 2020, 5, 31.	0.9	37
5	Systematic allelic analysis defines the interplay of key pathways in X chromosome inactivation. <i>Nature Communications</i> , 2019, 10, 3129.	5.8	93
6	m6A modification of non-coding RNA and the control of mammalian gene expression. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2019, 1862, 310-318.	0.9	132
7	The nuclear matrix protein CIZ1 facilitates localization of Xist RNA to the inactive X-chromosome territory. <i>Genes and Development</i> , 2017, 31, 876-888.	2.7	104
8	A Pooled shRNA Screen Identifies Rbm15, Spen, and Wtap as Factors Required for Xist RNA-Mediated Silencing. <i>Cell Reports</i> , 2015, 12, 562-572.	2.9	226
9	Independent Mechanisms Target SMCHD1 to Trimethylated Histone H3 Lysine 9-Modified Chromatin and the Inactive X Chromosome. <i>Molecular and Cellular Biology</i> , 2015, 35, 4053-4068.	1.1	66
10	SMCHD1 accumulates at DNA damage sites and facilitates the repair of DNA double-strand breaks. <i>Journal of Cell Science</i> , 2014, 127, 1869-1874.	1.2	17
11	Simultaneous In Vitro Characterisation of DNA Deaminase Function and Associated DNA Repair Pathways. <i>PLoS ONE</i> , 2013, 8, e82097.	1.1	1
12	Smchd1-Dependent and -Independent Pathways Determine Developmental Dynamics of CpG Island Methylation on the Inactive X Chromosome. <i>Developmental Cell</i> , 2012, 23, 265-279.	3.1	160
13	DNA deaminases: Aiding hormones in immunity and cancer. <i>Journal of Molecular Medicine</i> , 2009, 87, 893-897.	1.7	16
14	AID's distributive mode of action: A definition. <i>DNA Repair</i> , 2007, 6, 693-694.	1.3	2
15	The nuclear DNA deaminase AID functions distributively whereas cytoplasmic APOBEC3G has a processive mode of action. <i>DNA Repair</i> , 2007, 6, 235-243.	1.3	27
16	Genetic and In Vitro Assays of DNA Deamination. <i>Methods in Enzymology</i> , 2006, 408, 156-170.	0.4	16
17	Allergen Drives Class Switching to IgE in the Nasal Mucosa in Allergic Rhinitis. <i>Journal of Immunology</i> , 2005, 174, 5024-5032.	0.4	205
18	Biased use of VH5 IgE-positive B cells in the nasal mucosa in allergic rhinitis. <i>Journal of Allergy and Clinical Immunology</i> , 2005, 116, 445-452.	1.5	61

#	ARTICLE	IF	CITATIONS
19	Activation-induced Cytidine Deaminase Deaminates 5-Methylcytosine in DNA and Is Expressed in Pluripotent Tissues. <i>Journal of Biological Chemistry</i> , 2004, 279, 52353-52360.	1.6	441
20	THE BIOLOGY OF IGE AND THE BASIS OF ALLERGIC DISEASE. <i>Annual Review of Immunology</i> , 2003, 21, 579-628.	9.5	576
21	Local Somatic Hypermutation and Class Switch Recombination in the Nasal Mucosa of Allergic Rhinitis Patients. <i>Journal of Immunology</i> , 2003, 171, 5602-5610.	0.4	138