Inge Spronk

List of Publications by Citations

Source: https://exaly.com/author-pdf/2189418/inge-spronk-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| 35 | 729 citations | 13 | 27 |
|-------------|----------------------|---------|---------|
| papers | | h-index | g-index |
| 42 | 1,046 ext. citations | 3·3 | 4.35 |
| ext. papers | | avg, IF | L-index |

| # | Paper | IF | Citations |
|----|---|----------------------|-----------|
| 35 | Relationship between nutrition knowledge and dietary intake. <i>British Journal of Nutrition</i> , 2014 , 111, 1713-26 | 3.6 | 285 |
| 34 | Relationship Between General Nutrition Knowledge and Dietary Quality in Elite Athletes. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2015 , 25, 243-51 | 4.4 | 56 |
| 33 | Health related quality of life in adults after burn injuries: A systematic review. <i>PLoS ONE</i> , 2018 , 13, e019 | 9735 , 07 | 47 |
| 32 | Incidence of isolated local breast cancer recurrence and contralateral breast cancer: A systematic review. <i>Breast</i> , 2018 , 39, 70-79 | 3.6 | 39 |
| 31 | Calculating incidence rates and prevalence proportions: not as simple as it seems. <i>BMC Public Health</i> , 2019 , 19, 512 | 4.1 | 36 |
| 30 | Predictors of health-related quality of life after burn injuries: a systematic review. <i>Critical Care</i> , 2018 , 22, 160 | 10.8 | 34 |
| 29 | Patient-reported scar quality of adults after burn injuries: A five-year multicenter follow-up study. Wound Repair and Regeneration, 2019 , 27, 406-414 | 3.6 | 24 |
| 28 | Estimating Morbidity Rates Based on Routine Electronic Health Records in Primary Care: Observational Study. <i>JMIR Medical Informatics</i> , 2019 , 7, e11929 | 3.6 | 22 |
| 27 | The added value of the EQ-5D with a cognition dimension in injury patients with and without traumatic brain injury. <i>Quality of Life Research</i> , 2019 , 28, 1931-1939 | 3.7 | 21 |
| 26 | The availability and effectiveness of tools supporting shared decision making in metastatic breast cancer care: a review. <i>BMC Palliative Care</i> , 2018 , 17, 74 | 3 | 20 |
| 25 | Health related quality of life 5-7 years after minor and severe burn injuries: a multicentre cross-sectional study. <i>Burns</i> , 2019 , 45, 1291-1299 | 2.3 | 19 |
| 24 | Adherence to cancer treatment guidelines: influence of general and cancer-specific guideline characteristics. <i>European Journal of Public Health</i> , 2017 , 27, 616-620 | 2.1 | 19 |
| 23 | Health-related quality of life in children after burn injuries: A systematic review. <i>Journal of Trauma and Acute Care Surgery</i> , 2018 , 85, 1110-1118 | 3.3 | 15 |
| 22 | Effect of Glycemic Index of a Pre-exercise Meal on Endurance Exercise Performance: A Systematic Review and Meta-analysis. <i>Sports Medicine</i> , 2017 , 47, 1087-1101 | 10.6 | 12 |
| 21 | Recovery of health-related quality of life after burn injuries: An individual participant data meta-analysis. <i>PLoS ONE</i> , 2020 , 15, e0226653 | 3.7 | 12 |
| 20 | Evidence-based recommendations on care for breast cancer survivors for primary care providers: a review of evidence-based breast cancer guidelines. <i>BMJ Open</i> , 2017 , 7, e015118 | 3 | 11 |
| 19 | Availability and effectiveness of decision aids for supporting shared decision making in patients with advanced colorectal and lung cancer: Results from a systematic review. <i>European Journal of Cancer Care</i> , 2019 , 28, e13079 | 2.4 | 8 |

(2022-2020)

| 18 | Conventional and retrospective change in health-related quality of life of trauma patients: an explorative observational follow-up study. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 157 | 3 | 8 |
|----|---|-----|---|
| 17 | Exploring the relation between the EQ-5D-5L pain/discomfort and pain and itching in a sample of burn patients. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 144 | 3 | 6 |
| 16 | Correspondence of directly reported and recalled health-related quality of life in a large heterogeneous sample of trauma patients. <i>Quality of Life Research</i> , 2019 , 28, 3005-3013 | 3.7 | 6 |
| 15 | Seeding the value based health care and standardised measurement of quality of life after burn debate. <i>Burns</i> , 2020 , 46, 1721-1723 | 2.3 | 5 |
| 14 | Improved and standardized method for assessing years lived with disability after burns and its application to estimate the non-fatal burden of disease of burn injuries in Australia, New Zealand and the Netherlands. <i>BMC Public Health</i> , 2020 , 20, 121 | 4.1 | 5 |
| 13 | Evaluation of a combined lifestyle intervention for overweight and obese patients in primary health care: a quasi-experimental design. <i>Family Practice</i> , 2016 , 33, 671-677 | 1.9 | 4 |
| 12 | Evaluation of measurement properties of health-related quality of life instruments for burns: A systematic review. <i>Journal of Trauma and Acute Care Surgery</i> , 2020 , 88, 555-571 | 3.3 | 3 |
| 11 | The relation between EQ-5D and fatigue in a Dutch general population sample: an explorative study. <i>Health and Quality of Life Outcomes</i> , 2021 , 19, 135 | 3 | 3 |
| 10 | Review of guidance on recurrence risk management for general practitioners in breast cancer, colorectal cancer and melanoma guidelines. <i>Family Practice</i> , 2017 , 34, 154-160 | 1.9 | 2 |
| 9 | Comparison of three different methods to estimate the burden of disease of burn injuries in Western Australia in 2011-2018. <i>Burns</i> , 2020 , 46, 1424-1431 | 2.3 | 1 |
| 8 | Health Inequality Analysis in Europe: Exploring the Potential of the EQ-5D as Outcome. <i>Frontiers in Public Health</i> , 2021 , 9, 744405 | 6 | 1 |
| 7 | Activity impairment, work status, and work productivity loss in adults 5-7 years after burn injuries. Journal of Burn Care and Research, 2021, | 0.8 | 1 |
| 6 | Scar quality in children with burns 5-7 years after injury: A cross-sectional multicentre study. <i>Wound Repair and Regeneration</i> , 2021 , 29, 951-960 | 3.6 | 1 |
| 5 | The added value of extending the EQ-5D-5L with an itching item for the assessment of health-related quality of life of burn patients: an explorative study. <i>Burns</i> , 2021 , 47, 873-879 | 2.3 | 1 |
| 4 | Sensitivity of the EQ-5D-5L for fatigue and cognitive problems and their added value in Q-fever patients <i>Quality of Life Research</i> , 2022 , 1 | 3.7 | O |
| 3 | Adding a fatigue item to the EQ-5D-5L improves its psychometric performance in the general population <i>Journal of Patient-Reported Outcomes</i> , 2022 , 6, 1 | 2.6 | O |
| 2 | Health care utilization and health-related quality of life of injury patients: comparison of educational groups. <i>BMC Health Services Research</i> , 2021 , 21, 988 | 2.9 | |
| 1 | Assessing Health-Related Quality of Life of Adult Patients with Intermediate Burns: The Added Value of an Itching and Cognition Item for the EQ-5D: A Retrospective Observational Study. <i>European Journal of Burn Care</i> , 2022 , 3, 264-277 | Ο | |