
Inge Spronk

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2189418/publications.pdf Version: 2024-02-01



INCE SDDONK

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Relationship between nutrition knowledge and dietary intake. British Journal of Nutrition, 2014, 111, 1713-1726. | 2.3 | 459 |
| 2 | Relationship Between General Nutrition Knowledge and Dietary Quality in Elite Athletes. International Journal of Sport Nutrition and Exercise Metabolism, 2015, 25, 243-251. | 2.1 | 96 |
| 3 | Health related quality of life in adults after burn injuries: A systematic review. PLoS ONE, 2018, 13, e0197507. | 2.5 | 90 |
| 4 | Calculating incidence rates and prevalence proportions: not as simple as it seems. BMC Public Health, 2019, 19, 512. | 2.9 | 77 |
| 5 | Predictors of health-related quality of life after burn injuries: a systematic review. Critical Care, 2018, 22, 160. | 5.8 | 66 |
| 6 | Incidence of isolated local breast cancer recurrence and contralateral breast cancer: A systematic review. Breast, 2018, 39, 70-79. | 2.2 | 60 |
| 7 | Estimating Morbidity Rates Based on Routine Electronic Health Records in Primary Care: Observational Study. JMIR Medical Informatics, 2019, 7, e11929. | 2.6 | 46 |
| 8 | Patientâ€reported scar quality of adults after burn injuries: A fiveâ€year multicenter followâ€up study. Wound Repair and Regeneration, 2019, 27, 406-414. | 3.0 | 43 |
| 9 | The availability and effectiveness of tools supporting shared decision making in metastatic breast cancer care: a review. BMC Palliative Care, 2018, 17, 74. | 1.8 | 34 |
| 10 | Health related quality of life 5–7 years after minor and severe burn injuries: a multicentre cross-sectional study. Burns, 2019, 45, 1291-1299. | 1.9 | 34 |
| 11 | The added value of the EQ-5D with a cognition dimension in injury patients with and without traumatic brain injury. Quality of Life Research, 2019, 28, 1931-1939. | 3.1 | 31 |
| 12 | Health-related quality of life in children after burn injuries: A systematic review. Journal of Trauma and Acute Care Surgery, 2018, 85, 1110-1118. | 2.1 | 28 |
| 13 | Recovery of health-related quality of life after burn injuries: An individual participant data meta-analysis. PLoS ONE, 2020, 15, e0226653. | 2.5 | 26 |
| 14 | Adherence to cancer treatment guidelines: influence of general and cancer-specific guideline characteristics. European Journal of Public Health, 2017, 27, ckw234. | 0.3 | 25 |
| 15 | Effect of Glycemic Index of a Pre-exercise Meal on Endurance Exercise Performance: A Systematic Review and Meta-analysis. Sports Medicine, 2017, 47, 1087-1101. | 6.5 | 23 |
| 16 | Availability and effectiveness of decision aids for supporting shared decision making in patients with advanced colorectal and lung cancer: Results from a systematic review. European Journal of Cancer Care, 2019, 28, e13079. | 1.5 | 23 |
| 17 | Evidence-based recommendations on care for breast cancer survivors for primary care providers: a review of evidence-based breast cancer guidelines. BMJ Open, 2017, 7, e015118. | 1.9 | 17 |
| 18 | Conventional and retrospective change in health-related quality of life of trauma patients: an explorative observational follow-up study. Health and Quality of Life Outcomes, 2020, 18, 157. | 2.4 | 16 |

INGE SPRONK

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Improved and standardized method for assessing years lived with disability after burns and its application to estimate the non-fatal burden of disease of burn injuries in Australia, New Zealand and the Netherlands. BMC Public Health, 2020, 20, 121. | 2.9 | 16 |
| 20 | Correspondence of directly reported and recalled health-related quality of life in a large heterogeneous sample of trauma patients. Quality of Life Research, 2019, 28, 3005-3013. | 3.1 | 14 |
| 21 | The relation between EQ-5D and fatigue in a Dutch general population sample: an explorative study. Health and Quality of Life Outcomes, 2021, 19, 135. | 2.4 | 12 |
| 22 | Exploring the relation between the EQ-5D-5L pain/discomfort and pain and itching in a sample of burn patients. Health and Quality of Life Outcomes, 2020, 18, 144. | 2.4 | 11 |
| 23 | Activity Impairment, Work Status, and Work Productivity Loss in Adults 5–7 Years After Burn Injuries. Journal of Burn Care and Research, 2022, 43, 256-262. | 0.4 | 10 |
| 24 | Health Inequality Analysis in Europe: Exploring the Potential of the EQ-5D as Outcome. Frontiers in Public Health, 2021, 9, 744405. | 2.7 | 10 |
| 25 | Adding a fatigue item to the EQ-5D-5L improves its psychometric performance in the general population. Journal of Patient-Reported Outcomes, 2022, 6, 1. | 1.9 | 10 |
| 26 | Scar quality in children with burns 5–7 years after injury: A crossâ€sectional multicentre study. Wound Repair and Regeneration, 2021, 29, 951-960. | 3.0 | 9 |
| 27 | Evaluation of measurement properties of health-related quality of life instruments for burns: A systematic review. Journal of Trauma and Acute Care Surgery, 2020, 88, 555-571. | 2.1 | 8 |
| 28 | The feasibility and reliability of frailty assessment tools applicable in acute in-hospital trauma patients: A systematic review. Journal of Trauma and Acute Care Surgery, 2022, 92, 615-626. | 2.1 | 8 |
| 29 | Evaluation of a combined lifestyle intervention for overweight and obese patients in primary health care: a quasi-experimental design. Family Practice, 2016, 33, 671-677. | 1.9 | 7 |
| 30 | Seeding the value based health care and standardised measurement of quality of life after burn debate. Burns, 2020, 46, 1721-1723. | 1.9 | 7 |
| 31 | The added value of extending the EQ-5D-5L with an itching item for the assessment of health-related quality of life of burn patients: an explorative study. Burns, 2021, 47, 873-879. | 1.9 | 5 |
| 32 | Adherence to cancer treatment guidelines: influence of general and cancer-specific guideline characteristics. European Journal of Cancer, 2017, 72, S115. | 2.8 | 4 |
| 33 | Review of guidance on recurrence risk management for general practitioners in breast cancer, colorectal cancer and melanoma guidelines. Family Practice, 2017, 34, 154-160. | 1.9 | 3 |
| 34 | Comparison of three different methods to estimate the burden of disease of burn injuries in Western Australia in 2011-2018. Burns, 2020, 46, 1424-1431. | 1.9 | 3 |
| 35 | Health care utilization and health-related quality of life of injury patients: comparison of educational groups. BMC Health Services Research, 2021, 21, 988. | 2.2 | 3 |
| 36 | Sensitivity of the EQ-5D-5L for fatigue and cognitive problems and their added value in Q-fever patients. Quality of Life Research, 2022, , 1. | 3.1 | 2 |

INGE SPRONK

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | OUP accepted manuscript. British Journal of Surgery, 2021, , . | 0.3 | 1 |
| 38 | Assessing Health-Related Quality of Life of Adult Patients with Intermediate Burns: The Added Value of an Itching and Cognition Item for the EQ-5D: A Retrospective Observational Study. European Journal of Burn Care, 2022, 3, 264-277. | 0.8 | 1 |
| 39 | Glycemic Index Of A Pre-exercise Meal And Endurance Performance. Medicine and Science in Sports and Exercise, 2014, 46, 154. | 0.4 | 0 |
| 40 | PIT16 ACCURACY OF RECALL IN HEALTH-RELATED QUALITY OF LIFE ASSESSMENT AMONG TRAUMA PATIENTS: A PROSPECTIVE LONGITUDINAL COHORT STUDY WITH RETROSPECTIVE ASSESSMENTS. Value in Health, 2019, 22, S214. | 0.3 | 0 |