

Zai-Qun Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2190150/publications.pdf>

Version: 2024-02-01

98
papers

2,512
citations

186265

28
h-index

233421

45
g-index

101
all docs

101
docs citations

101
times ranked

3045
citing authors

#	ARTICLE	IF	CITATIONS
1	Antioxidative effects of green tea polyphenols on free radical initiated and photosensitized peroxidation of human low density lipoprotein. <i>Chemistry and Physics of Lipids</i> , 2000, 106, 53-63.	3.2	136
2	In Vitro Study of the Relationship between the Structure of Ginsenoside and Its Antioxidative or Prooxidative Activity in Free Radical Induced Hemolysis of Human Erythrocytes. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 2555-2558.	5.2	133
3	Chemical Methods To Evaluate Antioxidant Ability. <i>Chemical Reviews</i> , 2010, 110, 5675-5691.	47.7	133
4	Phenolic and Enolic Hydroxyl Groups in Curcumin: Which Plays the Major Role in Scavenging Radicals?. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 11041-11046.	5.2	102
5	Chemical Insights into Ginseng as a Resource for Natural Antioxidants. <i>Chemical Reviews</i> , 2012, 112, 3329-3355.	47.7	79
6	Coumarin-Fused Coumarin: Antioxidant Story from <i>N,N</i> -Dimethylamino and Hydroxyl Groups. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 3516-3523.	5.2	72
7	Comparison of antioxidant abilities of magnolol and honokiol to scavenge radicals and to protect DNA. <i>Biochimie</i> , 2011, 93, 1755-1760.	2.6	70
8	Antioxidative and prooxidative effects of coumarin derivatives on free radical initiated and photosensitized peroxidation of human low-density lipoprotein. <i>Chemistry and Physics of Lipids</i> , 1999, 103, 125-135.	3.2	65
9	Solvent-Free and Catalyst-Free Biginelli Reaction To Synthesize Ferrocenoyl Dihydropyrimidine and Kinetic Method To Express Radical-Scavenging Ability. <i>Journal of Organic Chemistry</i> , 2012, 77, 3952-3958.	3.2	62
10	Can ginsenosides protect human erythrocytes against free-radical-induced hemolysis?. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2002, 1572, 58-66.	2.4	58
11	Free Radical Scavenging Effect of Carbazole Derivatives on DPPH and ABTS Radicals. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2007, 84, 1095-1100.	1.9	54
12	Unusual Antioxidant Behavior of α - and β -Terpinene in Protecting Methyl Linoleate, DNA, and Erythrocyte. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 3943-3948.	5.2	52
13	The antioxidative effect of icariin in human erythrocytes against free-radical-induced haemolysis. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 56, 1557-1562.	2.4	50
14	Making vitamin C lipophilic enhances its protective effect against free radical induced peroxidation of low density lipoprotein. <i>Chemistry and Physics of Lipids</i> , 1998, 95, 49-57.	3.2	46
15	The protective effect of hydroxyl-substituted Schiff bases on the radical-induced oxidation of DNA. <i>Journal of Physical Organic Chemistry</i> , 2009, 22, 791-798.	1.9	44
16	The protective effects of ginsenosides on human erythrocytes against hemin-induced hemolysis. <i>Food and Chemical Toxicology</i> , 2008, 46, 886-892.	3.6	41
17	Antioxidative effect of melatonin on DNA and erythrocytes against free-radical-induced oxidation. <i>Chemistry and Physics of Lipids</i> , 2008, 151, 77-84.	3.2	40
18	Protective effect of icariin on DNA against radical-induced oxidative damage. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 59, 1729-1732.	2.4	40

#	ARTICLE	IF	CITATIONS
19	Ferrocenyl Schiff base as novel antioxidant to protect DNA against the oxidation damage. <i>European Journal of Pharmaceutical Sciences</i> , 2011, 44, 158-163.	4.0	40
20	Free-radical-scavenging effect of carbazole derivatives on AAPH-induced hemolysis of human erythrocytes. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 1903-1913.	3.0	37
21	Chemical Kinetic Behavior of Chlorogenic Acid in Protecting Erythrocyte and DNA against Radical-Induced Oxidation. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 11025-11029.	5.2	36
22	Properties of Synthetic Homoisoflavonoids To Reduce Oxidants and To Protect Linoleic Acid and DNA against Oxidation. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 4126-4131.	5.2	35
23	Ferrocenyl-substituted curcumin: Can it influence antioxidant ability to protect DNA?. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 1821-1826.	5.5	34
24	Potential Applications of Ferrocene as a Structural Feature in Antioxidants. <i>Mini-Reviews in Medicinal Chemistry</i> , 2011, 11, 345-358.	2.4	34
25	Bridging free radical chemistry with drug discovery: A promising way for finding novel drugs efficiently. <i>European Journal of Medicinal Chemistry</i> , 2020, 189, 112020.	5.5	34
26	Antioxidant effectiveness generated by one or two phenolic hydroxyl groups in coumarin-substituted dihydropyrazoles. <i>European Journal of Medicinal Chemistry</i> , 2013, 68, 385-393.	5.5	31
27	Coumestan Inhibits Radical-Induced Oxidation of DNA: Is Hydroxyl a Necessary Functional Group?. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 5636-5642.	5.2	30
28	Icariin: A Special Antioxidant To Protect Linoleic Acid against Free-Radical-Induced Peroxidation in Micelles. <i>Journal of Physical Chemistry A</i> , 2006, 110, 6372-6378.	2.5	28
29	Radical-scavenging properties of ferrocenyl chalcones. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 944-946.	2.2	28
30	Dendritic antioxidants with pyrazole as the core: Ability to scavenge radicals and to protect DNA. <i>Free Radical Biology and Medicine</i> , 2012, 52, 103-108.	2.9	28
31	Design and synthesis of coumarin-3-acylamino derivatives to scavenge radicals and to protect DNA. <i>European Journal of Medicinal Chemistry</i> , 2014, 84, 1-7.	5.5	25
32	Development of amino- and dimethylcarbamate-substituted resorcinol as programmed cell death-1 (PD-1) inhibitor. <i>European Journal of Pharmaceutical Sciences</i> , 2016, 88, 50-58.	4.0	25
33	Antioxidant effect of coumarin derivatives on free radical initiated and photosensitized peroxidation of linoleic acid in micelles. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1999, , 969.	0.9	24
34	Two Neglected Multicomponent Reactions: Asinger and Groebke Reaction for Constructing Thiazolines and Imidazolines. <i>Current Organic Synthesis</i> , 2015, 12, 20-60.	1.3	24
35	Ugi and Passerini Reactions as Successful Models for Investigating Multicomponent Reactions. <i>Current Organic Chemistry</i> , 2014, 18, 719-739.	1.6	24
36	Thiaflavan scavenges radicals and inhibits DNA oxidation: A story from the ferrocene modification. <i>European Journal of Medicinal Chemistry</i> , 2014, 81, 227-236.	5.5	23

#	ARTICLE	IF	CITATIONS
37	Introducing ferrocene into imidazo[1,2- a]pyridine by Groebke three-component-reaction for scavenging radicals and inhibiting DNA oxidation. <i>Tetrahedron</i> , 2015, 71, 9602-9610.	1.9	23
38	Evaluation of the free-radical-scavenging activity of diclofenac acid on the free-radical-induced haemolysis of human erythrocytes. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 58, 625-631.	2.4	22
39	Feruloylacetone as the model compound of half-curcumin: Synthesis and antioxidant properties. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 1198-1206.	5.5	22
40	Synthesis of 4-methylcoumarin derivatives containing 4,5-dihydropyrazole moiety to scavenge radicals and to protect DNA. <i>European Journal of Medicinal Chemistry</i> , 2012, 53, 159-167.	5.5	22
41	Ugi Multicomponent Reaction Product: The Inhibitive Effect on DNA Oxidation Depends upon the Isocyanide Moiety. <i>Journal of Organic Chemistry</i> , 2013, 78, 8696-8704.	3.2	22
42	Antioxidative or prooxidative effect of 4-hydroxyquinoline derivatives on free-radical-initiated hemolysis of erythrocytes is due to its distributive status. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2002, 1570, 97-103.	2.4	21
43	The antioxidant effect of hydroxyl-substituent Schiff bases on the free-radical-induced hemolysis of human erythrocytes. <i>Cell Biochemistry and Function</i> , 2007, 25, 149-158.	2.9	21
44	Antioxidants may not always be beneficial to health. <i>Nutrition</i> , 2014, 30, 131-133.	2.4	21
45	Quantitative structure-activity relationship of hydroxyl-substituent Schiff bases in radical-induced hemolysis of human erythrocytes. <i>Cell Biochemistry and Function</i> , 2008, 26, 185-191.	2.9	20
46	Carminic acid: an antioxidant to protect erythrocytes and DNA against radical-induced oxidation. <i>Journal of Physical Organic Chemistry</i> , 2009, 22, 883-887.	1.9	20
47	Solvent-free Povarov reaction for synthesizing ferrocenyl quinolines: Antioxidant abilities deriving from ferrocene moiety. <i>European Journal of Medicinal Chemistry</i> , 2014, 86, 759-768.	5.5	19
48	Captopril and 6-mercaptopurine: Whose SH possesses higher antioxidant ability?. <i>European Journal of Medicinal Chemistry</i> , 2009, 44, 4841-4847.	5.5	18
49	Synthesis and antioxidant capacities of hydroxyl derivatives of cinnamoylphenethylamine in protecting DNA and scavenging radicals. <i>Free Radical Research</i> , 2011, 45, 445-453.	3.3	18
50	Coumarin moiety can enhance abilities of chalcones to inhibit DNA oxidation and to scavenge radicals. <i>Tetrahedron</i> , 2014, 70, 8397-8404.	1.9	16
51	Why natural antioxidants are readily recognized by biological systems? 3D architecture plays a role!. <i>Food Chemistry</i> , 2022, 380, 132143.	8.2	16
52	How many peroxy radicals can be scavenged by hydroxyl-substituted Schiff bases in the oxidation of linoleic acid?. <i>Journal of Physical Organic Chemistry</i> , 2009, 22, 308-312.	1.9	15
53	Coumarin sharing the benzene ring with quinoline for quenching radicals and inhibiting DNA oxidation. <i>European Journal of Medicinal Chemistry</i> , 2015, 95, 416-423.	5.5	15
54	Dichloro-4-quinolinol-3-carboxylic acid: Synthesis and antioxidant abilities to scavenge radicals and to protect methyl linoleate and DNA. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 1821-1827.	5.5	14

#	ARTICLE	IF	CITATIONS
55	Synthesis of imidazo[1,2-a]quinoxalines by double Groebke reactions and inhibitory effects on radicals and DNA oxidation. <i>Tetrahedron</i> , 2016, 72, 1850-1859.	1.9	14
56	Cholesterol, Not Polyunsaturated Fatty Acids, is Target Molecule in Oxidation Induced by Reactive Oxygen Species in Membrane of Human Erythrocytes. <i>Cell Biochemistry and Biophysics</i> , 2006, 45, 185-194.	1.8	13
57	How Many Free Radicals can be Trapped by (Hydroxylphenylimino)methylphenol in the Free-Radical-Induced Peroxidation of Triolein in Micelles?. <i>QSAR and Combinatorial Science</i> , 2007, 26, 488-495.	1.4	13
58	Synthesis of methyl-substituted xanthotoxol to clarify prooxidant effect of methyl on radical-induced oxidation of DNA. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 2559-2566.	5.5	13
59	Diaryl-1,2,4-oxadiazole antioxidants: Synthesis and properties of inhibiting the oxidation of DNA and scavenging radicals. <i>Biochimie</i> , 2013, 95, 842-849.	2.6	13
60	Including 4-Hydroxyquinoline Derivatives into β -Cyclodextrin to Form Complexes Affects Their Antioxidative Effect on Free-Radical-Induced Hemolysis of Human Erythrocytes. <i>QSAR and Combinatorial Science</i> , 2003, 22, 859-864.	1.4	12
61	Ferrocenyl-contained dendritic-like antioxidants with dihydropyrazole and pyrazole as the core: investigations into the role of ferrocenyl group and structure-activity relationship on scavenging radical and protecting DNA. <i>Tetrahedron</i> , 2013, 69, 9898-9905.	1.9	12
62	Ferrocenyl-Appended Aurone and Flavone: Which Possesses Higher Inhibitory Effects on DNA Oxidation and Radicals?. <i>Chemical Research in Toxicology</i> , 2015, 28, 451-459.	3.3	12
63	Activity of coumarin-oxadiazole-appended phenol in inhibiting DNA oxidation and scavenging radical. <i>Tetrahedron Letters</i> , 2015, 56, 6257-6261.	1.4	12
64	An Overview on the Robinson Annulation. <i>Current Organic Chemistry</i> , 2018, 22, 1347-1372.	1.6	12
65	Lidocaine: An inhibitor in the free-radical-induced hemolysis of erythrocytes. <i>Journal of Biochemical and Molecular Toxicology</i> , 2009, 23, 81-86.	3.0	11
66	Comparison of antioxidant effectiveness of lipoic acid and dihydrolipoic acid. <i>Journal of Biochemical and Molecular Toxicology</i> , 2011, 25, 216-223.	3.0	11
67	2-Isocyano glucose used in Ugi four-component reaction: An approach to enhance inhibitory effect against DNA oxidation. <i>European Journal of Medicinal Chemistry</i> , 2017, 135, 458-466.	5.5	11
68	Enhancing Antioxidant Effect against Peroxyl Radical-Induced Oxidation of DNA: Linking with Ferrocene Moiety!. <i>Chemical Record</i> , 2019, 19, 2385-2397.	5.8	11
69	Kinetic study on the prooxidative effect of vitamin C on the autoxidation of glycerol trioleate in micelles. <i>Journal of Physical Organic Chemistry</i> , 2006, 19, 136-142.	1.9	10
70	Indole and its alkyl-substituted derivatives protect erythrocyte and DNA against radical-induced oxidation. <i>Journal of Biochemical and Molecular Toxicology</i> , 2009, 23, 273-279.	3.0	10
71	Antioxidant effects of phenothiazine, phenoxazine, and iminostilbene on free-radical-induced oxidation of linoleic acid and DNA. <i>Journal of Physical Organic Chemistry</i> , 2009, 22, 1009-1014.	1.9	10
72	Modification by ferrocene: An approach to enhance antioxidant ability of aianthoidol to protect DNA. <i>Biochimie</i> , 2012, 94, 1805-1811.	2.6	10

#	ARTICLE	IF	CITATIONS
73	Ferrocenyl chalcones: antioxidants or prooxidants in radical-induced oxidation of DNA?. <i>Medicinal Chemistry Research</i> , 2012, 21, 3015-3020.	2.4	9
74	FERULIC AND COUMARIC ACIDS: APPLICATION TO RELEASE OXIDATIVE STRESS OF DNA AND METHYL LINOLEATE. <i>Journal of Food Biochemistry</i> , 2012, 36, 38-45.	2.9	9
75	Discovery of Novel Imidazo[1,2-a]-involved N-Heterocyclic Drugs by Groebke-Blackburn-Bienayme Three-Component-Reaction. <i>Mini-Reviews in Organic Chemistry</i> , 2016, 13, 166-183.	1.3	9
76	The "Unexpected Role" of Vitamin E in Free Radical-Induced Hemolysis of Human Erythrocytes: α -Tocopherol-Mediated Peroxidation. <i>Cell Biochemistry and Biophysics</i> , 2006, 44, 233-240.	1.8	8
77	Asymmetrical mono-carbonyl ferrocenylidene curcumin and their dihydropyrazole derivatives: Which possesses the highest activity to protect DNA or scavenge radical?. <i>Medicinal Chemistry Research</i> , 2014, 23, 3478-3490.	2.4	8
78	Hybrid of Resveratrol and Glucosamine: An Approach To Enhance Antioxidant Effect against DNA Oxidation. <i>Chemical Research in Toxicology</i> , 2018, 31, 936-944.	3.3	8
79	Modification on Fullerene. <i>Current Organic Synthesis</i> , 2017, 14, .	1.3	8
80	Attaching a Dipeptide to Fullerene as an Antioxidant Hybrid against DNA Oxidation. <i>Chemical Research in Toxicology</i> , 2021, 34, 2366-2374.	3.3	8
81	Ferrocene as a functional group enhances the inhibitive effect of dihydropyrimidine on radical-induced oxidation of DNA. <i>Organic Chemistry Frontiers</i> , 2014, 1, 792.	4.5	7
82	Anti-Oxidant in China: A Thirty-Year Journey. <i>The American Journal of Chinese Medicine</i> , 2019, 47, 1005-1024.	3.8	7
83	Insight into the free-radical-scavenging mechanism of hydroxyl-substituent Schiff bases in the free-radical-induced hemolysis of erythrocytes. <i>Cell Biochemistry and Function</i> , 2007, 25, 701-710.	2.9	6
84	Synthesis of hydroxyferrocifen and its abilities to protect DNA and to scavenge radicals. <i>Journal of Biological Inorganic Chemistry</i> , 2011, 16, 1169-1176.	2.6	6
85	Facile synthesis of furoquinoline and effects on radical-induced oxidation of DNA. <i>Medicinal Chemistry Research</i> , 2013, 22, 1563-1569.	2.4	6
86	Passerini three-component adducts as radical scavengers. <i>Tetrahedron Letters</i> , 2015, 56, 7028-7033.	1.4	6
87	Tetrahydropyrrolization of Resveratrol and Other Stilbenes Improves Inhibitory Effects on DNA Oxidation. <i>ChemMedChem</i> , 2016, 11, 1617-1625.	3.2	6
88	How to Start a Total Synthesis from the Wieland-Miescher Ketone?. <i>Current Organic Synthesis</i> , 2019, 16, 328-341.	1.3	5
89	The "double-faced" effect of VC-12 on free-radical-induced haemolysis of human erythrocytes: antioxidant and prooxidant. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 59, 739-743.	2.4	4
90	Synthesis of licochalcones and inhibition effects on radical-induced oxidation of DNA. <i>Medicinal Chemistry Research</i> , 2013, 22, 2847-2854.	2.4	4

#	ARTICLE	IF	CITATIONS
91	Tetramer as efficient structural mode for organizing antioxidative carboxylic acids: The case in inhibiting DNA oxidation. Archives of Biochemistry and Biophysics, 2017, 631, 1-10.	3.0	4
92	Construction of 3D Antioxidants with Nucleosides as the Core: Inhibition of DNA Oxidation. Journal of Organic Chemistry, 2019, 84, 15854-15864.	3.2	4
93	Diclofenac acid: a free radical scavenger to protect DNA against radical-induced oxidation. Drug Development Research, 2009, 70, 520-524.	2.9	2
94	The antioxidant effects of the butterfly cluster $[(\frac{1}{4}\text{-SeCH}_2)_2\text{CH}(\text{OH})]\text{Fe}_2(\text{CO})_6$ on radical-induced oxidation of DNA. Medicinal Chemistry Research, 2013, 22, 2809-2814.	2.4	2
95	Multicomponent Reactions for Integrating Multiple Functional Groups into an Antioxidant. Chemical Record, 2020, 20, 1516-1529.	5.8	2
96	Pro-oxidant effects of phenothiazine and phenoxazine on erythrocytes in the presence of peroxy radical. Journal of Biochemical and Molecular Toxicology, 2009, 23, 280-286.	3.0	1
97	Effects of micelle on pyrazoles as antioxidants in radical-induced oxidation of DNA. Chemical Research in Chinese Universities, 2013, 29, 671-677.	2.6	1
98	Novel kinetic method for expressing the ability of antioxidant to scavenge radicals. Chemical Research in Chinese Universities, 2013, 29, 947-951.	2.6	0