

Jong-Seong Kang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2192189/jong-seong-kang-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134
papers

1,774
citations

21
h-index

34
g-index

140
ext. papers

2,018
ext. citations

4.3
avg, IF

4.37
L-index

#	Paper	IF	Citations
134	Determination of enantiomeric impurity of tenofovir disoproxil fumarate on a cellulose tris(3,5-dichlorophenyl-carbamate) chiral stationary phase and the characterization of its related substances. <i>Journal of Separation Science</i> , 2021 , 44, 2029-2036	3.4	
133	Effect of citric acid and heat treatment on the content of less-polar ginsenosides in flower buds of. <i>Preparative Biochemistry and Biotechnology</i> , 2021 , 1-10	2.4	
132	Phytochemical analysis of trifoliolate orange during fermentation by HPLC-ESI-MS/MS coupled with multivariate statistical analysis. <i>Acta Chromatographica</i> , 2021 , 33, 371-377	1.5	0
131	Development and validation of a bioanalytical method of analyzing 3S and 6S sialyllactose using liquid chromatography-tandem mass spectrometry in minipig plasma and its application in a pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 195, 113827	3.5	
130	Design, synthesis and anticancer activity of 2-amidomethoxy-1,4-naphthoquinones and its conjugates with Biotin/polyamine. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2021 , 31, 127685	2.9	3
129	Isolation of bioactive components with soluble epoxide hydrolase inhibitory activity from MiQ. by ultrasonic-assisted extraction optimized using response surface methodology. <i>Preparative Biochemistry and Biotechnology</i> , 2021 , 51, 395-404	2.4	3
128	Metabolomic Studies for the Evaluation of Toxicity Induced by Environmental Toxicants on Model Organisms. <i>Metabolites</i> , 2021 , 11,	5.6	3
127	Anti-Wrinkle Effect of Leaf Extract: Evaluation of Antioxidant, Anti-Inflammation, and Clinical Activity. <i>Antioxidants</i> , 2021 , 10,	7.1	4
126	Extended Intake of Mulberry Leaf Extract Delayed Metformin Elimination via Inhibiting the Organic Cation Transporter 2. <i>Pharmaceutics</i> , 2020 , 12,	6.4	6
125	Discrimination and quality evaluation of fifteen components in Stauntonia hexaphylla leaves from different harvest time by HPLC-ESI-MS/MS and ELSD coupled with multivariate statistical analysis and anti-inflammatory activity evaluation. <i>Applied Biological Chemistry</i> , 2020 , 63,	2.9	4
124	Identification of diphenylalkylisoxazol-5-amine scaffold as novel activator of cardiac myosin. <i>Bioorganic and Medicinal Chemistry</i> , 2020 , 28, 115742	3.4	
123	Quality control and evaluation of Inonotus obliquus using HPLC method with novel marker compounds. <i>Journal of Analytical Science and Technology</i> , 2020 , 11,	3.4	1
122	A capillary electrophoresis method for the determination of the linagliptin enantiomeric impurity. <i>Journal of Separation Science</i> , 2020 , 43, 4480-4487	3.4	5
121	Statistical Design of Sustained-Release Tablet Extract and Bioconverted Mulberry Leaf Extract for Anti-Obesity. <i>Pharmaceutics</i> , 2020 , 12,	6.4	1
120	Quantitation of Phenolic Compounds Related to Antioxidant and Antiosteoporosis Activities in Ripe and Unripe Maesil (<i>Prunus mume</i>). <i>Journal of Food Quality</i> , 2020 , 2020, 1-13	2.7	1
119	Inhibitory Activity of Quercetin 3--Arabinofuranoside and 2-Oxopomolic Acid Derived from on Soluble Epoxide Hydrolase. <i>Molecules</i> , 2020 , 25,	4.8	3
118	Evaluation of the Antiwrinkle Activity of Enriched Isatidis Folium Extract and an HPLC-UV Method for the Quality Control of Its Cream Products. <i>Plants</i> , 2020 , 9,	4.5	2

117	Enhancement of an In Vivo Anti-Inflammatory Activity of Oleanolic Acid through Glycosylation Occurring Naturally in. <i>Molecules</i> , 2020 , 25,	4.8	6
116	Application of an (18-Crown-6)-2,3,11,12-Tetracarboxylic Acid-Based Chiral Stationary Phase in Capillary Electrochromatography. <i>Methods in Molecular Biology</i> , 2019 , 1985, 445-452	1.4	
115	Effects of unaltered and bioconverted mulberry leaf extracts on cellular glucose uptake and antidiabetic action in animals. <i>BMC Complementary and Alternative Medicine</i> , 2019 , 19, 55	4.7	10
114	Isolation, structural elucidation, and insights into the anti-inflammatory effects of triterpene saponins from the leaves of <i>Stauntonia hexaphylla</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019 , 29, 965-969	2.9	11
113	Evaluation of phenolic compounds from viroid-free and viroid-infected apples using HPLC-PDA-ESI-MS/MS. <i>Phytochemical Analysis</i> , 2019 , 30, 395-404	3.4	3
112	Phytochemical profile of <i>Syzygium formosum</i> (Wall.) Masam leaves using HPLC-PDA-MS/MS and a simple HPLC-ELSD method for quality control. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 168, 1-12	3.5	9
111	Formulation and statistical analysis of an herbal medicine tablet containing <i>Morus alba</i> leaf extracts. <i>Journal of Pharmaceutical Investigation</i> , 2019 , 49, 625-634	6.3	10
110	A thorough analysis of the effect of surfactant/s on the solubility and pharmacokinetics of (S)-zaltoprofen. <i>Asian Journal of Pharmaceutical Sciences</i> , 2019 , 14, 435-444	9	3
109	Characterization and classification of three common Bambusoideae species in Korea by an HPLC-based analytical platform coupled with multivariate statistical analysis. <i>Industrial Crops and Products</i> , 2019 , 130, 389-397	5.9	7
108	In vitro and in silico investigation of anthocyanin derivatives as soluble epoxide hydrolase inhibitors. <i>International Journal of Biological Macromolecules</i> , 2018 , 112, 961-967	7.9	8
107	Tyrosinase inhibitory components from the seeds of <i>Cassia tora</i> . <i>Archives of Pharmacal Research</i> , 2018 , 41, 490-496	6.1	4
106	A comparative study of <i>Mentha arvensis</i> L. and <i>Mentha haplocalyx</i> Briq. by HPLC. <i>Natural Product Research</i> , 2018 , 32, 239-242	2.3	7
105	Anti-allergic effects of the ethanol extract of <i>Syzygium formosum</i> (Wall.) Masam leaves and its immunoregulatory mechanisms. <i>Journal of Ethnopharmacology</i> , 2018 , 211, 171-179	5	8
104	The mast cell stabilizing activity of Chaga mushroom critical for its therapeutic effect on food allergy is derived from inotodiol. <i>International Immunopharmacology</i> , 2018 , 54, 286-295	5.8	10
103	Identification of Anti-Melanogenesis Constituents from L. Leaves. <i>Molecules</i> , 2018 , 23,	4.8	18
102	Pharmacokinetic study comparing pure desoxo-narchinol A and nardosinonediol with extracts from <i>Nardostachys jatamansi</i> . <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1102-1103, 152-158	3.2	4
101	Development of an analytical method for detecting nitrofurans in bee pollen by liquid chromatography-electrospray ionization tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1046, 172-176	3.2	22
100	High-performance liquid chromatography method development for the quality control of <i>Ginkgonis Semen</i> . <i>Arabian Journal of Chemistry</i> , 2017 , 10, 792-800	5.9	8

99	Determination of rabeprazole enantiomers in commercial tablets using immobilized cellulose-based stationary phase. <i>Archives of Pharmacal Research</i> , 2017 , 40, 373-381	6.1	7
98	β-Glucosidase inhibition by prenylated and lavandulyl compounds from <i>Sophora flavescens</i> roots and in silico analysis. <i>International Journal of Biological Macromolecules</i> , 2017 , 102, 960-969	7.9	17
97	Two new dammarane-type triterpene saponins from Korean red ginseng and their anti-inflammatory effects. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017 , 27, 5149-5153	2.9	15
96	Standardization of extract mixture of <i>Chaenomeles sinensis</i> and <i>Phyllostachys bambusoides</i> for anti-obesity by HPLC-UV. <i>Archives of Pharmacal Research</i> , 2017 , 40, 1156-1165	6.1	5
95	Determination of S(-)-lansoprazole in dexlansoprazole preparation by capillary zone electrophoresis. <i>Archives of Pharmacal Research</i> , 2017 , 40, 962-971	6.1	11
94	An optimized HPLC-UV method for quantitatively determining sesquiterpenes in <i>Nardostachyos Radix et Rhizoma</i> . <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 145, 406-413	3.5	7
93	Effects of <i>Zingiber officinale</i> extract on collagen-induced arthritis in mice and IL-1β-induced inflammation in human synovial fibroblasts. <i>European Journal of Inflammation</i> , 2017 , 15, 168-178	0.3	5
92	Effects of the Fruit Extract of on Skin Inflammation in Mice with Oxazolone-Induced Atopic Dermatitis through Regulation of Calcium Channels, Orai-1 and TRPV3, and Mast Cell Activation. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017 , 2017, 8312946	2.3	16
91	Chemical Components from and their Inhibition of Indoleamine 2, 3-dioxygenase. <i>Pharmacognosy Magazine</i> , 2017 , 13, 58-63	0.8	2
90	A simple and simultaneous identification method for aloe, catechu and gambir by high performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 117, 73-8	3.5	4
89	Isolation and identification of chromone and pyrone constituents from Aloe and their anti-inflammatory activities. <i>Journal of Functional Foods</i> , 2016 , 21, 232-239	5.1	16
88	Simultaneous analysis of seven marker compounds from <i>Saposhnikovia Radix</i> , <i>Glehnia Radix</i> and <i>Peucedani Japonici Radix</i> by HPLC/PDA. <i>Archives of Pharmacal Research</i> , 2016 , 39, 695-704	6.1	7
87	A natural component from <i>Euphorbia humifusa</i> Willd displays novel, broad-spectrum anti-influenza activity by blocking nuclear export of viral ribonucleoprotein. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 471, 282-9	3.4	16
86	Phenolic Constituents of Medicinal Plants with Activity against <i>Trypanosoma brucei</i> . <i>Molecules</i> , 2016 , 21, 480	4.8	14
85	Simultaneous Urinary Creatine and Creatinine Analysis by High Performance Liquid Chromatography. <i>Bulletin of the Korean Chemical Society</i> , 2016 , 37, 756-758	1.2	2
84	A convenient and validated enantiomer separation of chiral aliphatic amines as nitrobenzoxadiazole derivatives on polysaccharide-derived chiral stationary phases under simultaneous ultraviolet and fluorescence detection. <i>Chirality</i> , 2016 , 28, 789-794	2.1	7
83	A new phenolic derivative with soluble epoxide hydrolase and nuclear factor-kappaB inhibitory activity from the aqueous extract of <i>Acacia catechu</i> . <i>Natural Product Research</i> , 2016 , 30, 2085-92	2.3	10
82	Identification and discrimination of three common Aloe species by high performance liquid chromatography-tandem mass spectrometry coupled with multivariate analysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1031, 163-171	3.2	10

81	Enantioseparation and chiral recognition of amino acids and their derivatives on (-)-18-crown-6-tetracarboxylic acid bonded silica by capillary electrochromatography. <i>Archives of Pharmacal Research</i> , 2015 , 38, 1499-505	6.1	7
80	Determination of the R-enantiomer of valsartan in pharmaceutical formulation by capillary electrophoresis. <i>Archives of Pharmacal Research</i> , 2015 , 38, 826-33	6.1	15
79	Anti-Protozoal Activities of Cembrane-Type Diterpenes from Vietnamese Soft Corals. <i>Molecules</i> , 2015 , 20, 12459-68	4.8	23
78	Soluble Epoxide Hydrolase Inhibitory Activity of Selaginellin Derivatives from <i>Selaginella tamariscina</i> . <i>Molecules</i> , 2015 , 20, 21405-14	4.8	19
77	Simultaneous analysis of ibuprofen and pamabrom by HPLC. <i>Journal of Pharmaceutical Investigation</i> , 2015 , 45, 555-560	6.3	3
76	Specification and Analysis of Multiple Marker Compounds for Quality Control of Mori Cortex Radicis by HPLC. <i>Bulletin of the Korean Chemical Society</i> , 2015 , 36, 117-122	1.2	8
75	CHIRAL RECOGNITION USING A CONFORMATIONALLY RIGID CHIRAL STATIONARY PHASE DERIVED FROM AMINO-?-CARPROLACTAM. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2014 , 37, 2725-2732	1.3	3
74	Comparative pharmacokinetics of a marker compound, baicalin in KOB extract after oral administration to normal and allergic-induced rats. <i>Drug Delivery</i> , 2014 , 21, 453-8	7	10
73	Secondary metabolites from Vietnamese marine invertebrates with activity against <i>Trypanosoma brucei</i> and <i>T. cruzi</i> . <i>Molecules</i> , 2014 , 19, 7869-80	4.8	16
72	Effect of Kuwanon G isolated from the root bark of <i>Morus alba</i> on ovalbumin-induced allergic response in a mouse model of asthma. <i>Phytotherapy Research</i> , 2014 , 28, 1713-9	6.7	17
71	Deracemization of Racemic Amino Acids Using (R)- and (S)-Alanine Racemase Chiral Analogues as Chiral Converters. <i>Bulletin of the Korean Chemical Society</i> , 2014 , 35, 2186-2188	1.2	1
70	Enhanced transdermal drug delivery of zaltoprofen using a novel formulation. <i>International Journal of Pharmaceutics</i> , 2013 , 453, 358-62	6.5	28
69	The extract of <i>Cinnamomum cassia</i> twigs inhibits adipocyte differentiation via activation of the insulin signaling pathway in 3T3-L1 preadipocytes. <i>Pharmaceutical Biology</i> , 2013 , 51, 961-7	3.8	18
68	Development and application of chiral crown ethers as selectors for chiral separation in high-performance liquid chromatography and nuclear magnetic resonance spectroscopy. <i>Journal of Chromatography A</i> , 2013 , 1274, 1-5	4.5	45
67	Chiral high-performance liquid chromatographic separation of evodiamine enantiomers and rutaecarpine, isolated from <i>Evodiae fructus</i> . <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 81-82, 151-9	3.5	16
66	Comparative Pharmacokinetics of Berberine After Oral Administration of Pure Berberine, <i>Coptidis Rhizoma</i> Extract, and Decoctions of Two Different Complex Herbal Formulas to Rats. <i>Bulletin of the Korean Chemical Society</i> , 2013 , 34, 1559-1562	1.2	3
65	Quantitative Determination of Marker Compounds and Pattern Recognition Analysis for Quality Control of <i>Alismatis Rhizoma</i> by HPLC. <i>Bulletin of the Korean Chemical Society</i> , 2013 , 34, 2081-2085	1.2	1
64	Chiral pharmacokinetics of zaltoprofen in rats by HPLC with solid-phase extraction. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 70, 567-73	3.5	11

63	Gene expression profiling of KBH-A42, a novel histone deacetylase inhibitor, in human leukemia and bladder cancer cell lines. <i>Oncology Letters</i> , 2012 , 3, 113-118	2.6	11
62	Antiallergic effect of KOB03, a polyherbal medicine, on mast cell-mediated allergic responses in ovalbumin-induced allergic rhinitis mouse and human mast cells. <i>Journal of Ethnopharmacology</i> , 2012 , 142, 684-93	5	24
61	Effect of KOB03, a polyherbal medicine, on ovalbumin-induced allergic rhinitis in guinea pigs. <i>Chinese Medicine</i> , 2012 , 7, 27	4.7	4
60	Chemical-based species classification of rhubarb using simultaneous determination of five bioactive substances by HPLC and LDA analysis. <i>Phytochemical Analysis</i> , 2012 , 23, 359-64	3.4	11
59	Preparation and determination of optical purity of Lysine modified peptide nucleic acid analogues. <i>Archives of Pharmacol Research</i> , 2012 , 35, 517-22	6.1	3
58	Chiral discrimination of sibutramine enantiomers by capillary electrophoresis and proton nuclear magnetic resonance spectroscopy. <i>Archives of Pharmacol Research</i> , 2012 , 35, 671-81	6.1	18
57	Comparative Studies on Enantiomer Resolution of α -Amino Acids and Their Esters Using (18-Crown-6)-tetracarboxylic acid as a Chiral Crown Ether Selector by NMR Spectroscopy and High-Performance Liquid Chromatography. <i>Bulletin of the Korean Chemical Society</i> , 2012 , 33, 3481-3484	1.2	9
56	Metabolic Pharmacokinetics in Rats: Differences between Pure Amygdalin and Amygdalin in a Decoction of Peach Seeds. <i>Bulletin of the Korean Chemical Society</i> , 2012 , 33, 1470-1474	1.2	7
55	Determining the pharmacokinetics of psilocin in rat plasma using ultra-performance liquid chromatography coupled with a photodiode array detector after orally administering an extract of <i>Gymnopilus spectabilis</i> . <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 2669-72	3.2	11
54	Chiral HPLC studies on chemical behavior of 6-methoxydihydrosanguinarine in alcoholic solvent system. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 56, 479-83	3.5	2
53	Comparative pharmacokinetics of three marker compounds in mBHT and single-herb extract after oral administration to rats. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 56, 1121-6	3.5	5
52	Structure-activity relationship studies of novel arylsulfonylimidazolidinones for their anticancer activity. <i>European Journal of Medicinal Chemistry</i> , 2011 , 46, 3258-64	6.8	8
51	Quality control of a herbal medicinal preparation using high-performance liquid chromatographic and capillary electrophoretic methods. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 206-10	3.5	11
50	Multiple component quantitative analysis for the pattern recognition and quality evaluation of <i>Kalopanax Cortex</i> using HPLC. <i>Archives of Pharmacol Research</i> , 2011 , 34, 2065-71	6.1	2
49	The antioxidant effects of Joongpoongtang 05 on brain injury after transient focal cerebral ischemia in rats. <i>Journal of Natural Medicines</i> , 2011 , 65, 322-9	3.3	12
48	Discrimination of cinnamon bark and cinnamon twig samples sourced from various countries using HPLC-based fingerprint analysis. <i>Food Chemistry</i> , 2011 , 127, 755-60	8.5	69
47	Effect of the isosteric replacement of the phenyl motif with furyl (or thienyl) of 4-phenyl-N-arylsulfonylimidazolones as broad and potent anticancer agents. <i>MedChemComm</i> , 2011 , 2, 731	5	3
46	HPLC-ELSD analysis of 18 platycosides from balloon flower roots (<i>Platycodi Radix</i>) sourced from various regions in Korea and geographical clustering of the cultivation areas. <i>Food Chemistry</i> , 2011 , 129, 645-651	8.5	38

45	Reverse migration order of sibutramine enantiomers as a function of cyclodextrin concentration in capillary electrophoresis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 54, 1007-12	3.5	7
44	LIQUID CHROMATOGRAPHIC ENANTIOMER SEPARATION OF AMINO ACID ESTERS AS 9-ANTHRALDIMINE SCHIFF BASES USING POLYSACCHARIDE-DERIVED CHIRAL STATIONARY PHASES. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2011 , 34, 209-216	1.3	7
43	Investigation of Chiral Self-Recognition of α -Acidic 3,5-Dinitrobenzoylleucine Derivatives. <i>Bulletin of the Korean Chemical Society</i> , 2011 , 32, 4423-4426	1.2	3
42	Chromatographic Separation of Enantiomers of Chiral Amines or Amino Alcohols as 9-Anthraldimine Derivatives Using Polysaccharide-Derived Chiral Columns. <i>Bulletin of the Korean Chemical Society</i> , 2011 , 32, 2493-2496	1.2	7
41	Quality Evaluation of Modified Bo-Yang-Hwan-O-Tang by Capillary Electrophoresis and High-performance Liquid Chromatography. <i>Bulletin of the Korean Chemical Society</i> , 2011 , 32, 2666-2670	1.2	2
40	Evaluation of antioxidant defense systems in H4IIE cells infected with a retroviral vector. <i>Toxicology in Vitro</i> , 2010 , 24, 1105-10	3.6	4
39	Racemization of 6-methoxydihydrosanguinarine in methanol investigated by enantioselective dynamic HPLC. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 51, 103-6	3.5	3
38	Evaluation of the total oxy-radical scavenging capacity of catechins isolated from green tea. <i>Food Chemistry</i> , 2010 , 121, 1089-1094	8.5	20
37	Enantioseparation and Determination of Sibutramine in Pharmaceutical Formulations by Capillary Electrophoresis. <i>Bulletin of the Korean Chemical Society</i> , 2010 , 31, 1496-1500	1.2	9
36	A novel delta-lactam-based histone deacetylase inhibitor, KBH-A42, induces cell cycle arrest and apoptosis in colon cancer cells. <i>Biochemical Pharmacology</i> , 2009 , 78, 486-94	6	20
35	Diacylglycerol acyltransferase-inhibitory compounds from <i>Erythrina senegalensis</i> . <i>Archives of Pharmacal Research</i> , 2009 , 32, 43-7	6.1	16
34	Analysis of enantiomers of sibutramine and its metabolites in rat plasma by liquid chromatography-mass spectrometry using a chiral stationary-phase column. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 267-70	3.5	17
33	Oxygenation of arachidonoyl lysophospholipids by lipoxygenases from soybean, porcine leukocyte, or rabbit reticulocyte. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 1224-32	5.7	26
32	Enantioselective determination of chlorpheniramine in various formulations by HPLC using carboxymethyl-beta-cyclodextrin as a chiral additive. <i>Archives of Pharmacal Research</i> , 2008 , 31, 523-9	6.1	5
31	Ameliorating effect of balloon flower saponin on the ethanol-induced memory impairment in mice. <i>Phytotherapy Research</i> , 2008 , 22, 973-6	6.7	12
30	Enantioseparation of N-fluorenylmethoxycarbonyl alpha-amino acids on polysaccharide-derived chiral stationary phases by reverse mode liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 46, 914-9	3.5	19
29	Region-specific reduction of Gbeta4 expression and induction of the phosphorylation of PKB/Akt and ERK1/2 by aging in rat brain. <i>Pharmacological Research</i> , 2007 , 56, 295-302	10.2	11
28	Determination of bevantolol enantiomers in human plasma by coupled achiral-chiral high performance-liquid chromatography. <i>Chirality</i> , 2007 , 19, 528-35	2.1	6

27	Stress induces the expression of heterotrimeric G protein beta subunits and the phosphorylation of PKB/Akt and ERK1/2 in rat brain. <i>Neuroscience Research</i> , 2006 , 56, 180-92	2.9	18
26	Capillary electrophoretic method for the determination of diterpenoid isomers in <i>Acanthopanax</i> species. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 40, 56-61	3.5	22
25	Improvement of memory by dieckol and phlorofucofuroeckol in ethanol-treated mice: possible involvement of the inhibition of acetylcholinesterase. <i>Archives of Pharmacal Research</i> , 2005 , 28, 691-8	6.1	70
24	Determination of stability constants of the inclusion complexes of beta-blockers in heptakis (2,3-dimethyl-6-sulfato)-beta-cyclodextrin. <i>Archives of Pharmacal Research</i> , 2004 , 27, 1290-4	6.1	7
23	Distribution of (-)-yatein in Cupressaceae family analysed by high performance liquid chromatography. <i>Archives of Pharmacal Research</i> , 2004 , 27, 35-9	6.1	7
22	Inhibitory lignans against NFAT transcription factor from <i>Acanthopanax koreanum</i> . <i>Archives of Pharmacal Research</i> , 2004 , 27, 738-41	6.1	23
21	Activation of mitogen-activated protein kinases and AP-1 by polysaccharide isolated from the radix of <i>Platycodon grandiflorum</i> in RAW 264.7 cells. <i>International Immunopharmacology</i> , 2004 , 4, 1477-87	5.8	56
20	Effects of repeated administration of <i>Uncaria hooks</i> on the acquisition and central neuronal activities in ethanol-treated mice. <i>Journal of Ethnopharmacology</i> , 2004 , 94, 123-8	5	6
19	Achiral and chiral determination of benzophenanthridine alkaloids from methanol extracts of <i>Hylomecon</i> species by high performance liquid chromatography. <i>Archives of Pharmacal Research</i> , 2003 , 26, 114-9	6.1	8
18	Antioxidant and memory enhancing effects of purple sweet potato anthocyanin and cordyceps mushroom extract. <i>Archives of Pharmacal Research</i> , 2003 , 26, 821-5	6.1	85
17	Toll-like receptor 4-dependent activation of macrophages by polysaccharide isolated from the radix of <i>Platycodon grandiflorum</i> . <i>International Immunopharmacology</i> , 2003 , 3, 1873-82	5.8	106
16	Stereoselective determination of (-)-yatein in the plants of the Cupressaceae family by capillary electrophoresis. <i>Journal of Separation Science</i> , 2002 , 25, 1070-1072	3.4	3
15	Enantioselective stabilization of inclusion complexes of metoprolol in carboxymethylated beta-cyclodextrin. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2002 , 27, 569-76	3.5	33
14	Quinolone alkaloids, diacylglycerol acyltransferase inhibitors from the fruits of <i>Evodia rutaecarpa</i> . <i>Planta Medica</i> , 2002 , 68, 1131-3	3.1	32
13	Chiral separation of beta2-agonists by capillary electrophoresis using hydroxypropyl-alpha-cyclodextrin as a chiral selector. <i>Archives of Pharmacal Research</i> , 2001 , 24, 281-5	6.1	11
12	Quantitative determination of eleutheroside B and E from <i>Acanthopanax</i> species by high performance liquid chromatography. <i>Archives of Pharmacal Research</i> , 2001 , 24, 407-11	6.1	35
11	Enantioselective determination of metoprolol and major metabolites in human urine by capillary electrophoresis. <i>Biomedical Applications</i> , 2001 , 755, 259-64		33
10	Determination of metoprolol enantiomers in human urine by coupled achiral-chiral chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2000 , 22, 377-84	3.5	30

9	Quantitative determination of salidroside and tyrosol from the underground part of <i>Rhodiola rosea</i> by high performance liquid chromatography. <i>Archives of Pharmacal Research</i> , 2000 , 23, 349-52	6.1	68
8	Enantioselective preparation of metoprolol and its major metabolites. <i>Archives of Pharmacal Research</i> , 2000 , 23, 226-9	6.1	19
7	Chiral separation of the enantiomers of metoprolol and its metabolites by high performance liquid chromatography. <i>Archives of Pharmacal Research</i> , 2000 , 23, 230-6	6.1	13
6	Naphthazarin derivatives (V): formation of glutathione conjugate and cytotoxic activity of 2-or 6-substituted 5,8-dimethoxy-1,4-naphthoquinones in the presence of glutathione-S-transferase, in rat liver S-9 fraction and mouse liver perfusate. <i>Archives of Pharmacal Research</i> , 2000 , 23, 22-5	6.1	4
5	Glutathione conjugates of 2- or 6-substituted 5,8-dimethoxy-1,4-naphthoquinone derivatives: formation and structure. <i>Archives of Pharmacal Research</i> , 1999 , 22, 384-90	6.1	3
4	Enantiomeric ratio of shikonin derivatives as a possible key for the determination of the origin of lithospermi radix. <i>Archives of Pharmacal Research</i> , 1998 , 21, 565-9	6.1	6
3	MDR-1 gene expression is a minor factor in determining the multidrug resistance phenotype of MCF7/ADR and KB-V1 cells. <i>FEBS Letters</i> , 1997 , 412, 201-6	3.8	7
2	Efficient fixation procedure of human leukemia cells in sulforhodamine B cytotoxicity assay. <i>Journal of Pharmacological and Toxicological Methods</i> , 1996 , 36, 163-9	1.7	24
1	Chemometric tool of chromatographic pattern recognition for the analysis of complex mixtures. <i>Archives of Pharmacal Research</i> , 1992 , 15, 376-378	6.1	