

Mitsuo Sato

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/219408/mitsuo-sato-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83 papers	5,430 citations	34 h-index	73 g-index
87 ext. papers	5,985 ext. citations	6.1 avg, IF	4.66 L-index

#	Paper	IF	Citations
83	Resistance to mutant KRAS-induced senescence in a hTERT/Cdk4-immortalized normal human bronchial epithelial cell line.. <i>Experimental Cell Research</i> , 2022 , 113053	4.2	
82	Hurdles for the wide implementation of photoimmunotherapy. <i>Immunotherapy</i> , 2021 , 13, 1427-1438	3.8	2
81	Efficacies of programmed cell death 1 ligand 1 blockade in non-small cell lung cancer patients with acquired resistance to prior programmed cell death 1 inhibitor and development of diabetic ketoacidosis caused by two different etiologies: a retrospective case series. <i>Endocrine Journal</i> , 2021 , 168, 612-626	2.9	3
80	Oxytocin receptor is a promising therapeutic target of malignant mesothelioma. <i>Cancer Science</i> , 2021 , 112, 3520-3532	6.9	3
79	Optimization and validation of a highly sensitive method for determining glyphosate in human urine by solid-phase extraction and liquid chromatography with tandem mass spectrometry: a methodological study. <i>Environmental Health and Preventive Medicine</i> , 2020 , 25, 83	4.2	2
78	, a Regulator of Methylation, as a Diagnostic and Prognostic Marker for Lung Cancer. <i>Cancer Investigation</i> , 2020 , 38, 240-249	2.1	2
77	Immortalized normal human lung epithelial cell models for studying lung cancer biology. <i>Respiratory Investigation</i> , 2020 , 58, 344-354	3.4	8
76	Development of an immuno-wall device for the rapid and sensitive detection of EGFR mutations in tumor tissues resected from lung cancer patients. <i>PLoS ONE</i> , 2020 , 15, e0241422	3.7	2
75	Risk factors for pulmonary infection after diagnostic bronchoscopy in patients with lung cancer. <i>Nagoya Journal of Medical Science</i> , 2020 , 82, 69-77	0.7	
74	Phenotypic screening using large-scale genomic libraries to identify drug targets for the treatment of cancer. <i>Oncology Letters</i> , 2020 , 19, 3617-3626	2.6	4
73	Primary Prophylaxis Indication for Docetaxel Induced Febrile Neutropenia in Elderly Patients with Non-Small Cell Lung Cancer. <i>Cancer Investigation</i> , 2020 , 38, 424-430	2.1	0
72	Potential Benefits of Bevacizumab Combined With Platinum-Based Chemotherapy in Advanced Non-Small-Cell Lung Cancer Patients With EGFR Mutation. <i>Clinical Lung Cancer</i> , 2020 , 21, 273-280.e4	4.9	12
71	Development of an immuno-wall device for the rapid and sensitive detection of EGFR mutations in tumor tissues resected from lung cancer patients 2020 , 15, e0241422		
70	Development of an immuno-wall device for the rapid and sensitive detection of EGFR mutations in tumor tissues resected from lung cancer patients 2020 , 15, e0241422		
69	Development of an immuno-wall device for the rapid and sensitive detection of EGFR mutations in tumor tissues resected from lung cancer patients 2020 , 15, e0241422		
68	Development of an immuno-wall device for the rapid and sensitive detection of EGFR mutations in tumor tissues resected from lung cancer patients 2020 , 15, e0241422		
67	Potential for afatinib as an optimal treatment for advanced non-small cell lung carcinoma in patients with uncommon EGFR mutations. <i>Lung Cancer</i> , 2019 , 127, 169-171	5.9	14

66	Exploration of germline variants responsible for adverse events of crizotinib in anaplastic lymphoma kinase-positive non-small cell lung cancer by target-gene panel sequencing. <i>Lung Cancer</i> , 2019 , 128, 20-25	5.9	1
65	A 65-nm CMOS Fully Integrated Analysis Platform Using an On-Chip Vector Network Analyzer and a Transmission-Line-Based Detection Window for Analyzing Circulating Tumor Cell and Exosome. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2019 , 13, 470-479	5.1	8
64	Regulation of PD-L1 expression by matrix stiffness in lung cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 495, 2344-2349	3.4	28
63	Pseudomembranous Invasive Tracheobronchial Aspergillosis with Fulminant Hepatitis and Hemophagocytic Syndrome. <i>Internal Medicine</i> , 2018 , 57, 2371-2375	1.1	3
62	Pulmonary Malignancies (1): Lung CancerWhat Are the Roles of Genetic Factors in Lung Cancer Pathogenesis?. <i>Respiratory Disease Series</i> , 2018 , 193-206	0.2	
61	Safety and efficacy of diagnostic flexible bronchoscopy in very old patients with lung cancer. <i>European Geriatric Medicine</i> , 2018 , 9, 255-262	3	2
60	An EGFR-mutated Lung Adenocarcinoma Undergoing Squamous Cell Carcinoma Transformation Exhibited a Durable Response to Afatinib. <i>Internal Medicine</i> , 2018 , 57, 3429-3432	1.1	5
59	eIF2 α a subunit of translation-initiation factor EIF2, is a potential therapeutic target for non-small cell lung cancer. <i>Cancer Science</i> , 2018 , 109, 1843-1852	6.9	13
58	Lung Metastases from Bile Duct Adenocarcinoma Mimicking Chronic Airway Infection and Causing Diagnostic Difficulty. <i>Internal Medicine</i> , 2018 , 57, 1429-1432	1.1	
57	Identification of proteasomal catalytic subunit PSMA6 as a therapeutic target for lung cancer. <i>Cancer Science</i> , 2017 , 108, 732-743	6.9	11
56	ZEB1 drives epithelial-to-mesenchymal transition in lung cancer. <i>Journal of Clinical Investigation</i> , 2016 , 126, 3219-35	15.9	183
55	Successful Desensitization Therapy with Crizotinib for Disease-recurrence of Resected Lung Adenocarcinoma. <i>Japanese Journal of Lung Cancer</i> , 2016 , 56, 215-218	0.1	
54	Factors Affecting the Diagnostic Yield of Transbronchial Biopsy Using Endobronchial Ultrasonography with a Guide Sheath in Peripheral Lung Cancer. <i>Internal Medicine</i> , 2016 , 55, 1705-12	1.1	25
53	miRNAs in Transitions: EMT, MET, and EndoMT 2015 , 893-915		0
52	Growth inhibitory effects of miR-221 and miR-222 in non-small cell lung cancer cells. <i>Cancer Medicine</i> , 2015 , 4, 551-64	4.8	57
51	Nuclear Receptor Expression and Function in Human Lung Cancer Pathogenesis. <i>PLoS ONE</i> , 2015 , 10, e0134842	3.7	11
50	Prospective analysis of efficacy and safety of an individualized-midazolam-dosing protocol for sedation during prolonged bronchoscopy. <i>Respiratory Investigation</i> , 2014 , 52, 153-9	3.4	15
49	Protective effects of intratracheally administered quercetin on lipopolysaccharide-induced acute lung injury. <i>Respiratory Research</i> , 2014 , 15, 150	7.3	60

48	TIMELESS is overexpressed in lung cancer and its expression correlates with poor patient survival. <i>Cancer Science</i> , 2013 , 104, 171-7	6.9	37
47	Oncogenic KRAS-induced epiregulin overexpression contributes to aggressive phenotype and is a promising therapeutic target in non-small-cell lung cancer. <i>Oncogene</i> , 2013 , 32, 4034-42	9.2	42
46	Aqueous fraction of <i>Sauropus androgynus</i> might be responsible for bronchiolitis obliterans. <i>Respirology</i> , 2013 , 18, 340-7	3.6	6
45	Human lung epithelial cells progressed to malignancy through specific oncogenic manipulations. <i>Molecular Cancer Research</i> , 2013 , 11, 638-50	6.6	135
44	EGFR-TKI resistance due to BIM polymorphism can be circumvented in combination with HDAC inhibition. <i>Cancer Research</i> , 2013 , 73, 2428-34	10.1	126
43	Endobronchial ultrasound transbronchial needle aspiration in older people. <i>Geriatrics and Gerontology International</i> , 2013 , 13, 986-92	2.9	12
42	NeuroD1 regulates survival and migration of neuroendocrine lung carcinomas via signaling molecules TrkB and NCAM. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 6524-9	11.5	54
41	Echoic features of lymph nodes with sarcoidosis determined by endobronchial ultrasound. <i>Internal Medicine</i> , 2013 , 52, 1473-8	1.1	17
40	Oncogenic KRAS-induced interleukin-8 overexpression promotes cell growth and migration and contributes to aggressive phenotypes of non-small cell lung cancer. <i>International Journal of Cancer</i> , 2012 , 130, 1733-44	7.5	65
39	Emerging evidence of epithelial-to-mesenchymal transition in lung carcinogenesis. <i>Respirology</i> , 2012 , 17, 1048-59	3.6	69
38	Transient but not stable ZEB1 knockdown dramatically inhibits growth of malignant pleural mesothelioma cells. <i>Annals of Surgical Oncology</i> , 2012 , 19 Suppl 3, S634-45	3.1	6
37	STIM1 regulates platelet-derived growth factor-induced migration and Ca ²⁺ influx in human airway smooth muscle cells. <i>PLoS ONE</i> , 2012 , 7, e45056	3.7	36
36	Involvement of the transcription factor twist in phenotype alteration through epithelial-mesenchymal transition in lung cancer cells. <i>Molecular Carcinogenesis</i> , 2012 , 51, 400-10	5	29
35	The circadian clock gene BMAL1 is a novel therapeutic target for malignant pleural mesothelioma. <i>International Journal of Cancer</i> , 2012 , 131, 2820-31	7.5	50
34	Nongenomic effects of fluticasone propionate and budesonide on human airway anion secretion. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2012 , 47, 645-51	5.7	3
33	Pivotal role of epithelial cell adhesion molecule in the survival of lung cancer cells. <i>Cancer Science</i> , 2011 , 102, 1493-500	6.9	18
32	Capsaicinoids regulate airway anion transporters through Rho kinase- and cyclic AMP-dependent mechanisms. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2011 , 45, 684-91	5.7	4
31	Knockdown of oncogenic KRAS in non-small cell lung cancers suppresses tumor growth and sensitizes tumor cells to targeted therapy. <i>Molecular Cancer Therapeutics</i> , 2011 , 10, 336-46	6.1	123

30	Pleural plaque profiles on the chest radiographs and CT scans of asbestos-exposed Japanese construction workers. <i>Industrial Health</i> , 2011 , 49, 626-33	2.5	9
29	Knockdown of ZEB1, a master epithelial-to-mesenchymal transition (EMT) gene, suppresses anchorage-independent cell growth of lung cancer cells. <i>Cancer Letters</i> , 2010 , 296, 216-24	9.9	125
28	Genomic profiling identifies TITF1 as a lineage-specific oncogene amplified in lung cancer. <i>Oncogene</i> , 2008 , 27, 3635-40	9.2	168
27	Pten inactivation accelerates oncogenic K-ras-initiated tumorigenesis in a mouse model of lung cancer. <i>Cancer Research</i> , 2008 , 68, 1119-27	10.1	101
26	Comparisons of tyrosine phosphorylated proteins in cells expressing lung cancer-specific alleles of EGFR and KRAS. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 14112-7	11.5	103
25	PIK3CA mutations and copy number gains in human lung cancers. <i>Cancer Research</i> , 2008 , 68, 6913-21	10.1	339
24	Molecular Basis of Lung Cancer 2008 , 397-407		
23	Characterizing the cancer genome in lung adenocarcinoma. <i>Nature</i> , 2007 , 450, 893-8	50.4	900
22	Somatic mutations in the tyrosine kinase domain of epidermal growth factor receptor (EGFR) abrogate EGFR-mediated radioprotection in non-small cell lung carcinoma. <i>Cancer Research</i> , 2007 , 67, 5267-74	10.1	130
21	A translational view of the molecular pathogenesis of lung cancer. <i>Journal of Thoracic Oncology</i> , 2007 , 2, 327-43	8.9	237
20	EGFR signaling is required for TGF-beta 1 mediated COX-2 induction in human bronchial epithelial cells. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2007 , 37, 578-88	5.7	27
19	Silencing of HPV 18 oncoproteins With RNA interference causes growth inhibition of cervical cancer cells. <i>Reproductive Sciences</i> , 2007 , 14, 20-8	3	33
18	Epidermal growth factor receptors with tyrosine kinase domain mutations exhibit reduced Cbl association, poor ubiquitylation, and down-regulation but are efficiently internalized. <i>Cancer Research</i> , 2007 , 67, 7695-702	10.1	37
17	EGFR-T790M is a rare lung cancer susceptibility allele with enhanced kinase activity. <i>Cancer Research</i> , 2007 , 67, 4665-70	10.1	82
16	M10-04: Telomerase immortalized human bronchial epithelial cells (HBECs) have stem cell characteristics. <i>Journal of Thoracic Oncology</i> , 2007 , 2, S181-S182	8.9	0
15	A genome-wide screen for promoter methylation in lung cancer identifies novel methylation markers for multiple malignancies. <i>PLoS Medicine</i> , 2006 , 3, e486	11.6	191
14	Multiple oncogenic changes (K-RAS(V12), p53 knockdown, mutant EGFRs, p16 bypass, telomerase) are not sufficient to confer a full malignant phenotype on human bronchial epithelial cells. <i>Cancer Research</i> , 2006 , 66, 2116-28	10.1	223
13	High expression of ligands for chemokine receptor CXCR2 in alveolar epithelial neoplasia induced by oncogenic kras. <i>Cancer Research</i> , 2006 , 66, 4198-207	10.1	138

12	Non-small-cell lung cancers with kinase domain mutations in the epidermal growth factor receptor are sensitive to ionizing radiation. <i>Cancer Research</i> , 2006 , 66, 9601-8	10.1	174
11	The 3p21 candidate tumor suppressor gene BAF180 is normally expressed in human lung cancer. <i>Oncogene</i> , 2005 , 24, 2735-8	9.2	14
10	High expression of ErbB family members and their ligands in lung adenocarcinomas that are sensitive to inhibition of epidermal growth factor receptor. <i>Cancer Research</i> , 2005 , 65, 11478-85	10.1	124
9	Different roles for caveolin-1 in the development of non-small cell lung cancer versus small cell lung cancer. <i>Cancer Research</i> , 2004 , 64, 4277-85	10.1	156
8	Immortalization of human bronchial epithelial cells in the absence of viral oncoproteins. <i>Cancer Research</i> , 2004 , 64, 9027-34	10.1	498
7	Pulmonary cryptococcosis with a solitary focal ground-glass opacity on high-resolution computed tomography. <i>Internal Medicine</i> , 2004 , 43, 117-9	1.1	4
6	Increased expression and no mutation of the Flap endonuclease (FEN1) gene in human lung cancer. <i>Oncogene</i> , 2003 , 22, 7243-6	9.2	54
5	Establishment of a large cell lung cancer cell line (Y-ML-1B) producing granulocyte colony-stimulating factor. <i>Cancer Genetics and Cytogenetics</i> , 2002 , 137, 33-42		19
4	The expression of DNA methyltransferases and methyl-CpG-binding proteins is not associated with the methylation status of p14(ARF), p16(INK4a) and RASSF1A in human lung cancer cell lines. <i>Oncogene</i> , 2002 , 21, 4822-9	9.2	73
3	Phase I/II and pharmacologic study of irinotecan and carboplatin for patients with lung cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2001 , 48, 481-7	3.5	11
2	Genetic alteration of the beta-catenin gene (CTNNB1) in human lung cancer and malignant mesothelioma and identification of a new 3p21.3 homozygous deletion. <i>Oncogene</i> , 2001 , 20, 4249-57	9.2	92
1	Infrequent mutation of the hBUB1 and hBUBR1 genes in human lung cancer. <i>Japanese Journal of Cancer Research</i> , 2000 , 91, 504-9		58