Marco Sarchiapone

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2195068/publications.pdf

Version: 2024-02-01

30047 30894 11,359 132 54 102 citations h-index g-index papers 133 133 133 12653 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Suicide prevention strategies revisited: 10-year systematic review. Lancet Psychiatry,the, 2016, 3, 646-659.	3.7	1,160
2	Prevalence of pathological internet use among adolescents in <scp>E</scp> urope: demographic and social factors. Addiction, 2012, 107, 2210-2222.	1.7	517
3	The Association between Pathological Internet Use and Comorbid Psychopathology: A Systematic Review. Psychopathology, 2013, 46, 1-13.	1.1	509
4	School-based suicide prevention programmes: the SEYLE cluster-randomised, controlled trial. Lancet, The, 2015, 385, 1536-1544.	6.3	452
5	Clinicopathological significance of psychotic experiences in non-psychotic young people: evidence from four population-based studies. British Journal of Psychiatry, 2012, 201, 26-32.	1.7	389
6	Adolescent subthresholdâ€depression and anxiety: psychopathology, functional impairment and increased suicide risk. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2013, 54, 670-677.	3.1	387
7	Physical activity in European adolescents and associations with anxiety, depression and well-being. European Child and Adolescent Psychiatry, 2017, 26, 111-122.	2.8	358
8	Increased BDNF Promoter Methylation in the Wernicke Area of Suicide Subjects. Archives of General Psychiatry, 2010, 67, 258.	13.8	336
9	Childhood Trauma and Psychosis in a Prospective Cohort Study: Cause, Effect, and Directionality. American Journal of Psychiatry, 2013, 170, 734-741.	4.0	306
10	Lifeâ€time prevalence and psychosocial correlates of adolescent direct selfâ€injurious behavior: A comparative study of findings in 11 European countries. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2014, 55, 337-348.	3.1	298
11	The European Psychiatric Association (EPA) guidance on suicide treatment and prevention. European Psychiatry, 2012, 27, 129-141.	0.1	259
12	Collaborative meta-analysis finds no evidence of a strong interaction between stress and 5-HTTLPR genotype contributing to the development of depression. Molecular Psychiatry, 2018, 23, 133-142.	4.1	247
13	Best Practice Elements of Multilevel Suicide Prevention Strategies. Crisis, 2011, 32, 319-333.	0.9	214
14	Psychotic Symptoms and Population Risk for Suicide Attempt. JAMA Psychiatry, 2013, 70, 940.	6.0	211
15	Pathological Internet use among European adolescents: psychopathology and self-destructive behaviours. European Child and Adolescent Psychiatry, 2014, 23, 1093-1102.	2.8	184
16	Controlling Access to Suicide Means. International Journal of Environmental Research and Public Health, 2011, 8, 4550-4562.	1.2	171
17	Bullying Victimization and Suicide Ideation and Behavior Among Adolescents in Europe: A 10-Country Study. Journal of Adolescent Health, 2017, 61, 179-186.	1.2	167
18	What Are Reasons for the Large Gender Differences in the Lethality of Suicidal Acts? An Epidemiological Analysis in Four European Countries. PLoS ONE, 2015, 10, e0129062.	1.1	151

#	Article	IF	Citations
19	Hours of sleep in adolescents and its association with anxiety, emotional concerns, and suicidal ideation. Sleep Medicine, 2014, 15, 248-254.	0.8	144
20	Public attitudes toward depression and help-seeking in four European countries baseline survey prior to the OSPI-Europe intervention. Journal of Affective Disorders, 2013, 150, 320-329.	2.0	129
21	Interaction Between <emph type="ital">FKBP5</emph> and Childhood Trauma and Risk of Aggressive Behavior. Archives of General Psychiatry, 2012, 69, 62.	13.8	126
22	A newly identified group of adolescents at "invisible―risk for psychopathology and suicidal behavior: findings from the SEYLE study. World Psychiatry, 2014, 13, 78-86.	4.8	126
23	Saving and Empowering Young Lives in Europe (SEYLE): a randomized controlled trial. BMC Public Health, 2010, 10, 192.	1.2	124
24	Aggression, Impulsivity, Personality Traits, and Childhood Trauma of Prisoners with Substance Abuse and Addiction. American Journal of Drug and Alcohol Abuse, 2008, 34, 339-345.	1.1	123
25	Pathological Internet use among adolescents: Comparing gamers and non-gamers. Psychiatry Research, 2015, 228, 128-135.	1.7	117
26	A comparative study of the efficacy of long-term treatment with escitalopram and paroxetine in severely depressed patients. Current Medical Research and Opinion, 2006, 22, 1331-1341.	0.9	116
27	Mono- and polysubstance dependent subjects differ on social factors, childhood trauma, personality, suicidal behaviour, and comorbid Axis I diagnoses. Addictive Behaviors, 2009, 34, 790-793.	1.7	112
28	The association between electrodermal activity (EDA), depression and suicidal behaviour: A systematic review and narrative synthesis. BMC Psychiatry, 2018, 18, 22.	1.1	107
29	Biâ€directional longitudinal associations between different types of bullying victimization, suicide ideation/attempts, and depression among a large sample of European adolescents. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2019, 60, 209-215.	3.1	106
30	Pathological Internet Use and Risk-Behaviors among European Adolescents. International Journal of Environmental Research and Public Health, 2016, 13, 294.	1.2	105
31	Optimizing Suicide Prevention Programs and Their Implementation in Europe (OSPI Europe): an evidence-based multi-level approach. BMC Public Health, 2009, 9, 428.	1.2	104
32	Association of Polymorphism (Val66Met) of Brain-Derived Neurotrophic Factor with Suicide Attempts in Depressed Patients. Neuropsychobiology, 2008, 57, 139-145.	0.9	100
33	Preventing Suicide in Prisons, Part I. Crisis, 2007, 28, 113-121.	0.9	99
34	Genetics of Suicide Annals of the New York Academy of Sciences, 1997, 836, 135-157.	1.8	95
35	Resilience mitigates the suicide risk associated with childhood trauma. Journal of Affective Disorders, 2011, 133, 591-594.	2.0	89
36	Dopamine transporter binding in depressed patients with anhedonia. Psychiatry Research - Neuroimaging, 2006, 147, 243-248.	0.9	87

#	Article	IF	CITATIONS
37	Low Resilience in Suicide Attempters. Archives of Suicide Research, 2007, 11, 265-269.	1.2	84
38	The role of impulsivity in self-mutilators, suicide ideators and suicide attempters $\hat{a} \in \text{``}$ A study of 1265 male incarcerated individuals. Journal of Affective Disorders, 2010, 123, 116-122.	2.0	83
39	Teacher satisfaction with school and psychological well-being affects their readiness to help children with mental health problems. Health Education Journal, 2014, 73, 382-393.	0.6	81
40	Childhood trauma and suicide attempts in patients with unipolar depression. Depression and Anxiety, 2007, 24, 268-272.	2.0	79
41	Association between childhood trauma and aggression in male prisoners. Psychiatry Research, 2009, 165, 187-192.	1.7	77
42	A 2-year longitudinal study of prospective predictors of pathological Internet use in adolescents. European Child and Adolescent Psychiatry, 2016, 25, 725-734.	2.8	75
43	Quetiapine decreases alcohol consumption, craving, and psychiatric symptoms in dually diagnosed alcoholics. Human Psychopharmacology, 2008, 23, 417-424.	0.7	73
44	Childhood trauma as a correlative factor of suicidal behavior – via aggression traits. Similar results in an Italian and in a French sample. European Psychiatry, 2009, 24, 57-62.	0.1	70
45	Risk Factors for Attempting Suicide in Prisoners. Suicide and Life-Threatening Behavior, 2009, 39, 343-350.	0.9	68
46	The interpersonal theory of suicide and adolescent suicidal behavior. Journal of Affective Disorders, 2015, 183, 68-74.	2.0	68
47	The influence of childhood trauma on the onset and repetition of suicidal behavior: An investigation in a high risk sample of male prisoners. Journal of Psychiatric Research, 2011, 45, 742-747.	1.5	67
48	Distinguishing the relevant features of frequent suicide attempters. Journal of Psychiatric Research, 2011, 45, 619-625.	1.5	65
49	Cholesterol and serotonin indices in depressed and suicidal patients. Journal of Affective Disorders, 2001, 62, 217-219.	2.0	63
50	Developmental trajectories of self-injurious behavior, suicidal behavior and substance misuse and their association with adolescent borderline personality pathology. Journal of Affective Disorders, 2016, 197, 231-238.	2.0	63
51	Suicide prevention for youth - a mental health awareness program: lessons learned from the Saving and Empowering Young Lives in Europe (SEYLE) intervention study. BMC Public Health, 2012, 12, 776.	1.2	62
52	Association between victimization by bullying and direct self injurious behavior among adolescence in Europe: a ten-country study. European Child and Adolescent Psychiatry, 2016, 25, 1183-1193.	2.8	62
53	Risk-behaviour screening for identifying adolescents with mental health problems in Europe. European Child and Adolescent Psychiatry, 2014, 23, 611-620.	2.8	60
54	The Saving and Empowering Young Lives in Europe (SEYLE) Randomized Controlled Trial (RCT): methodological issues and participant characteristics. BMC Public Health, 2013, 13, 479.	1.2	57

#	Article	IF	CITATIONS
55	Pathological Internet Use Is on the Rise Among European Adolescents. Journal of Adolescent Health, 2016, 59, 236-239.	1.2	57
56	Prospective risk for suicidal thoughts and behaviour in adolescents with onset, maintenance or cessation of direct self-injurious behaviour. European Child and Adolescent Psychiatry, 2017, 26, 345-354.	2.8	53
57	Orthorexia nervosa, eating patterns and personality traits: a cross-cultural comparison of Italian, Polish and Spanish university students. BMC Psychiatry, 2019, 19, 235.	1.1	53
58	Uso y abuso de sustancias psicotrópicas e internet, psicopatologÃa e ideación suicida en adolescentes. Revista De Psicologia De La Salud, 2017, 29, 97.	0.2	51
59	Psychopathological factors associated with problematic alcohol and problematic Internet use in a sample of adolescents in Germany. Psychiatry Research, 2016, 240, 272-277.	1.7	49
60	Insomnia and suicidal behaviour in prisoners. Psychiatry Research, 2011, 185, 141-144.	1.7	48
61	Are Mental Health Effects of Internet Use Attributable to the Web-Based Content or Perceived Consequences of Usage? A Longitudinal Study of European Adolescents. JMIR Mental Health, 2016, 3, e31.	1.7	48
62	TrkB gene expression and DNA methylation state in Wernicke area does not associate with suicidal behavior. Journal of Affective Disorders, 2011, 135, 400-404.	2.0	46
63	GENETIC STUDIES OF SUICIDAL BEHAVIOR. Psychiatric Clinics of North America, 1997, 20, 595-611.	0.7	45
64	Evidence-based national suicide prevention taskforce in Europe: A consensus position paper. European Neuropsychopharmacology, 2017, 27, 418-421.	0.3	45
65	Pregabalin in outpatient detoxification of subjects with mildâ€toâ€moderate alcohol withdrawal syndrome. Human Psychopharmacology, 2010, 25, 268-275.	0.7	44
66	Brain derived neurotrophic factor (BDNF) genetic polymorphism (Val66Met) in suicide: A study of 512 cases. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 599-600.	1.1	43
67	Gene-Environment Interaction and Suicidal Behavior. Journal of Psychiatric Practice, 2009, 15, 282-288.	0.3	43
68	A protective genetic variant for adverse environments? The role of childhood traumas and serotonin transporter gene on resilience and depressive severity in a high-risk population. European Psychiatry, 2011, 26, 471-478.	0.1	43
69	Preventing Suicide in Prisons, Part II. Crisis, 2007, 28, 122-130.	0.9	41
70	Reasons for Attempted Suicide in Europe: Prevalence, Associated Factors, and Risk of Repetition. Archives of Suicide Research, 2016, 20, 45-58.	1.2	38
71	Further evidence for low serum cholesterol and suicidal behaviour. Journal of Affective Disorders, 2000, 61, 69-71.	2.0	36
72	Relations of psychological characteristics to suicide behaviour: Results from a large sample of male prisoners. Personality and Individual Differences, 2009, 47, 250-255.	1.6	36

#	Article	IF	Citations
73	Rare genotype combination of the serotonin transporter gene associated with treatment response in severe personality disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 1494-1497.	1.1	34
74	Decision-Making in Suicidal Behavior: The Protective Role of Loss Aversion. Frontiers in Psychiatry, 2018, 9, 116.	1.3	34
75	The interactive effect of <i><scp>MAOA</scp></i> â€ <scp>LPR</scp> genotype and childhood physical neglect on aggressive behaviors in Italian male prisoners. Genes, Brain and Behavior, 2014, 13, 543-549.	1.1	33
76	Intimate Partner Homicide Suicide: a Mini-Review of the Literature (2012–2018). Current Psychiatry Reports, 2019, 21, 13.	2.1	33
77	Correlates of sexual initiation among European adolescents. PLoS ONE, 2018, 13, e0191451.	1.1	32
78	A longitudinal examination of the interpersonal theory of suicide and effects of schoolâ€based suicide prevention interventions in a multinational study of adolescents. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2019, 60, 1104-1111.	3.1	31
79	Longitudinal development of risk-taking and self-injurious behavior in association with late adolescent borderline personality disorder symptoms. Psychiatry Research, 2019, 273, 127-133.	1.7	31
80	Life Events Predicting the First Onset of Adolescent Direct Self-Injurious Behavior—A Prospective Multicenter Study. Journal of Adolescent Health, 2020, 66, 195-201.	1,2	31
81	Help-seeking behaviour following school-based screening for current suicidality among European adolescents. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 973-982.	1.6	30
82	A cost-effectiveness analysis of school-based suicide prevention programmes. European Child and Adolescent Psychiatry, 2018, 27, 1295-1304.	2.8	30
83	Mirtazapine in the treatment of panic disorder: an open-label trial. International Clinical Psychopharmacology, 2003, 18, 35-38.	0.9	29
84	Comorbidity of Physical and Anxiety Symptoms in Adolescent: Functional Impairment, Self-Rated Health and Subjective Well-Being. International Journal of Environmental Research and Public Health, 2018, 15, 1698.	1.2	28
85	Factors associated with different smoking status in European adolescents: results of the SEYLE study. European Child and Adolescent Psychiatry, 2017, 26, 1319-1329.	2.8	27
86	Prevention of suicidal behaviour: Results of a controlled community-based intervention study in four European countries. PLoS ONE, 2019, 14, e0224602.	1,1	27
87	The Genetics of Suicidal Behaviour. , 0, , 209-221.		27
88	Low resilience in suicide attempters: relationship to depressive symptoms. Depression and Anxiety, 2007, 24, 273-274.	2.0	25
89	Alcohol Consumption Patterns among Adolescents are Related to Family Structure and Exposure to Drunkenness within the Family: Results from the SEYLE Project. International Journal of Environmental Research and Public Health, 2014, 11, 12700-12715.	1.2	25
90	Trait-aggressiveness and impulsivity: Role of psychological resilience and childhood trauma in a sample of male prisoners. Nordic Journal of Psychiatry, 2014, 68, 8-17.	0.7	23

#	Article	IF	Citations
91	A case of Cotard syndrome: 123I-IBZM SPECT imaging of striatal D2 receptor binding. Psychiatry Research - Neuroimaging, 2004, 130, 109-112.	0.9	22
92	Self-Harm in Prisoners. CNS Spectrums, 2011, 16, 75-81.	0.7	21
93	Mental health difficulties and suicidal behaviours among young migrants: multicentre study of European adolescents. BJPsych Open, 2017, 3, 291-299.	0.3	21
94	Mirtazapine in the Treatment of Panic Disorder. Archives of General Psychiatry, 2002, 59, 661-2.	13.8	20
95	Psychosocial Suicide Prevention Interventions in the Elderly: A Mini-Review of the Literature. Frontiers in Psychology, 2018, 9, 2713.	1.1	20
96	Excessive and pathological Internet use – Risk-behavior or psychopathology?. Addictive Behaviors, 2021, 123, 107045.	1.7	20
97	Day Hospital Treatment for Mood Disorders. Psychiatric Services, 2004, 55, 436-438.	1.1	19
98	Serious suicidal behaviors: Socio-demographic and clinical features in a multinational, multicenter sample. Nordic Journal of Psychiatry, 2014, 68, 44-52.	0.7	19
99	Resilience, trauma, and hopelessness: protective or triggering factor for the development of psychopathology among migrants?. BMC Psychiatry, 2020, 20, 358.	1.1	19
100	Comparisons of Prisoners Who Make or Do Not Make Suicide Attempts and Further Who Make One or Multiple Attempts. Archives of Suicide Research, 2014, 18, 28-38.	1.2	18
101	Predictors for selfâ€directed aggression in Italian prisoners include externalizing behaviors, childhood trauma and the serotonin transporter gene polymorphism 5â€ <scp>HTTLPR</scp> . Genes, Brain and Behavior, 2016, 15, 465-473.	1.1	17
102	<i>>5-HTTLPRâ€"</i> brain-derived neurotrophic factor (<i>BDNF</i>) gene interactions and early adverse life events effect on impulsivity in suicide attempters. World Journal of Biological Psychiatry, 2019, 20, 137-149.	1.3	17
103	Influence of coping strategies on the efficacy of YAM (Youth Aware of Mental Health): a universal school-based suicide preventive program. European Child and Adolescent Psychiatry, 2020, 29, 1671-1681.	2.8	17
104	Risk and protective factors for psychotic experiences in adolescence: a population-based study. Psychological Medicine, 2021, 51, 1220-1228.	2.7	16
105	Family History of Suicide and Personality. Archives of Suicide Research, 2009, 13, 178-184.	1.2	15
106	Psychopathology is associated with reproductive health risk in European adolescents. Reproductive Health, 2018, 15, 186.	1.2	15
107	Direct Self-Injurious Behavior (D-SIB) and Life Events among Vocational School and High School Students. International Journal of Environmental Research and Public Health, 2018, 15, 1068.	1.2	15
108	Doing Nothing is Sometimes Worse: Comparing Avoidant versus Approach Coping Strategies with Peer Victimization and Their Association to Depression and Suicide Ideation. Journal of School Violence, 2020, 19, 456-469.	1.1	14

#	Article	IF	CITATIONS
109	Self-perceived workplace discrimination and mental health among immigrant workers in Italy: a cross-sectional study. BMC Psychiatry, 2021, 21, 85.	1.1	12
110	Reading Books and Watching Films as a Protective Factor against Suicidal Ideation. International Journal of Environmental Research and Public Health, 2015, 12, 15937-15942.	1.2	10
111	The Epa Guidance on Suicide Treatment and Prevention Needs to Be Adjusted to Fight The Epidemics of Suicide at the North Pole Area and Other Autochthonous Communities. European Psychiatry, 2017, 41, 129-131.	0.1	9
112	Important Variables When Screening for Students at Suicidal Risk: Findings from the French Cohort of the SEYLE Study. International Journal of Environmental Research and Public Health, 2015, 12, 12277-12290.	1.2	8
113	Star-crossed? The association of the 5-HTTLPR s allele with season of birth in a healthy female population, and possible consequences for temperament, depression and suicide. Journal of Affective Disorders, 2012, 143, 75-83.	2.0	7
114	A Cross-National Tool for Assessing and Studying Suicidal Behaviors. Archives of Suicide Research, 2015, 19, 335-349.	1.2	7
115	Psychometric Properties of a German Version of the Young Diagnostic Questionnaire (YDQ) in two Independent Samples of Adolescents. International Journal of Mental Health and Addiction, 2017, 15, 182-190.	4.4	7
116	EUDOR-A multi-centre research program: A naturalistic, European Multi-centre Clinical study of EDOR Test in adult patients with primary depression. BMC Psychiatry, 2017, 17, 108.	1.1	7
117	Serious and persistent suicidality among European sexual minority youth. PLoS ONE, 2020, 15, e0240840.	1.1	7
118	Suicidal Ideation, Suicide Attempts and Completed Suicide in Adolescents: Neurobiological Aspects. Advances in Biological Psychiatry, 2016, , 11-20.	0.2	5
119	Explicit Motives, Antecedents, and Consequences of Direct Self-Injurious Behaviors. Crisis, 2018, 39, 255-266.	0.9	4
120	Tropomyosin-related kinase B receptor polymorphisms and isoforms expression in suicide victims. Psychiatry Research, 2014, 220, 725-726.	1.7	3
121	The impact of school-based screening on service use in adolescents at risk for mental health problems and risk-behaviour. European Child and Adolescent Psychiatry, 2023, 32, 1745-1754.	2.8	3
122	Are obstetric complications related to adult schizophrenia? A case-control study. Acta Neuropsychiatrica, 2007, 19, 338-343.	1.0	2
123	Two novel genomic rearrangements identified in suicide subjects using a-CGH array. Clinical Chemistry and Laboratory Medicine, 2015, 53, e245-8.	1.4	2
124	Longitudinal predictors of problematic alcohol use in adolescence: A 2-year follow-up study. Addictive Behaviors, 2021, 120, 106952.	1.7	2
125	Clinical Correlates of Deliberate Self-Harm Among Migrant Trauma-Affected Subgroups. Frontiers in Psychiatry, 2021, 12, 529361.	1.3	2
126	A Naturalistic, European Multi-Center Clinical Study of Electrodermal Reactivity and Suicide Risk Among Patients With Depression. Frontiers in Psychiatry, 2021, 12, 765128.	1.3	2

#	Article	IF	CITATIONS
127	Methodology of the SEYLE trial on suicide prevention in schools – Authors' reply. Lancet, The, 2015, 386, 854.	6.3	1
128	Low-activity alleles of the MAOA gene are associated with measures of hostility. Psychiatric Genetics, 2015, 25, 215.	0.6	1
129	The Challenge to Survive in Jail. , 2016, , 239-245.		1
130	No correlation among expressed emotion, anxiety, stress and weight loss in patients with overweight and obesity. Food and Nutrition Research, $2019, 63, \ldots$	1.2	1
131	Mental health in migrants contacting the mental health operational unit of the National Institute for Health, Migration and Poverty (NIHMP): preliminary data. Zeitschrift Fur Gesundheitswissenschaften, $0, 1.$	0.8	0
132	Genetic Risk Factors for Suicidal Behavior. , 2014, , 125-140.		0