

Marco Sarchiapone

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2195068/marco-sarchiapone-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131 papers	8,197 citations	48 h-index	89 g-index
133 ext. papers	9,899 ext. citations	5.5 avg, IF	5.34 L-index

#	Paper	IF	Citations
131	Suicide prevention strategies revisited: 10-year systematic review. <i>Lancet Psychiatry</i> , 2016 , 3, 646-59	23.3	773
130	The association between pathological internet use and comorbid psychopathology: a systematic review. <i>Psychopathology</i> , 2013 , 46, 1-13	3.4	380
129	Prevalence of pathological internet use among adolescents in Europe: demographic and social factors. <i>Addiction</i> , 2012 , 107, 2210-22	4.6	376
128	Clinicopathological significance of psychotic experiences in non-psychotic young people: evidence from four population-based studies. <i>British Journal of Psychiatry</i> , 2012 , 201, 26-32	5.4	310
127	School-based suicide prevention programmes: the SEYLE cluster-randomised, controlled trial. <i>Lancet, The</i> , 2015 , 385, 1536-44	4.0	299
126	Increased BDNF promoter methylation in the Wernicke area of suicide subjects. <i>Archives of General Psychiatry</i> , 2010 , 67, 258-67		294
125	Adolescent subthreshold-depression and anxiety: psychopathology, functional impairment and increased suicide risk. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2013 , 54, 670-7	7.9	278
124	Childhood trauma and psychosis in a prospective cohort study: cause, effect, and directionality. <i>American Journal of Psychiatry</i> , 2013 , 170, 734-41	11.9	242
123	Physical activity in European adolescents and associations with anxiety, depression and well-being. <i>European Child and Adolescent Psychiatry</i> , 2017 , 26, 111-122	5.5	208
122	Life-time prevalence and psychosocial correlates of adolescent direct self-injurious behavior: a comparative study of findings in 11 European countries. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014 , 55, 337-48	7.9	208
121	Collaborative meta-analysis finds no evidence of a strong interaction between stress and 5-HTTLPR genotype contributing to the development of depression. <i>Molecular Psychiatry</i> , 2018 , 23, 133-142	15.1	188
120	The European Psychiatric Association (EPA) guidance on suicide treatment and prevention. <i>European Psychiatry</i> , 2012 , 27, 129-41	6	187
119	Best practice elements of multilevel suicide prevention strategies: a review of systematic reviews. <i>Crisis</i> , 2011 , 32, 319-33	2.8	164
118	Psychotic symptoms and population risk for suicide attempt: a prospective cohort study. <i>JAMA Psychiatry</i> , 2013 , 70, 940-8	14.5	154
117	Controlling access to suicide means. <i>International Journal of Environmental Research and Public Health</i> , 2011 , 8, 4550-62	4.6	123
116	Pathological Internet use among European adolescents: psychopathology and self-destructive behaviours. <i>European Child and Adolescent Psychiatry</i> , 2014 , 23, 1093-102	5.5	121
115	Hours of sleep in adolescents and its association with anxiety, emotional concerns, and suicidal ideation. <i>Sleep Medicine</i> , 2014 , 15, 248-54	4.6	107

114	Bullying Victimization and Suicide Ideation and Behavior Among Adolescents in Europe: A 10-Country Study. <i>Journal of Adolescent Health</i> , 2017 , 61, 179-186	5.8	106
113	Interaction between FKBP5 and childhood trauma and risk of aggressive behavior. <i>Archives of General Psychiatry</i> , 2012 , 69, 62-70		105
112	Public attitudes toward depression and help-seeking in four European countries baseline survey prior to the OSPI-Europe intervention. <i>Journal of Affective Disorders</i> , 2013 , 150, 320-9	6.6	99
111	A newly identified group of adolescents at "invisible" risk for psychopathology and suicidal behavior: findings from the SEYLE study. <i>World Psychiatry</i> , 2014 , 13, 78-86	14.4	97
110	What Are Reasons for the Large Gender Differences in the Lethality of Suicidal Acts? An Epidemiological Analysis in Four European Countries. <i>PLoS ONE</i> , 2015 , 10, e0129062	3.7	94
109	Aggression, impulsivity, personality traits, and childhood trauma of prisoners with substance abuse and addiction. <i>American Journal of Drug and Alcohol Abuse</i> , 2008 , 34, 339-45	3.7	94
108	Mono- and polysubstance dependent subjects differ on social factors, childhood trauma, personality, suicidal behaviour, and comorbid Axis I diagnoses. <i>Addictive Behaviors</i> , 2009 , 34, 790-3	4.2	93
107	Saving and empowering young lives in Europe (SEYLE): a randomized controlled trial. <i>BMC Public Health</i> , 2010 , 10, 192	4.1	92
106	Pathological Internet use among adolescents: Comparing gamers and non-gamers. <i>Psychiatry Research</i> , 2015 , 228, 128-35	9.9	89
105	Association of polymorphism (Val66Met) of brain-derived neurotrophic factor with suicide attempts in depressed patients. <i>Neuropsychobiology</i> , 2008 , 57, 139-45	4	88
104	Genetics of suicides. Family studies and molecular genetics. <i>Annals of the New York Academy of Sciences</i> , 1997 , 836, 135-57	6.5	84
103	Optimizing suicide prevention programs and their implementation in Europe (OSPI Europe): an evidence-based multi-level approach. <i>BMC Public Health</i> , 2009 , 9, 428	4.1	83
102	A comparative study of the efficacy of long-term treatment with escitalopram and paroxetine in severely depressed patients. <i>Current Medical Research and Opinion</i> , 2006 , 22, 1331-41	2.5	82
101	Preventing suicide in prisons, part I. Recommendations from the International Association for Suicide Prevention Task Force on Suicide in Prisons. <i>Crisis</i> , 2007 , 28, 113-21	2.8	82
100	Resilience mitigates the suicide risk associated with childhood trauma. <i>Journal of Affective Disorders</i> , 2011 , 133, 591-4	6.6	74
99	Dopamine transporter binding in depressed patients with anhedonia. <i>Psychiatry Research - Neuroimaging</i> , 2006 , 147, 243-8	2.9	72
98	Low resilience in suicide attempters. <i>Archives of Suicide Research</i> , 2007 , 11, 265-9	2.3	69
97	The role of impulsivity in self-mutilators, suicide ideators and suicide attempters - a study of 1265 male incarcerated individuals. <i>Journal of Affective Disorders</i> , 2010 , 123, 116-22	6.6	64

96	Pathological Internet Use and Risk-Behaviors among European Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	64
95	Childhood trauma and suicide attempts in patients with unipolar depression. <i>Depression and Anxiety</i> , 2007 , 24, 268-72	8.4	63
94	The association between electrodermal activity (EDA), depression and suicidal behaviour: A systematic review and narrative synthesis. <i>BMC Psychiatry</i> , 2018 , 18, 22	4.2	62
93	Quetiapine decreases alcohol consumption, craving, and psychiatric symptoms in dually diagnosed alcoholics. <i>Human Psychopharmacology</i> , 2008 , 23, 417-24	2.3	62
92	Association between childhood trauma and aggression in male prisoners. <i>Psychiatry Research</i> , 2009 , 165, 187-92	9.9	61
91	Childhood trauma as a correlative factor of suicidal behavior - via aggression traits. Similar results in an Italian and in a French sample. <i>European Psychiatry</i> , 2009 , 24, 57-62	6	61
90	Risk factors for attempting suicide in prisoners. <i>Suicide and Life-Threatening Behavior</i> , 2009 , 39, 343-50	3.9	59
89	Bi-directional longitudinal associations between different types of bullying victimization, suicide ideation/attempts, and depression among a large sample of European adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019 , 60, 209-215	7.9	58
88	A 2-year longitudinal study of prospective predictors of pathological Internet use in adolescents. <i>European Child and Adolescent Psychiatry</i> , 2016 , 25, 725-34	5.5	53
87	The influence of childhood trauma on the onset and repetition of suicidal behavior: an investigation in a high risk sample of male prisoners. <i>Journal of Psychiatric Research</i> , 2011 , 45, 742-7	5.2	53
86	Cholesterol and serotonin indices in depressed and suicidal patients. <i>Journal of Affective Disorders</i> , 2001 , 62, 217-9	6.6	53
85	The saving and empowering young lives in Europe (SEYLE) randomized controlled trial (RCT): methodological issues and participant characteristics. <i>BMC Public Health</i> , 2013 , 13, 479	4.1	49
84	Distinguishing the relevant features of frequent suicide attempters. <i>Journal of Psychiatric Research</i> , 2011 , 45, 619-25	5.2	49
83	The interpersonal theory of suicide and adolescent suicidal behavior. <i>Journal of Affective Disorders</i> , 2015 , 183, 68-74	6.6	48
82	Teacher satisfaction with school and psychological well-being affects their readiness to help children with mental health problems. <i>Health Education Journal</i> , 2014 , 73, 382-393	1.5	45
81	Pathological Internet Use Is on the Rise Among European Adolescents. <i>Journal of Adolescent Health</i> , 2016 , 59, 236-9	5.8	43
80	Risk-behaviour screening for identifying adolescents with mental health problems in Europe. <i>European Child and Adolescent Psychiatry</i> , 2014 , 23, 611-20	5.5	42
79	Insomnia and suicidal behaviour in prisoners. <i>Psychiatry Research</i> , 2011 , 185, 141-4	9.9	40

78	Brain derived neurotrophic factor (BDNF) genetic polymorphism (Val66Met) in suicide: a study of 512 cases. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009 , 150B, 599-600	3.5	40
77	Pregabalin in outpatient detoxification of subjects with mild-to-moderate alcohol withdrawal syndrome. <i>Human Psychopharmacology</i> , 2010 , 25, 268-75	2.3	40
76	Developmental trajectories of self-injurious behavior, suicidal behavior and substance misuse and their association with adolescent borderline personality pathology. <i>Journal of Affective Disorders</i> , 2016 , 197, 231-8	6.6	40
75	TrkB gene expression and DNA methylation state in Wernicke area does not associate with suicidal behavior. <i>Journal of Affective Disorders</i> , 2011 , 135, 400-4	6.6	38
74	Gene-environment interaction and suicidal behavior. <i>Journal of Psychiatric Practice</i> , 2009 , 15, 282-8	1.3	38
73	Psychopathological factors associated with problematic alcohol and problematic Internet use in a sample of adolescents in Germany. <i>Psychiatry Research</i> , 2016 , 240, 272-277	9.9	38
72	Orthorexia nervosa, eating patterns and personality traits: a cross-cultural comparison of Italian, Polish and Spanish university students. <i>BMC Psychiatry</i> , 2019 , 19, 235	4.2	37
71	A protective genetic variant for adverse environments? The role of childhood traumas and serotonin transporter gene on resilience and depressive severity in a high-risk population. <i>European Psychiatry</i> , 2011 , 26, 471-8	6	36
70	Association between victimization by bullying and direct self injurious behavior among adolescence in Europe: a ten-country study. <i>European Child and Adolescent Psychiatry</i> , 2016 , 25, 1183-1193	5.5	34
69	Rare genotype combination of the serotonin transporter gene associated with treatment response in severe personality disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 1494-7	3.5	34
68	Genetic studies of suicidal behavior. <i>Psychiatric Clinics of North America</i> , 1997 , 20, 595-611	3.1	34
67	Suicide prevention for youth--a mental health awareness program: lessons learned from the Saving and Empowering Young Lives in Europe (SEYLE) intervention study. <i>BMC Public Health</i> , 2012 , 12, 776	4.1	33
66	Further evidence for low serum cholesterol and suicidal behaviour. <i>Journal of Affective Disorders</i> , 2000 , 61, 69-71	6.6	33
65	Substance use or abuse, internet use, psychopathology and suicidal ideation in adolescents. <i>Revista De Psicologia De La Salud</i> , 2017 , 29, 97-104	1	33
64	Preventing suicide in prisons, part II. International comparisons of suicide prevention services in correctional facilities. <i>Crisis</i> , 2007 , 28, 122-30	2.8	33
63	Are Mental Health Effects of Internet Use Attributable to the Web-Based Content or Perceived Consequences of Usage? A Longitudinal Study of European Adolescents. <i>JMIR Mental Health</i> , 2016 , 3, e31	6	31
62	Relations of psychological characteristics to suicide behaviour: Results from a large sample of male prisoners. <i>Personality and Individual Differences</i> , 2009 , 47, 250-255	3.3	28
61	Evidence-based national suicide prevention taskforce in Europe: A consensus position paper. <i>European Neuropsychopharmacology</i> , 2017 , 27, 418-421	1.2	27

60	Reasons for Attempted Suicide in Europe: Prevalence, Associated Factors, and Risk of Repetition. <i>Archives of Suicide Research</i> , 2016 , 20, 45-58	2.3	27
59	The interactive effect of MAOA-LPR genotype and childhood physical neglect on aggressive behaviors in Italian male prisoners. <i>Genes, Brain and Behavior</i> , 2014 , 13, 543-9	3.6	26
58	Mirtazapine in the treatment of panic disorder: an open-label trial. <i>International Clinical Psychopharmacology</i> , 2003 , 18, 35-8	2.2	26
57	Decision-Making in Suicidal Behavior: The Protective Role of Loss Aversion. <i>Frontiers in Psychiatry</i> , 2018 , 9, 116	5	23
56	Correlates of sexual initiation among European adolescents. <i>PLoS ONE</i> , 2018 , 13, e0191451	3.7	23
55	Prospective risk for suicidal thoughts and behaviour in adolescents with onset, maintenance or cessation of direct self-injurious behaviour. <i>European Child and Adolescent Psychiatry</i> , 2017 , 26, 345-354	5.5	22
54	Low resilience in suicide attempters: relationship to depressive symptoms. <i>Depression and Anxiety</i> , 2007 , 24, 273-4	8.4	21
53	Factors associated with different smoking status in European adolescents: results of the SEYLE study. <i>European Child and Adolescent Psychiatry</i> , 2017 , 26, 1319-1329	5.5	20
52	Alcohol consumption patterns among adolescents are related to family structure and exposure to drunkenness within the family: results from the SEYLE project. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 12700-15	4.6	20
51	A cost-effectiveness analysis of school-based suicide prevention programmes. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 1295-1304	5.5	19
50	Day hospital treatment for mood disorders. <i>Psychiatric Services</i> , 2004 , 55, 436-8	3.3	19
49	Help-seeking behaviour following school-based screening for current suicidality among European adolescents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 973-82	4.5	18
48	Trait-aggressiveness and impulsivity: role of psychological resilience and childhood trauma in a sample of male prisoners. <i>Nordic Journal of Psychiatry</i> , 2014 , 68, 8-17	2.3	17
47	A case of Cotard syndrome: (123)I-IBZM SPECT imaging of striatal D(2) receptor binding. <i>Psychiatry Research - Neuroimaging</i> , 2004 , 130, 109-12	2.9	17
46	Mirtazapine in the treatment of panic disorder. <i>Archives of General Psychiatry</i> , 2002 , 59, 661-2		17
45	Longitudinal development of risk-taking and self-injurious behavior in association with late adolescent borderline personality disorder symptoms. <i>Psychiatry Research</i> , 2019 , 273, 127-133	9.9	17
44	The Genetics of Suicidal Behaviour209-221		17
43	Intimate Partner Homicide Suicide: a Mini-Review of the Literature (2012-2018). <i>Current Psychiatry Reports</i> , 2019 , 21, 13	9.1	16

42	Self-harm in prisoners. <i>CNS Spectrums</i> , 2011 , 16, 75-81	1.8	15
41	Life Events Predicting the First Onset of Adolescent Direct Self-Injurious Behavior-A Prospective Multicenter Study. <i>Journal of Adolescent Health</i> , 2020 , 66, 195-201	5.8	15
40	Mental health difficulties and suicidal behaviours among young migrants: multicentre study of European adolescents. <i>BJPsych Open</i> , 2017 , 3, 291-299	5	14
39	Serious suicidal behaviors: socio-demographic and clinical features in a multinational, multicenter sample. <i>Nordic Journal of Psychiatry</i> , 2014 , 68, 44-52	2.3	14
38	Comparisons of prisoners who make or do not make suicide attempts and further who make one or multiple attempts. <i>Archives of Suicide Research</i> , 2014 , 18, 28-38	2.3	13
37	A longitudinal examination of the interpersonal theory of suicide and effects of school-based suicide prevention interventions in a multinational study of adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019 , 60, 1104-1111	7.9	12
36	Comorbidity of Physical and Anxiety Symptoms in Adolescent: Functional Impairment, Self-Rated Health and Subjective Well-Being. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	12
35	Prevention of suicidal behaviour: Results of a controlled community-based intervention study in four European countries. <i>PLoS ONE</i> , 2019 , 14, e0224602	3.7	12
34	Family history of suicide and personality. <i>Archives of Suicide Research</i> , 2009 , 13, 178-84	2.3	12
33	5-HTTLPR-brain-derived neurotrophic factor (BDNF) gene interactions and early adverse life events effect on impulsivity in suicide attempters. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 137-149	3.8	12
32	Psychosocial Suicide Prevention Interventions in the Elderly: A Mini-Review of the Literature. <i>Frontiers in Psychology</i> , 2018 , 9, 2713	3.4	10
31	Resilience, trauma, and hopelessness: protective or triggering factor for the development of psychopathology among migrants?. <i>BMC Psychiatry</i> , 2020 , 20, 358	4.2	10
30	Predictors for self-directed aggression in Italian prisoners include externalizing behaviors, childhood trauma and the serotonin transporter gene polymorphism 5-HTTLPR. <i>Genes, Brain and Behavior</i> , 2016 , 15, 465-73	3.6	10
29	Psychopathology is associated with reproductive health risk in European adolescents. <i>Reproductive Health</i> , 2018 , 15, 186	3.5	10
28	Influence of coping strategies on the efficacy of YAM (Youth Aware of Mental Health): a universal school-based suicide preventive program. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 1671-1681	5.5	8
27	EUDOR-A multi-centre research program: A naturalistic, European Multi-centre Clinical study of EDOR Test in adult patients with primary depression. <i>BMC Psychiatry</i> , 2017 , 17, 108	4.2	7
26	Doing Nothing is Sometimes Worse: Comparing Avoidant versus Approach Coping Strategies with Peer Victimization and Their Association to Depression and Suicide Ideation. <i>Journal of School Violence</i> , 2020 , 19, 456-469	2.5	7
25	The EPA guidance on suicide treatment and prevention needs to be adjusted to fight the epidemics of suicide at the North Pole area and other autochthonous communities. <i>European Psychiatry</i> , 2017 , 41, 129-131	6	6

24	Direct Self-Injurious Behavior (D-SIB) and Life Events among Vocational School and High School Students. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	6
23	Reading Books and Watching Films as a Protective Factor against Suicidal Ideation. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 15937-42	4.6	6
22	Star-crossed? The association of the 5-HTTLPR s allele with season of birth in a healthy female population, and possible consequences for temperament, depression and suicide. <i>Journal of Affective Disorders</i> , 2012 , 143, 75-83	6.6	6
21	Psychometric Properties of a German Version of the Young Diagnostic Questionnaire (YDQ) in two Independent Samples of Adolescents. <i>International Journal of Mental Health and Addiction</i> , 2017 , 15, 182-190	8.8	5
20	Important Variables When Screening for Students at Suicidal Risk: Findings from the French Cohort of the SEYLE Study. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 12277-90	4.6	5
19	A Cross-National Tool for Assessing and Studying Suicidal Behaviors. <i>Archives of Suicide Research</i> , 2015 , 19, 335-49	2.3	5
18	Self-perceived workplace discrimination and mental health among immigrant workers in Italy: a cross-sectional study. <i>BMC Psychiatry</i> , 2021 , 21, 85	4.2	5
17	Tropomyosin-related kinase B receptor polymorphisms and isoforms expression in suicide victims. <i>Psychiatry Research</i> , 2014 , 220, 725-6	9.9	3
16	Suicidal Ideation, Suicide Attempts and Completed Suicide in Adolescents: Neurobiological Aspects. <i>Advances in Biological Psychiatry</i> , 11-20		3
15	Explicit Motives, Antecedents, and Consequences of Direct Self-Injurious Behaviors. <i>Crisis</i> , 2018 , 39, 255-266	2.8	3
14	Serious and persistent suicidality among European sexual minority youth. <i>PLoS ONE</i> , 2020 , 15, e0240840	3.7	3
13	Risk and protective factors for psychotic experiences in adolescence: a population-based study. <i>Psychological Medicine</i> , 2021 , 51, 1220-1228	6.9	3
12	Two novel genomic rearrangements identified in suicide subjects using a-CGH array. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, e245-8	5.9	2
11	Are obstetric complications related to adult schizophrenia? A case-control study. <i>Acta Neuropsychiatrica</i> , 2007 , 19, 338-43	3.9	2
10	Methodology of the SEYLE trial on suicide prevention in schools - AuthorsReply. <i>Lancet, The</i> , 2015 , 386, 854	4.0	1
9	Low-activity alleles of the MAOA gene are associated with measures of hostility. <i>Psychiatric Genetics</i> , 2015 , 25, 215	2.9	1
8	A Naturalistic, European Multi-Center Clinical Study of Electrodermal Reactivity and Suicide Risk Among Patients With Depression.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 765128	5	1
7	No correlation among expressed emotion, anxiety, stress and weight loss in patients with overweight and obesity. <i>Food and Nutrition Research</i> , 2019 , 63,	3.1	1

6	The Challenge to Survive in Jail 2016 , 239-245		1
5	Longitudinal predictors of problematic alcohol use in adolescence: A 2-year follow-up study. <i>Addictive Behaviors</i> , 2021 , 120, 106952	4.2	o
4	Clinical Correlates of Deliberate Self-Harm Among Migrant Trauma-Affected Subgroups. <i>Frontiers in Psychiatry</i> , 2021 , 12, 529361	5	o
3	Excessive and pathological Internet use - Risk-behavior or psychopathology?. <i>Addictive Behaviors</i> , 2021 , 123, 107045	4.2	o
2	Genetic Risk Factors for Suicidal Behavior 2014 , 125-140		
1	Mental health in migrants contacting the mental health operational unit of the National Institute for Health, Migration and Poverty (NIHMP): preliminary data. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 1	1.4	