
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2195609/publications.pdf Version: 2024-02-01



| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Invasive Aspergillosis in solidâ€organ transplant recipients: Guidelines from the American Society of<br>Transplantation Infectious Diseases Community of Practice. Clinical Transplantation, 2019, 33, e13544.  | 1.6  | 160       |
| 2  | COVID-19 in solid organ transplant recipients: A systematic review and meta-analysis of current literature. Transplantation Reviews, 2021, 35, 100588.   | 2.9  | 159       |
| 3  | CCL3L1 and CCR5 influence cell-mediated immunity and affect HIV-AIDS pathogenesis via viral entry-independent mechanisms. Nature Immunology, 2007, 8, 1324-1336.   | 14.5 | 152       |
| 4  | CCL3L1-CCR5 genotype influences durability of immune recovery during antiretroviral therapy of<br>HIV-1–infected individuals. Nature Medicine, 2008, 14, 413-420.  | 30.7 | 118       |
| 5  | Emerging concepts in cytomegalovirus infection following hematopoietic stem cell transplantation.<br>Hematology/ Oncology and Stem Cell Therapy, 2017, 10, 233-238.  | 0.9  | 78        |
| 6  | Immune Correlates of Protection in Human Invasive Aspergillosis. Clinical Infectious Diseases, 2014, 59, 569-577.  | 5.8  | 73        |
| 7  | CCR5 Expression Levels Influence NFAT Translocation, IL-2 Production, and Subsequent Signaling Events during T Lymphocyte Activation. Journal of Immunology, 2009, 182, 171-182.   | 0.8  | 71        |
| 8  | Influence of the Timing of Antiretroviral Therapy on the Potential for Normalization of Immune<br>Status in Human Immunodeficiency Virus 1–Infected Individuals. JAMA Internal Medicine, 2015, 175, 88.  | 5.1  | 69        |
| 9  | Successful Treatment of Carbapenemase-Producing Pandrug-Resistant Klebsiella pneumoniae<br>Bacteremia. Antimicrobial Agents and Chemotherapy, 2015, 59, 5903-5908.   | 3.2  | 54        |
| 10 | Clinical "realâ€world―experience with letermovir for prevention of cytomegalovirus infection in<br>allogeneic hematopoietic cell transplant recipients. Clinical Transplantation, 2020, 34, e13866.  | 1.6  | 48        |
| 11 | Responsiveness of T Cells to Interleukinâ€7 Is Associated with Higher CD4+T Cell Counts in HIVâ€1–Positive<br>Individuals with Highly Active Antiretroviral Therapy–Induced Viral Load Suppression. Journal of<br>Infectious Diseases, 2009, 199, 1872-1882. | 4.0  | 46        |
| 12 | Impact of Cytomegalovirus Viral Load on Probability of Spontaneous Clearance and Response to<br>Preemptive Therapy in Allogeneic Stem Cell Transplantation Recipients. Biology of Blood and Marrow<br>Transplantation, 2018, 24, 806-814.                    | 2.0  | 46        |
| 13 | Deep functional immunophenotyping predicts risk of cytomegalovirus reactivation after hematopoietic cell transplantation. Blood, 2019, 133, 867-877.   | 1.4  | 42        |
| 14 | Next-generation sequencing of microbial cell-free DNA for rapid noninvasive diagnosis of infectious diseases in immunocompromised hosts. F1000Research, 2019, 8, 1194.   | 1.6  | 37        |
| 15 | Twelve-Week Rifapentine Plus Isoniazid Versus 9-Month Isoniazid for the Treatment of Latent<br>Tuberculosis in Renal Transplant Candidates. Transplantation, 2017, 101, 1468-1472.   | 1.0  | 33        |
| 16 | Next-generation sequencing of microbial cell-free DNA for rapid noninvasive diagnosis of infectious diseases in immunocompromised hosts. F1000Research, 0, 8, 1194.  | 1.6  | 33        |
| 17 | Solid organ transplant antibiograms: an opportunity for antimicrobial stewardship. Diagnostic<br>Microbiology and Infectious Disease, 2016, 86, 460-463.   | 1.8  | 27        |
| 18 | Clinical presentation and outcomes of COVIDâ€19 following hematopoietic cell transplantation and cellular therapy. Transplant Infectious Disease, 2021, 23, e13625.  | 1.7  | 24        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Impact of antiretroviral therapy on clinical outcomes in HIV+ kidney transplant recipients: Review of 58 cases. F1000Research, 2016, 5, 2893.  | 1.6 | 24        |
| 20 | CCL3L1-CCR5 Genotype Improves the Assessment of AIDS Risk in HIV-1-Infected Individuals. PLoS ONE, 2008, 3, e3165.   | 2.5 | 23        |
| 21 | The use of brincidofovir for the treatment of mixed dsDNA viral infection. Journal of Clinical Virology, 2016, 83, 1-4.  | 3.1 | 23        |
| 22 | A cluster of donorâ€derived <i><scp>C</scp>ryptococcus neoformans</i> infection affecting lung,<br>liver, and kidney transplant recipients: Case report and review of literature. Transplant Infectious<br>Disease, 2018, 20, e12836.                        | 1.7 | 22        |
| 23 | Linezolid- and Vancomycin-resistant Enterococcus faecium in Solid Organ Transplant Recipients:<br>Infection Control and Antimicrobial Stewardship Using Whole Genome Sequencing. Clinical<br>Infectious Diseases, 2019, 69, 259-265.                         | 5.8 | 22        |
| 24 | Impaired T Cell Responsiveness to Interleukin-6 in Hematological Patients with Invasive Aspergillosis.<br>PLoS ONE, 2015, 10, e0123171.  | 2.5 | 21        |
| 25 | Influence of immune activation on the risk of allograft rejection in human immunodeficiency virus-infected kidney transplant recipients. Transplant Immunology, 2016, 38, 40-43.   | 1.2 | 21        |
| 26 | Implementation of a <i>Strongyloides</i> screening strategy in solid organ transplant donors and recipients. Clinical Transplantation, 2019, 33, e13497.   | 1.6 | 21        |
| 27 | Production of Specific mRNA Transcripts, Usage of an Alternate Promoter, and Octamer-Binding<br>Transcription Factors Influence the Surface Expression Levels of the HIV Coreceptor CCR5 on Primary<br>T Cells. Journal of Immunology, 2007, 178, 5668-5681. | 0.8 | 20        |
| 28 | Progressive multifocal leukoencephalopathy after CAR T therapy. International Journal of Hematology, 2020, 112, 118-121.   | 1.6 | 18        |
| 29 | Application of "Precision Medicine―Through the Molecular Characterization of Extensively<br>Drug-Resistant Klebsiella pneumoniae in a Multivisceral Transplant Patient. Clinical Infectious<br>Diseases, 2017, 65, 701-702.                                  | 5.8 | 15        |
| 30 | "Double carbapenem―and oral fosfomycin for the treatment of complicated urinary tract infections<br>caused by <i>bla</i> <sub>NDM</sub> â€harboring Enterobacteriaceae in kidney transplantation.<br>Transplant Infectious Disease, 2018, 20, e12795.        | 1.7 | 15        |
| 31 | Reduced immunogenicity of the adjuvanted recombinant zoster vaccine after hematopoietic cell transplant: a pilot study. Blood Advances, 2020, 4, 4618-4622.  | 5.2 | 15        |
| 32 | Kidney transplantation during coronavirus 2019 pandemic at a large hospital in Miami. Transplant<br>Infectious Disease, 2020, 22, e13416.  | 1.7 | 14        |
| 33 | Donorâ€derived infections in solid organ transplant recipients: Challenging the 30â€day paradigm.<br>Transplant Infectious Disease, 2017, 19, e12665.  | 1.7 | 13        |
| 34 | Clinical outcomes of intestinal transplant recipients colonized with multidrug-resistant organisms:<br>a retrospective study. Transplant International, 2017, 30, 924-931.   | 1.6 | 13        |
| 35 | Clinical outcomes in HIV+/HCV+ coinfected kidney transplant recipients in the pre―and<br>postâ€directâ€acting antiviral therapy eras: 10‥ear single center experience. Clinical Transplantation, 2019,<br>33, e13532.  | 1.6 | 12        |
| 36 | Intravenous Fosfomycin Treatment for Carbapenem-Resistant <i><b>Klebsiella pneumoniae</b></i> in the United States. Annals of Pharmacotherapy, 2015, 49, 1177-1178.  | 1.9 | 9         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | <i>Clostridium difficile</i> infection in intestinal transplant recipients. Transplant International, 2018, 31, 116-117.  | 1.6 | 9         |
| 38 | Lack of correlation between the SARS oVâ€2 cycle threshold ( <i>C</i> <sub>t</sub> ) value and clinical outcomes in patients with COVIDâ€19. Journal of Medical Virology, 2021, 93, 6059-6062.                                    | 5.0 | 8         |
| 39 | Successful Treatment of Primary Cutaneous Mucormycosis Complicating Anti-TNF Therapy with a<br>Combination of Surgical Debridement and Oral Posaconazole. Mycopathologia, 2015, 180, 187-192.                                     | 3.1 | 7         |
| 40 | Severe hypertension after initiation of rifapentine/isoniazid for latent tuberculosis in renal transplant candidates. Transplant International, 2017, 30, 108-109.  | 1.6 | 7         |
| 41 | Challenges in Antimicrobial Stewardship: Rapid Diagnostics and Optimization of Therapy Among<br>Immunocompromised Patients. Open Forum Infectious Diseases, 2019, 6, ofz239.  | 0.9 | 6         |
| 42 | Use of maintenance therapy and incidence of recurrent Cytomegalovirus DNAemia among allogeneic<br>hematopoietic cell transplant recipients. Transplant Infectious Disease, 2019, 21, e13054.                                      | 1.7 | 5         |
| 43 | Bloodstream infection caused by enteric organisms during the first 6Âmonths after intestinal<br>transplant. Transplant Infectious Disease, 2019, 21, e13064.  | 1.7 | 5         |
| 44 | Antimicrobial resistance and recurrent bacterial urinary tract infections in hospitalized patients<br>following kidney transplantation: A singleâ€center experience. Transplant Infectious Disease, 2020, 22,<br>e13337.          | 1.7 | 5         |
| 45 | Successful Treatment of Invasive Fungal Infection Due to Highly Resistant Aspergillus calidoustus in<br>an Allogeneic Hematopoietic Cell Transplant Recipient. Mycopathologia, 2020, 185, 399-403.                                | 3.1 | 5         |
| 46 | nLower incidence of Cytomegalovirus reactivation following post-transplant cyclophosphamide HLA<br>mismatched unrelated donor transplantation. Transplantation and Cellular Therapy, 2021, 27,<br>1017.e1-1017.e1.                | 1.2 | 5         |
| 47 | Early antibiotic use is associated with CMV risk and outcomes following allogeneic hematopoietic cell transplantation. Blood Advances, 2020, 4, 6364-6367.  | 5.2 | 5         |
| 48 | Failure of atovaquone prophylaxis for prevention of toxoplasmosis in hematopoietic cell transplant recipients. Transplant Infectious Disease, 2020, 22, e13198.   | 1.7 | 4         |
| 49 | Next-generation sequencing of microbial cell-free DNA for rapid noninvasive diagnosis of infectious diseases in immunocompromised hosts. F1000Research, 0, 8, 1194.   | 1.6 | 4         |
| 50 | Successful Treatment of Disseminated Disease Due to Highly Resistant Aspergillus calidoustus with a Novel Antifungal Therapy. Antimicrobial Agents and Chemotherapy, 2022, 66, aac0220621.  | 3.2 | 4         |
| 51 | The role of preemptive antimicrobial therapy in kidney recipients of urineâ€only positive donor cultures.<br>Transplant Infectious Disease, 2019, 21, e13150.   | 1.7 | 3         |
| 52 | Pretransplant Levels of C-Reactive Protein,ÂSoluble TNF Receptor-1, andÂCD38+HLADR+ CD8 T Cells<br>Predict Risk of Allograft Rejection in HIV+ Kidney Transplant Recipients. Kidney International Reports,<br>2019, 4, 1705-1716. | 0.8 | 3         |
| 53 | Treatment of latent tuberculosis infection with shortâ€course regimens in potential living kidney donors. Transplant Infectious Disease, 2020, 22, e13244.  | 1.7 | 3         |
| 54 | Addition Of Oral Fosfomycin To Antimicrobial Salvage Therapy For Persistent Vancomycin-Resistant<br>Enterococcal Bacteremia. Clinical Infectious Diseases, 2021, , .  | 5.8 | 3         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Impact of Viral Load on Eradication of Cytomegalovirus (CMV) Viremia Amongst High-risk Allogeneic<br>Stem Cell Transplant (SCT) Recipients. Open Forum Infectious Diseases, 2016, 3, .  | 0.9 | 2         |
| 56 | Decrease in eosinophilia as a marker of response to therapy in solid organ transplant candidates with<br><i>Strongyloides</i> infection: A singleâ€center experience. Transplant Infectious Disease, 2018, 20,<br>e12954.   | 1.7 | 2         |
| 57 | Saddle Nose Deformity in an Immunosuppressed Patient. Clinical Infectious Diseases, 2019, 68, 705-709.  | 5.8 | 2         |
| 58 | Aseptic Meningitis after Recovery from SARS-CoV-2 in an Allogeneic Stem Cell Transplant Recipient.<br>Clinical Medicine Insights: Case Reports, 2021, 14, 117954762110098.  | 0.7 | 2         |
| 59 | Viral kinetics and outcomes of adenovirus viremia following allogeneic hematopoietic cell transplantation. Clinical Transplantation, 2021, 35, e14481.  | 1.6 | 2         |
| 60 | Next-generation sequencing of microbial cell-free DNA for rapid noninvasive diagnosis of infectious diseases in immunocompromised hosts. F1000Research, 0, 8, 1194.   | 1.6 | 2         |
| 61 | Application of "Precision Medicine" Through the Molecular Characterization of Extensively Drug<br>Resistant (XDR) Klebsiella pneumoniae in a Multivisceral Transplant Candidate. Open Forum Infectious<br>Diseases, 2016, 3, .  | 0.9 | 1         |
| 62 | Functional Signatures Revealed by Deep Phenotyping of CMV-Specific CD8+ T Cells Predict Risk of Early<br>CMV Reactivation after Allogeneic Hematopoietic Cell Transplantation. Biology of Blood and Marrow<br>Transplantation, 2018, 24, S99.   | 2.0 | 1         |
| 63 | Invasive Rhinosinusitis Caused by Lasiodiplodia theobromae in an Allogeneic Hematopoietic Cell<br>Transplant Recipient Case Report and Review of Literature. Mycopathologia, 2018, 183, 841-845.  | 3.1 | 1         |
| 64 | Efficacy and tolerability of fosfomycin in prevention of recurrent urinary tract infections among kidney transplant recipients. Transplant Infectious Disease, 2019, 21, e13042.  | 1.7 | 1         |
| 65 | Functional Signatures Revealed By Deep Phenotyping of CMV-Specific CD8+ T Cells Predict Risk of Early<br>CMV Reactivation after Allogeneic Hematopoietic Cell Transplantation. Blood, 2017, 130, 746-746.   | 1.4 | 1         |
| 66 | Cytomegalovirus in Hematopoietic Stem Cell Transplant Recipients: Prevention, Diagnosis, and Treatment. , 2020, , 1-44.   |     | 1         |
| 67 | 2395. Mechanism-Based-Susceptibility Testing (MBST) Using Disc Diffusion Assays (DDA) to Guide<br>Treatment of Multidrug- and Extensively Drug-Resistant Pseudomonas aeruginosa (MDR-XDR-Pa) in a<br>Cystic Fibrosis (CF) Lung Transplant Recipient; Are We Ready for Combination Therapy vs. MDR-XDR-Pa?.<br>Open Forum Infectious Diseases, 2018. 5. S714-S714. | 0.9 | 0         |
| 68 | Solving the mystery: Hyalinized cyst wall containing organismâ€like structures in a lung transplant donor. Transplant Infectious Disease, 2018, 20, e12940.   | 1.7 | 0         |
| 69 | Solid organ transplantation from Zika IgM positive donors: Not always a true positive. Clinical<br>Transplantation, 2019, 33, e13492.   | 1.6 | 0         |
| 70 | Screening of human Tâ€lymphotropic virus among solid organ transplant candidates at a large<br>transplant center. Clinical Transplantation, 2020, 34, e13825.   | 1.6 | 0         |
| 71 | Cytomegalovirus in Hematopoietic Stem Cell Transplant Recipients: Prevention, Diagnosis, and Treatment. , 2021, , 573-616.  |     | 0         |
| 72 | 1103. Respiratory Virus Infections In Solid Organ Transplant Recipients: A Single Center Experience.<br>Open Forum Infectious Diseases, 2020, 7, S581-S582.   | 0.9 | 0         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | 1347. Comparison Between SARS-Cov-2, non-SARS-Cov-2 Coronavirus, Influenza and RSV Infections<br>Among Solid Organ Transplant Recipients. Open Forum Infectious Diseases, 2021, 8, S760-S761. | 0.9 | 0         |