
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2196369/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Japanese Society for Cancer of the Colon and Rectum (JSCCR) guidelines 2016 for the treatment of colorectal cancer. International Journal of Clinical Oncology, 2018, 23, 1-34.	1.0	1,187
2	Japanese Society for Cancer of the Colon and Rectum (JSCCR) guidelines 2019 for the treatment of colorectal cancer. International Journal of Clinical Oncology, 2020, 25, 1-42.	1.0	1,123
3	Japanese Society for Cancer of the Colon and Rectum (JSCCR) guidelines 2010 for the treatment of colorectal cancer. International Journal of Clinical Oncology, 2012, 17, 1-29.	1.0	658
4	Japanese Society for Cancer of the Colon and Rectum (JSCCR) Guidelines 2014 for treatment of colorectal cancer. International Journal of Clinical Oncology, 2015, 20, 207-239.	1.0	548
5	Characteristics of recurrence and surveillance tools after curative resection for colorectal cancer: A multicenter study. Surgery, 2007, 141, 67-75.	1.0	246
6	Prognosis and risk factors of metastasis in colorectal carcinoids: results of a nationwide registry over 15 years. Gut, 2007, 56, 863-868.	6.1	216
7	Results of a Japanese Nationwide Multi-Institutional Study on Lateral Pelvic Lymph Node Metastasis in Low Rectal Cancer. Annals of Surgery, 2012, 255, 1129-1134.	2.1	214
8	Extensive methylation of hMLH1 promoter region predominates in proximal colon cancer with microsatellite instability. Gastroenterology, 2001, 121, 1300-1309.	0.6	182
9	Ulcerative colitis-associated colorectal cancer shows a poorer survival than sporadic colorectal cancer: A nationwide Japanese study. Inflammatory Bowel Diseases, 2011, 17, 802-808.	0.9	181
10	Impact of D3 lymph node dissection on survival for patients with T3 and T4 colon cancer. International Journal of Colorectal Disease, 2014, 29, 847-852.	1.0	105
11	Characteristics of recurrence after curative resection for T1 colorectal cancer: Japanese multicenter study. Journal of Gastroenterology, 2011, 46, 203-211.	2.3	100
12	Number of Lymph Nodes Retrieved is an Important Determinant of Survival of Patients with Stage II and Stage III Colorectal Cancer. Japanese Journal of Clinical Oncology, 2012, 42, 29-35.	0.6	77
13	Changes in colorectal cancer during a 20-year period: an extended report from the multi-institutional registry of large bowel cancer, Japan. Diseases of the Colon and Rectum, 2003, 46, S32-43.	0.7	71
14	A randomised-controlled trial of 1-year adjuvant chemotherapy with oral tegafur–uracil versus surgery alone in stage II colon cancer: SACURA trial. European Journal of Cancer, 2018, 96, 54-63.	1.3	61
15	The Use of Olaparib (AZD2281) Potentiates SN-38 Cytotoxicity in Colon Cancer Cells by Indirect Inhibition of Rad51-Mediated Repair of DNA Double-Strand Breaks. Molecular Cancer Therapeutics, 2014, 13, 1170-1180.	1.9	49
16	Clinical benefit of surgery for stage IV colorectal cancer with synchronous peritoneal metastasis. Journal of Gastroenterology, 2014, 49, 646-654.	2.3	41
17	Highâ€risk stage II colon cancer after curative resection. Journal of Surgical Oncology, 2011, 104, 45-52.	0.8	37
18	Tumour characteristics, treatment patterns and survival of patients aged 80Âyears or older with colorectal cancer. Colorectal Disease, 2015, 17, 205-215.	0.7	34

#	Article	IF	CITATIONS
19	Risk Factors for the Development of Desmoid Tumor After Colectomy in Patients with Familial Adenomatous Polyposis: Multicenter Retrospective Cohort Study in Japan. Annals of Surgical Oncology, 2016, 23, 559-565.	0.7	33
20	Prognostic scoring system for stage IV colorectal cancer: is the AJCC sub-classification of stage IV colorectal cancer appropriate?. International Journal of Clinical Oncology, 2013, 18, 696-703.	1.0	32
21	Influence of extent of lymph node dissection on survival for patients with pT2 colon cancer. International Journal of Colorectal Disease, 2015, 30, 813-820.	1.0	30
22	Cell diameter measurements obtained with a handheld cell counter could be used as a surrogate marker of G2/M arrest and apoptosis in colon cancer cell lines exposed to SN-38. Biochemical and Biophysical Research Communications, 2013, 434, 753-759.	1.0	29
23	Outcomes of surgery without HIPEC for synchronous peritoneal metastasis from colorectal cancer: data from a multi-center registry. International Journal of Clinical Oncology, 2014, 19, 98-105.	1.0	28
24	Prognostic factors for peritoneal carcinomatosis originating from colorectal cancer: an analysis of 921 patients from a multi-institutional database. Surgery Today, 2014, 44, 1643-1650.	0.7	28
25	Impact of Lateral Pelvic Lymph Node Dissection on the Survival of Patients with T3 and T4ÂLow Rectal Cancer. World Journal of Surgery, 2016, 40, 1492-1499.	0.8	28
26	Proposal of New Classification for Stage III Colon Cancer Based on the Lymph Node Ratio: Analysis of 4,172 Patients from Multi-Institutional Database in Japan. Annals of Surgical Oncology, 2015, 22, 528-534.	0.7	25
27	Gender differences in colorectal cancer survival in Japan. International Journal of Clinical Oncology, 2016, 21, 194-203.	1.0	24
28	Methylation profile of theMLH1 promoter region and their relationship to colorectal carcinogenesis. Genes Chromosomes and Cancer, 2003, 36, 17-25.	1.5	22
29	Two Cases of Cancer of the Pancreatic Body Undergoing Gastric Preservation with Distal Pancreatectomy Combined with Resection of the Celiac Axis Japanese Journal of Gastroenterological Surgery, 1991, 24, 2782-2786.	0.0	21
30	Clinicopathological Factors Associated with Recurrence and Prognosis after R0 Resection for Stage IV Colorectal Cancer with Peritoneal Metastasis. Digestive Surgery, 2016, 33, 382-391.	0.6	19
31	Factors affecting recurrence and prognosis after R0 resection for colorectal cancer with peritoneal metastasis. Journal of Gastroenterology, 2016, 51, 465-472.	2.3	19
32	Survival Benefit of and Indications for Adjuvant Chemotherapy for Resected Colorectal Liver Metastases—a Japanese Nationwide Survey. Journal of Gastrointestinal Surgery, 2020, 24, 1244-1260.	0.9	19
33	Timing of Relapse and Outcome after Curative Resection for Colorectal Cancer: A Japanese Multicenter Study. Digestive Surgery, 2009, 26, 249-255.	0.6	18
34	Comprehensive data of 3,820 patients newly diagnosed with colorectal liver metastasis between 2005 and 2007: report of a nationwide survey in Japan. Journal of Hepato-Biliary-Pancreatic Sciences, 2018, 25, 115-123.	1.4	17
35	Incorporation of serum carcinoembryonic antigen levels into the prognostic grouping system of colon cancer. International Journal of Colorectal Disease, 2017, 32, 821-829.	1.0	15
36	Longâ€ŧerm outcome of liver resection for colorectal metastases in the presence of extrahepatic disease: A multiâ€ɨnstitutional Japanese study. Journal of Hepato-Biliary-Pancreatic Sciences, 2020, 27, 810-818.	1.4	13

#	Article	IF	CITATIONS
37	Enhancing the Objectivity of the Japanese Classification of Peritoneal Metastases from Colorectal Cancer. Japanese Journal of Clinical Oncology, 2014, 44, 898-902.	0.6	11
38	Study protocol of the SACURA trial: a randomized phase III trial of efficacy and safety of UFT as adjuvant chemotherapy for stage II colon cancer. BMC Cancer, 2012, 12, 281.	1.1	10
39	Analysis of treatment that includes both hepatic and pulmonary resections for colorectal metastases. Surgery Today, 2014, 44, 702-711.	0.7	10
40	S-1 and Oxaliplatin Versus Tegafur-uracil and Leucovorin as Postoperative Adjuvant Chemotherapy in Patients With High-risk Stage III Colon Cancer (ACTS-CC 02): A Randomized, Open-label, Multicenter, Phase III Superiority Trial. Clinical Colorectal Cancer, 2020, 19, 22-31.e6.	1.0	10
41	Proposal of a novel H categoryâ€based classification of colorectal liver metastases based on a Japanese nationwide survey. Journal of Hepato-Biliary-Pancreatic Sciences, 2021, 28, 317-326.	1.4	10
42	Factors predicting the response to oral fluoropyrimidine drugs: A phase II trial on the individualization of postoperative adjuvant chemotherapy using oral fluorinated pyrimidines in stage III colorectal cancer treated by curative resection (ACT-01 Study). Oncology Reports, 2013, 29, 437-444.	1.2	9
43	Difference in incidence of colorectal cancer between men and women in Asia. Lancet Oncology, The, 2006, 7, 104-105.	5.1	8
44	Prognostic significance of peritoneal lavage cytology in patients with colorectal cancer. International Journal of Clinical Oncology, 2013, 18, 411-417.	1.0	8
45	Impact of Adjuvant Chemotherapy in Patients With Curatively Resected Stage IV Colorectal Cancer. Medicine (United States), 2015, 94, e696.	0.4	8
46	Factors affecting R0 resection of colorectal cancer with synchronous peritoneal metastases: a multicenter prospective observational study by the Japanese Society for Cancer of the Colon and Rectum. International Journal of Clinical Oncology, 2020, 25, 330-337.	1.0	8
47	Impact of adherence to boardâ€certified surgeon systems and clinical practice guidelines on colon cancer surgical outcomes in Japan: A questionnaire survey of the National Clinical Database. Annals of Gastroenterological Surgery, 2020, 4, 283-293.	1.2	8
48	Comprehensive data of 3525 patients newly diagnosed with colorectal liver metastasis between 2013 and 2014: 2nd report of a nationwide survey in Japan. Journal of Hepato-Biliary-Pancreatic Sciences, 2020, 27, 555-562.	1.4	8
49	Japanese Society for Cancer of the Colon and Rectum Guidelines 2010 for the treatment of colorectal cancer: comparison with western guidelines. Colorectal Cancer, 2013, 2, 179-190.	0.8	7
50	New Staging System for Colorectal Cancer Patients with Synchronous Peritoneal Metastasis in Accordance with the Japanese Classification of Colorectal Carcinoma: A Multi-Institutional Study. Digestive Surgery, 2016, 33, 66-73.	0.6	7
51	Planned Safety Analysis of the ACTS-CC 02 Trial: A Randomized Phase III Trial of S-1 With Oxaliplatin Versus Tegafur and Uracil With Leucovorin as Adjuvant Chemotherapy for High-Risk Stage III Colon Cancer. Clinical Colorectal Cancer, 2018, 17, e153-e161.	1.0	7
52	Oncological benefit of primary tumor resection with high tie lymph node dissection in unresectable colorectal cancer with synchronous peritoneal metastasis: a propensity score analysis of data from a multi-institute database. International Journal of Clinical Oncology, 2015, 20, 922-927.	1.0	6
53	Study protocol of the B-CAST study: a multicenter, prospective cohort study investigating the tumor biomarkers in adjuvant chemotherapy for stage III colon cancer. BMC Cancer, 2013, 13, 149.	1.1	5
54	Validation and Modification of the Japanese Classification System for Liver Metastases from Colorectal Cancer: A Multi-institutional Study. Annals of Surgical Oncology, 2015, 22, 3888-3895.	0.7	5

#	Article	IF	CITATIONS
55	Impact of RO resection for synchronous peritoneal metastasis from colorectal cancer: A propensity scoreâ€matched analysis of a multiâ€institutional database. Annals of Gastroenterological Surgery, 2021, 5, 221-227.	1.2	5
56	Preplanned initial safety analysis of ACTS-CC 02 trial: A large randomized phase III trial of SOX versus UFT/LV as adjuvant chemotherapy for high-risk stage III colon cancer Journal of Clinical Oncology, 2012, 30, 572-572.	0.8	4
57	Risk Factors of Lymph Node Metastasis in Colorectal Cancer, Invading to Submucosal Layer. Japanese Journal of Gastroenterological Surgery, 2003, 36, 1365-1369.	0.0	4
58	Evaluation of Peritoneal Lavage Cytology in Patients with Advanced Colorectal Cancer Japanese Journal of Gastroenterological Surgery, 1995, 28, 1991-1994.	0.0	3
59	Synchronous Colitic Cancers and Microcarcinoids in a Patient With Long-standing and Extensive Ulcerative Colitis. Surgical Laparoscopy, Endoscopy and Percutaneous Techniques, 2008, 18, 304-307.	0.4	2
60	Lateral Lymph Node Dissection for Rectal Cancer. , 2015, , 187-197.		2
61	Investigation of the Japanese Classification of Peritoneal Metastasis from Colorectal Cancer Referring to the Correlation with PCI. Journal of the Anus, Rectum and Colon, 2020, 4, 157-164.	0.4	2
62	A pharmacodynamic and pharmacokinetic study of fluoropyrimidines in a nude mouse system and in postoperative patients with gastric cancer. Surgery Today, 1993, 23, 687-692.	0.7	1
63	Classification of colorectal carcinoma obtained from the combination of DNA ploidy and genetic alterations serves as a significant prognostic factor. Journal of Gastroenterology, 2009, , 1.	2.3	1
64	Laparoscopic radical right hemicolectomy for cecal cancer and middle colic artery aneurysm. World Journal of Surgical Oncology, 2015, 13, 170.	0.8	1
65	AN EVALUATION OF PREOPERATIVE BOWEL PREPARATION IN ELECTIVE COLORECTAL SURGERY. Japanese Journal of Gastroenterological Surgery, 1981, 14, 86-90.	0.0	1
66	A Case Report of Acinar Cell Carcinoma of the Pancreas Showing Rapid Growth of Liver Metastasis after Curative Pancreatectomy Japanese Journal of Gastroenterological Surgery, 1995, 28, 1862-1866.	0.0	1
67	An Evaluation of Clinical Significance on Peritoneal Lavage Cytology in Patients with Colorectal Cancer -a Systematic Review Nihon Daicho Komonbyo Gakkai Zasshi, 2012, 65, 197-203.	0.1	0
68	Cancer family syndrome. Case report of three siblings with multiple colorectal cancer Japanese Journal of Gastroenterological Surgery, 1991, 24, 935-939.	0.0	0
69	A Case of Esophageal Carcinoma, which Responded to Radiochemotherapy, Covering the Surface of Esophageal Leiomyoma Japanese Journal of Gastroenterological Surgery, 1992, 25, 1061-1065.	0.0	0
70	The Clinicopathological Characteristics and Proliferative Activity of .ALPHAFetoprotein-producing Gastric Cancer Japanese Journal of Gastroenterological Surgery, 1993, 26, 979-983.	0.0	0
71	Two Cases of Intrahepatic Cholangiocellular Carcinoma with Intraductal Extension into the Extrahepatic Bile Duct Japanese Journal of Gastroenterological Surgery, 1998, 31, 1996-2000.	0.0	0
72	Evaluation of the Pylorusfunction after Pylorus-Preserving Distal Gastrectomy by the Gastrointestinal and Biliary Scintigraphy Japanese Journal of Gastroenterological Surgery, 1999, 32, 1969-1973.	0.0	0