

Kenjiro Kotake

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2196369/kenjiro-kotake-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69

papers

3,758

citations

22

h-index

61

g-index

73

ext. papers

4,455

ext. citations

3.6

avg, IF

4.53

L-index

#	Paper	IF	Citations
69	Proposal of a novel H category-based classification of colorectal liver metastases based on a Japanese nationwide survey. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021 , 28, 317-326	2.8	1
68	Impact of R0 resection for synchronous peritoneal metastasis from colorectal cancer: A propensity score-matched analysis of a multi-institutional database. <i>Annals of Gastroenterological Surgery</i> , 2021 , 5, 221-227	4.3	0
67	Impact of adherence to board-certified surgeon systems and clinical practice guidelines on colon cancer surgical outcomes in Japan: A questionnaire survey of the National Clinical Database. <i>Annals of Gastroenterological Surgery</i> , 2020 , 4, 283-293	4.3	4
66	Investigation of the Japanese Classification of Peritoneal Metastasis from Colorectal Cancer Referring to the Correlation with PCI. <i>Journal of the Anus, Rectum and Colon</i> , 2020 , 4, 157-164	3.7	
65	Factors affecting R0 resection of colorectal cancer with synchronous peritoneal metastases: a multicenter prospective observational study by the Japanese Society for Cancer of the Colon and Rectum. <i>International Journal of Clinical Oncology</i> , 2020 , 25, 330-337	4.2	3
64	S-1 and Oxaliplatin Versus Tegafur-uracil and Leucovorin as Postoperative Adjuvant Chemotherapy in Patients With High-risk Stage III Colon Cancer (ACTS-CC 02): A Randomized, Open-label, Multicenter, Phase III Superiority Trial. <i>Clinical Colorectal Cancer</i> , 2020 , 19, 22-31.e6	3.8	6
63	Long-term outcome of liver resection for colorectal metastases in the presence of extrahepatic disease: A multi-institutional Japanese study. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020 , 27, 810-818	2.8	3
62	Survival Benefit of and Indications for Adjuvant Chemotherapy for Resected Colorectal Liver Metastases-a Japanese Nationwide Survey. <i>Journal of Gastrointestinal Surgery</i> , 2020 , 24, 1244-1260	3.3	11
61	Japanese Society for Cancer of the Colon and Rectum (JSCCR) guidelines 2019 for the treatment of colorectal cancer. <i>International Journal of Clinical Oncology</i> , 2020 , 25, 1-42	4.2	517
60	Comprehensive data of 3525 patients newly diagnosed with colorectal liver metastasis between 2013 and 2014: 2nd report of a nationwide survey in Japan. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020 , 27, 555-562	2.8	4
59	A randomised-controlled trial of 1-year adjuvant chemotherapy with oral tegafur-uracil versus surgery alone in stage II colon cancer: SACURA trial. <i>European Journal of Cancer</i> , 2018 , 96, 54-63	7.5	49
58	Japanese Society for Cancer of the Colon and Rectum (JSCCR) guidelines 2016 for the treatment of colorectal cancer. <i>International Journal of Clinical Oncology</i> , 2018 , 23, 1-34	4.2	503
57	Planned Safety Analysis of the ACTS-CC 02 Trial: A Randomized Phase III Trial of S-1 With Oxaliplatin Versus Tegafur and Uracil With Leucovorin as Adjuvant Chemotherapy for High-Risk Stage III Colon Cancer. <i>Clinical Colorectal Cancer</i> , 2018 , 17, e153-e161	3.8	4
56	Comprehensive data of 3,820 patients newly diagnosed with colorectal liver metastasis between 2005 and 2007: report of a nationwide survey in Japan. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2018 , 25, 115-123	2.8	8
55	Incorporation of serum carcinoembryonic antigen levels into the prognostic grouping system of colon cancer. <i>International Journal of Colorectal Disease</i> , 2017 , 32, 821-829	3	10
54	Gender differences in colorectal cancer survival in Japan. <i>International Journal of Clinical Oncology</i> , 2016 , 21, 194-203	4.2	15
53	Clinicopathological Factors Associated with Recurrence and Prognosis after R0 Resection for Stage IV Colorectal Cancer with Peritoneal Metastasis. <i>Digestive Surgery</i> , 2016 , 33, 382-91	2.5	14

52	New Staging System for Colorectal Cancer Patients with Synchronous Peritoneal Metastasis in Accordance with the Japanese Classification of Colorectal Carcinoma: A Multi-Institutional Study. <i>Digestive Surgery</i> , 2016 , 33, 66-73	2.5	7
51	Impact of Lateral Pelvic Lymph Node Dissection on the Survival of Patients with T3 and T4 Low Rectal Cancer. <i>World Journal of Surgery</i> , 2016 , 40, 1492-9	3.3	19
50	Factors affecting recurrence and prognosis after R0 resection for colorectal cancer with peritoneal metastasis. <i>Journal of Gastroenterology</i> , 2016 , 51, 465-72	6.9	13
49	Risk Factors for the Development of Desmoid Tumor After Colectomy in Patients with Familial Adenomatous Polyposis: Multicenter Retrospective Cohort Study in Japan. <i>Annals of Surgical Oncology</i> , 2016 , 23, 559-565	3.1	18
48	Influence of extent of lymph node dissection on survival for patients with pT2 colon cancer. <i>International Journal of Colorectal Disease</i> , 2015 , 30, 813-20	3	23
47	Validation and Modification of the Japanese Classification System for Liver Metastases from Colorectal Cancer: A Multi-institutional Study. <i>Annals of Surgical Oncology</i> , 2015 , 22, 3888-95	3.1	5
46	Oncological benefit of primary tumor resection with high tie lymph node dissection in unresectable colorectal cancer with synchronous peritoneal metastasis: a propensity score analysis of data from a multi-institute database. <i>International Journal of Clinical Oncology</i> , 2015 , 20, 922-7	4.2	4
45	Japanese Society for Cancer of the Colon and Rectum (JSCCR) Guidelines 2014 for treatment of colorectal cancer. <i>International Journal of Clinical Oncology</i> , 2015 , 20, 207-39	4.2	467
44	Tumour characteristics, treatment patterns and survival of patients aged 80 years or older with colorectal cancer. <i>Colorectal Disease</i> , 2015 , 17, 205-15	2.1	22
43	Proposal of new classification for stage III colon cancer based on the lymph node ratio: analysis of 4,172 patients from multi-institutional database in Japan. <i>Annals of Surgical Oncology</i> , 2015 , 22, 528-34	3.1	20
42	Impact of adjuvant chemotherapy in patients with curatively resected stage IV colorectal cancer. <i>Medicine (United States)</i> , 2015 , 94, e696	1.8	6
41	Laparoscopic radical right hemicolectomy for cecal cancer and middle colic artery aneurysm. <i>World Journal of Surgical Oncology</i> , 2015 , 13, 170	3.4	1
40	Lateral Lymph Node Dissection for Rectal Cancer 2015 , 187-197		1
39	Outcomes of surgery without HIPEC for synchronous peritoneal metastasis from colorectal cancer: data from a multi-center registry. <i>International Journal of Clinical Oncology</i> , 2014 , 19, 98-105	4.2	21
38	Analysis of treatment that includes both hepatic and pulmonary resections for colorectal metastases. <i>Surgery Today</i> , 2014 , 44, 702-11	3	10
37	Impact of D3 lymph node dissection on survival for patients with T3 and T4 colon cancer. <i>International Journal of Colorectal Disease</i> , 2014 , 29, 847-52	3	70
36	Prognostic factors for peritoneal carcinomatosis originating from colorectal cancer: an analysis of 921 patients from a multi-institutional database. <i>Surgery Today</i> , 2014 , 44, 1643-50	3	23
35	The use of Olaparib (AZD2281) potentiates SN-38 cytotoxicity in colon cancer cells by indirect inhibition of Rad51-mediated repair of DNA double-strand breaks. <i>Molecular Cancer Therapeutics</i> , 2014 , 13, 1170-80	6.1	39

34	Enhancing the objectivity of the Japanese classification of peritoneal metastases from colorectal cancer. <i>Japanese Journal of Clinical Oncology</i> , 2014 , 44, 898-902	2.8	9
33	Clinical benefit of surgery for stage IV colorectal cancer with synchronous peritoneal metastasis. <i>Journal of Gastroenterology</i> , 2014 , 49, 646-54	6.9	29
32	Study protocol of the B-CAST study: a multicenter, prospective cohort study investigating the tumor biomarkers in adjuvant chemotherapy for stage III colon cancer. <i>BMC Cancer</i> , 2013 , 13, 149	4.8	3
31	Prognostic significance of peritoneal lavage cytology in patients with colorectal cancer. <i>International Journal of Clinical Oncology</i> , 2013 , 18, 411-7	4.2	8
30	Cell diameter measurements obtained with a handheld cell counter could be used as a surrogate marker of G2/M arrest and apoptosis in colon cancer cell lines exposed to SN-38. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 434, 753-9	3.4	22
29	Prognostic scoring system for stage IV colorectal cancer: is the AJCC sub-classification of stage IV colorectal cancer appropriate?. <i>International Journal of Clinical Oncology</i> , 2013 , 18, 696-703	4.2	27
28	Japanese Society for Cancer of the Colon and Rectum Guidelines 2010 for the treatment of colorectal cancer: comparison with western guidelines. <i>Colorectal Cancer</i> , 2013 , 2, 179-190	0.8	6
27	Factors predicting the response to oral fluoropyrimidine drugs: a phase II trial on the individualization of postoperative adjuvant chemotherapy using oral fluorinated pyrimidines in stage III colorectal cancer treated by curative resection (ACT-01 Study). <i>Oncology Reports</i> , 2013 , 29, 437-44	3.5	7
26	Japanese Society for Cancer of the Colon and Rectum (JSCCR) guidelines 2010 for the treatment of colorectal cancer. <i>International Journal of Clinical Oncology</i> , 2012 , 17, 1-29	4.2	578
25	Study protocol of the SACURA trial: a randomized phase III trial of efficacy and safety of UFT as adjuvant chemotherapy for stage II colon cancer. <i>BMC Cancer</i> , 2012 , 12, 281	4.8	8
24	Number of lymph nodes retrieved is an important determinant of survival of patients with stage II and stage III colorectal cancer. <i>Japanese Journal of Clinical Oncology</i> , 2012 , 42, 29-35	2.8	55
23	Results of a Japanese nationwide multi-institutional study on lateral pelvic lymph node metastasis in low rectal cancer: is it regional or distant disease?. <i>Annals of Surgery</i> , 2012 , 255, 1129-34	7.8	146
22	Preplanned initial safety analysis of ACTS-CC 02 trial: A large randomized phase III trial of SOX versus UFT/LV as adjuvant chemotherapy for high-risk stage III colon cancer.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 572-572	2.2	4
21	An Evaluation of Clinical Significance on Peritoneal Lavage Cytology in Patients with Colorectal Cancer -a Systematic Review-. <i>Nihon Daicho Komonbyo Gakkai Zasshi</i> , 2012 , 65, 197-203	0.1	
20	Characteristics of recurrence after curative resection for T1 colorectal cancer: Japanese multicenter study. <i>Journal of Gastroenterology</i> , 2011 , 46, 203-11	6.9	79
19	High-risk stage II colon cancer after curative resection. <i>Journal of Surgical Oncology</i> , 2011 , 104, 45-52	2.8	31
18	Ulcerative colitis-associated colorectal cancer shows a poorer survival than sporadic colorectal cancer: a nationwide Japanese study. <i>Inflammatory Bowel Diseases</i> , 2011 , 17, 802-8	4.5	139
17	Timing of relapse and outcome after curative resection for colorectal cancer: a Japanese multicenter study. <i>Digestive Surgery</i> , 2009 , 26, 249-55	2.5	15

16	Synchronous colitic cancers and microcarcinoids in a patient with long-standing and extensive ulcerative colitis: a case report and review of the literature. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2008 , 18, 304-7	1.3	2
15	Characteristics of recurrence and surveillance tools after curative resection for colorectal cancer: a multicenter study. <i>Surgery</i> , 2007 , 141, 67-75	3.6	214
14	Prognosis and risk factors of metastasis in colorectal carcinoids: results of a nationwide registry over 15 years. <i>Gut</i> , 2007 , 56, 863-8	19.2	180
13	Difference in incidence of colorectal cancer between men and women in Asia. <i>Lancet Oncology</i> , 2006 , 7, 104-5	21.7	7
12	Methylation profile of the MLH1 promoter region and their relationship to colorectal carcinogenesis. <i>Genes Chromosomes and Cancer</i> , 2003 , 36, 17-25	5	19
11	Risk Factors of Lymph Node Metastasis in Colorectal Cancer, Invading to Submucosal Layer. <i>Japanese Journal of Gastroenterological Surgery</i> , 2003 , 36, 1365-1369	0.1	3
10	Changes in colorectal cancer during a 20-year period: an extended report from the multi-institutional registry of large bowel cancer, Japan. <i>Diseases of the Colon and Rectum</i> , 2003 , 46, S32-43	3.1	60
9	Extensive methylation of hMLH1 promoter region predominates in proximal colon cancer with microsatellite instability. <i>Gastroenterology</i> , 2001 , 121, 1300-9	13.3	163
8	Evaluation of the Pylorusfunction after Pylorus-Preserving Distal Gastrectomy by the Gastrointestinal and Biliary Scintigraphy.. <i>Japanese Journal of Gastroenterological Surgery</i> , 1999 , 32, 1969-1973	0.1	
7	Two Cases of Intrahepatic Cholangiocellular Carcinoma with Intraductal Extension into the Extrahepatic Bile Duct.. <i>Japanese Journal of Gastroenterological Surgery</i> , 1998 , 31, 1996-2000	0.1	
6	Evaluation of Peritoneal Lavage Cytology in Patients with Advanced Colorectal Cancer.. <i>Japanese Journal of Gastroenterological Surgery</i> , 1995 , 28, 1991-1994	0.1	2
5	A pharmacodynamic and pharmacokinetic study of fluoropyrimidines in a nude mouse system and in postoperative patients with gastric cancer. <i>Surgery Today</i> , 1993 , 23, 687-92	3	1
4	The Clinicopathological Characteristics and Proliferative Activity of .ALPHA.-Fetoprotein-producing Gastric Cancer.. <i>Japanese Journal of Gastroenterological Surgery</i> , 1993 , 26, 979-983	0.1	
3	Two Cases of Cancer of the Pancreatic Body Undergoing Gastric Preservation with Distal Pancreatectomy Combined with Resection of the Celiac Axis.. <i>Japanese Journal of Gastroenterological Surgery</i> , 1991 , 24, 2782-2786	0.1	18
2	Cancer family syndrome. Case report of three siblings with multiple colorectal cancer.. <i>Japanese Journal of Gastroenterological Surgery</i> , 1991 , 24, 935-939	0.1	
1	AN EVALUATION OF PREOPERATIVE BOWEL PREPARATION IN ELECTIVE COLORECTAL SURGERY. <i>Japanese Journal of Gastroenterological Surgery</i> , 1981 , 14, 86-90	0.1	