

Davide Giavarina

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2197853/davide-giavarina-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105
papers

3,349
citations

23
h-index

57
g-index

115
ext. papers

4,214
ext. citations

3.9
avg, IF

6.5
L-index

#	Paper	IF	Citations
105	Clinical Assessment of Continuous Hemodialysis with the Medium Cutoff EMI \square 2 Membrane in Patients with Septic Shock.. <i>Blood Purification</i> , 2022 , 1-11	3.1	
104	Effects of preoperative high-oral protein loading on short- and long-term renal outcomes following cardiac surgery: a cohort study.. <i>Journal of Translational Medicine</i> , 2022 , 20, 204	8.5	
103	Neutrophil Gelatinase-Associated Lipocalin (NGAL) in Peritoneal Dialytic Effluent: Preliminary Results on the Comparison between Two Different Methods in Patients with and without Peritonitis. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 5092	2.6	
102	Improvements and limits of anti SARS-CoV-2 antibodies assays by WHO (NIBSC 20/136) standardization. <i>Diagnosis</i> , 2021 ,	4.2	5
101	Clinical adoption of Nephrocheck \square in the early detection of acute kidney injury. <i>Annals of Clinical Biochemistry</i> , 2021 , 58, 6-15	2.2	4
100	Evaluation of STA-NeoPTimal, an extraction thromboplastin reagent with ISI close to 1. <i>International Journal of Laboratory Hematology</i> , 2021 , 43, 311-317	2.5	
99	Plasma glucose sampling using lyophilized citrate tubes: impact on the diagnosis of gestational diabetes mellitus. <i>Diabetic Medicine</i> , 2021 , 38, e14422	3.5	1
98	Clinical Implications of the New Equation to Estimate Glomerular Filtration Rate. <i>Nephron</i> , 2021 , 145, 508-512	3.3	1
97	Gadolinium-based contrast media exposure and the possible risk of subclinical kidney damage: a pilot study. <i>International Urology and Nephrology</i> , 2021 , 53, 1883-1889	2.3	0
96	Prospective serological evaluation of anti SARS-CoV-2 IgG and anti S1-RBD antibodies in a community outbreak. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, e322-e325	5.9	
95	Comparison of Anti-SARS-CoV-2 S1 Receptor-Binding Domain Antibody Immunoassays in Health Care Workers Before and After the BNT162b2 mRNA Vaccine. <i>American Journal of Clinical Pathology</i> , 2021 ,	1.9	3
94	Subclinical Contrast-Induced Acute Kidney Injury in Patients Undergoing Cerebral Computed Tomography. <i>CardioRenal Medicine</i> , 2020 , 10, 125-136	2.8	6
93	Urinary [TIMP-2] [IGFBP7] and serum procalcitonin to predict and assess the risk for short-term outcomes in septic and non-septic critically ill patients. <i>Annals of Intensive Care</i> , 2020 , 10, 46	8.9	5
92	Influence of patients' clinical features at intensive care unit admission on performance of cell cycle arrest biomarkers in predicting acute kidney injury. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 59, 333-342	5.9	1
91	Anti SARS-CoV-2 antibodies monitoring in a group of residents in a long term care facility during COVID-19 pandemic peak. <i>Diagnosis</i> , 2020 , 7, 395-400	4.2	4
90	Glucose meters: What's the laboratory reference glucose?. <i>Journal of Medical Biochemistry</i> , 2020 , 39, 32-39	1.9	
89	Blood Biochemistry 2019 , 320-322.e1		1

88	Development and validation of quick Acute Kidney Injury-score (q-AKI) to predict acute kidney injury at admission to a multidisciplinary intensive care unit. <i>PLoS ONE</i> , 2019 , 14, e0217424	3.7	4
87	Acute rejection in kidney transplantation and the evaluation of associated polymorphisms (SNPs): the importance of sample size. <i>Diagnosis</i> , 2019 , 6, 287-295	4.2	0
86	Tissue inhibitor metalloproteinase-2 (TIMP-2) [IGF-binding protein-7 (IGFBP7) levels are associated with adverse outcomes in patients in the intensive care unit with acute kidney injury. <i>Kidney International</i> , 2019 , 95, 1486-1493	9.9	22
85	Clinical impact of citrate-containing tubes on the detection of glucose abnormalities by the oral glucose tolerance test. <i>Diagnosis</i> , 2019 , 6, 377-383	4.2	5
84	Analytical Assessment of the New Roche Cobas t 711 Fully Automated Coagulation Analyzer. <i>Seminars in Thrombosis and Hemostasis</i> , 2019 , 45, 308-314	5.3	10
83	Persistent decrease of renal functional reserve in patients after cardiac surgery-associated acute kidney injury despite clinical recovery. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 308-317	4.3	30
82	Routine Adoption of Urinary [IGFBP7][TIMP-2] to Assess Acute Kidney Injury at Any Stage 12 hours After Intensive Care Unit Admission: a Prospective Cohort Study. <i>Scientific Reports</i> , 2019 , 9, 16484	4.9	5
81	Current understanding and future directions in the application of TIMP-2 and IGFBP7 in AKI clinical practice. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 57, 567-576	5.9	29
80	Presepsin and Procalcitonin Levels as Markers of Adverse Postoperative Complications and Mortality in Cardiac Surgery Patients. <i>Blood Purification</i> , 2019 , 47, 140-148	3.1	13
79	Preoperative Renal Functional Reserve Predicts Risk of Acute Kidney Injury After Cardiac Operation. <i>Annals of Thoracic Surgery</i> , 2018 , 105, 1094-1101	2.7	50
78	Predicting Acute Kidney Injury in Intensive Care Unit Patients: The Role of Tissue Inhibitor of Metalloproteinases-2 and Insulin-Like Growth Factor-Binding Protein-7 Biomarkers. <i>Blood Purification</i> , 2018 , 45, 270-277	3.1	18
77	Laboratory testing in the emergency department: an Italian Society of Clinical Biochemistry and Clinical Molecular Biology (SIBioC) and Academy of Emergency Medicine and Care (AcEMC) consensus report. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 1655-1659	5.9	10
76	Blood venous sample collection: Recommendations overview and a checklist to improve quality. <i>Clinical Biochemistry</i> , 2017 , 50, 568-573	3.5	37
75	Procalcitonin and Interleukin-6 Levels: Are They Useful Biomarkers in Cardiac Surgery Patients?. <i>Blood Purification</i> , 2017 , 43, 290-297	3.1	6
74	Total laboratory automation: Do stat tests still matter?. <i>Clinical Biochemistry</i> , 2017 , 50, 605-611	3.5	39
73	Cerebrospinal fluid analysis and the determination of oligoclonal bands. <i>Neurological Sciences</i> , 2017 , 38, 217-224	3.5	19
72	Laboratory testing in the emergency department: An Italian Society of Clinical Biochemistry and Clinical Molecular Biology (SIBioC) and Academy of Emergency Medicine and Care (AcEMC) consensus report. <i>Emergency Care Journal</i> , 2017 , 13,	1.2	2
71	Academy of Emergency Medicine and Care-Society of Clinical Biochemistry and Clinical Molecular Biology consensus recommendations for clinical use of sepsis biomarkers in the emergency department. <i>Emergency Care Journal</i> , 2017 , 13,	1.2	5

70	Routine adoption of TIMP2 and IGFBP7 biomarkers in cardiac surgery for early identification of acute kidney injury. <i>International Journal of Artificial Organs</i> , 2017 , 40, 714-718	1.9	17
69	Elevated Levels of Procalcitonin and Interleukin-6 are Linked with Postoperative Complications in Cardiac Surgery. <i>Scandinavian Journal of Surgery</i> , 2017 , 106, 318-324	3.1	18
68	A comparison of three commercial platforms for urinary NGAL in critically ill adults. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, 353-62	5.9	7
67	Access to scientific information. A national survey of the Italian Society of Clinical Biochemistry and Laboratory Medicine (SIBioC). <i>Diagnosis</i> , 2016 , 3, 129-134	4.2	
66	Copeptin levels and kidney function in ADPKD: case-control study. <i>Clinical Nephrology</i> , 2016 , 86, 147-53	2.1	8
65	Determination of reference interval for presepsin, an early marker for sepsis. <i>Biochemia Medica</i> , 2015 , 25, 64-8	2.5	30
64	Error rates during blood collection in emergency departments and outpatient clinics: Results of a prospective multicenter study. <i>Clinica Chimica Acta</i> , 2015 , 445, 91-2	6.2	4
63	Multicenter Comparison of Seven 25OH Vitamin D Automated Immunoassays. <i>Journal of Medical Biochemistry</i> , 2015 , 34, 344-350	1.9	4
62	SP072PROGNOSTIC VALUE OF PRESEPSIN IN PREDICTING ADVERSE RENAL OUTCOMES AND DEATH IN CARDIOSURGICAL PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, iii403-iii403	4.3	
61	Understanding Bland Altman analysis. <i>Biochemia Medica</i> , 2015 , 25, 141-51	2.5	1529
60	The Role of NGAL in Peritoneal Dialysis Effluent in Early Diagnosis of Peritonitis: Case-Control Study in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2015 , 35, 559-65	2.8	2
59	Identification of protein tyrosine phosphatase receptor gamma extracellular domain (sPTPRG) as a natural soluble protein in plasma. <i>PLoS ONE</i> , 2015 , 10, e0119110	3.7	14
58	Harmonization of contemporary-sensitive troponin I immunoassays: calibration may only be a part of the problem. <i>Rivista Italiana Della Medicina Di Laboratorio</i> , 2014 , 10, 108	1.1	1
57	Reference range of hemolysis index in serum and lithium-heparin plasma measured with two analytical platforms in a population of unselected outpatients. <i>Clinica Chimica Acta</i> , 2014 , 429, 143-6	6.2	38
56	Low volume tubes can be effective to reduce the rate of hemolyzed specimens from the emergency department. <i>Clinical Biochemistry</i> , 2014 , 47, 688-9	3.5	8
55	New option for the treatment of hyperbilirubinemia: in vitro direct hemoperfusion with the Lixelle S-35. <i>International Journal of Artificial Organs</i> , 2014 , 37, 816-23	1.9	3
54	Diagnostic accuracy of combined cardiac troponin and copeptin assessment for early rule-out of myocardial infarction: a systematic review and meta-analysis. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2014 , 3, 18-27	4.3	72
53	Multicenter Comparison of Four Contemporary Sensitive Troponin Immunoassays. <i>Journal of Medical Biochemistry</i> , 2014 , 33, 271-277	1.9	2

52	Systematical assessment of serum indices does not impair efficiency of clinical chemistry testing: a multicenter study. <i>Clinical Biochemistry</i> , 2013 , 46, 1281-4	3.5	13
51	Proposta di una checklist per il prelievo di sangue venoso. <i>Rivista Italiana Della Medicina Di Laboratorio</i> , 2013 , 9, 225-231	1.1	
50	Neutrophil gelatinase-associated lipocalin in peritoneal effluent: evaluation in peritoneal dialysis patients in basal condition. <i>Peritoneal Dialysis International</i> , 2013 , 33, 379-81	2.8	4
49	Aged-related increase of high sensitive Troponin T and its implication in acute myocardial infarction diagnosis of elderly patients. <i>Mechanisms of Ageing and Development</i> , 2012 , 133, 300-5	5.6	50
48	Are anti-nucleosome antibodies a better diagnostic marker than anti-dsDNA antibodies for systemic lupus erythematosus? A systematic review and a study of metanalysis. <i>Autoimmunity Reviews</i> , 2012 , 12, 97-106	13.6	98
47	TSH receptor autoantibody immunoassay in patients with Graves' disease: improvement of diagnostic accuracy over different generations of methods. Systematic review and meta-analysis. <i>Autoimmunity Reviews</i> , 2012 , 12, 107-13	13.6	119
46	Tools for critical appraisal of evidence in studies of diagnostic accuracy. <i>Autoimmunity Reviews</i> , 2012 , 12, 89-96	13.6	0
45	Diagnostic accuracy of enzyme-linked immunosorbent assays (ELISA) to detect anti-skin autoantibodies in autoimmune blistering skin diseases: a systematic review and meta-analysis. <i>Autoimmunity Reviews</i> , 2012 , 12, 121-6	13.6	54
44	Hypovitaminosis D as predisposing factor for atrophic type A gastritis: a case-control study and review of the literature on the interaction of Vitamin D with the immune system. <i>Clinical Reviews in Allergy and Immunology</i> , 2012 , 42, 355-64	12.3	34
43	Statin therapy is associated with decreased small, dense low-density lipoprotein levels in patients undergoing peritoneal dialysis. <i>Contributions To Nephrology</i> , 2012 , 178, 111-115	1.6	7
42	Neutrophil gelatinase-associated lipocalin in the early diagnosis of peritonitis: the case of neutrophil gelatinase-associated lipocalin. <i>Contributions To Nephrology</i> , 2012 , 178, 258-263	1.6	8
41	Preanalytical quality improvement: from dream to reality. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011 , 49, 1113-26	5.9	167
40	Raccomandazioni di consenso SIBioC-SIMeL per la rilevazione e gestione dei campioni emolizzati e utilizzo dell'indice di emolisi. <i>Rivista Italiana Della Medicina Di Laboratorio</i> , 2011 , 7, 144-155	1.1	3
39	Copeptin and high sensitive troponin for a rapid rule out of acute myocardial infarction?. <i>Clinical Laboratory</i> , 2011 , 57, 725-30	2	11
38	Stat laboratory testing: integration or autonomy?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010 , 48, 927-30	5.9	6
37	Heart-kidney biomarkers in patients undergoing cardiac stress testing. <i>International Journal of Nephrology</i> , 2010 , 2011, 425923	1.7	5
36	Comparison of estimated glomerular filtration rate (eGFR) using the MDRD and CKD-EPI equations for CKD screening in a large population. <i>Clinical Nephrology</i> , 2010 , 74, 358-63	2.1	18
35	Multicenter evaluation of the hemolysis index in automated clinical chemistry systems. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009 , 47, 934-9	5.9	85

34	Evaluation of BD Vacutainer PST II tubes for a wide range of immunoassays. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009 , 47, 237-41	5.9	5
33	An electronic thesaurus of Evidence Based Laboratory Medicine hematological and biochemical diagnostic tests. <i>International Journal of Laboratory Hematology</i> , 2009 , 31, 544-51	2.5	3
32	Analytical comparison of AxSYM, HemosIL DD HS and Innovance D-dimer immunoassays with the Vidas D-dimer. <i>International Journal of Laboratory Hematology</i> , 2009 , 31, 475-7	2.5	7
31	Overview on self-monitoring of blood glucose. <i>Clinica Chimica Acta</i> , 2009 , 402, 7-13	6.2	86
30	Performance of the automated and rapid HemosIL D-Dimer HS on the ACL TOP analyzer. <i>Blood Coagulation and Fibrinolysis</i> , 2008 , 19, 817-21	1	14
29	Definition of reference limits for autoantibodies to thyroid peroxidase and thyroglobulin in a large population of outpatients using an indirect method based on current data. <i>Archives of Pathology and Laboratory Medicine</i> , 2008 , 132, 1924-8	5	15
28	Indirect estimation of pediatric Health Related Limits for serum thyrotropin using the ADVIA Centaur analyzer. <i>Clinical Biochemistry</i> , 2007 , 40, 1143-9	3.5	2
27	Recommendations for detection and management of unsuitable samples in clinical laboratories. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007 , 45, 728-36	5.9	76
26	Comparison of methods to identify individuals at increased risk of cardiovascular disease in Italian cohorts. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2007 , 17, 311-8	4.5	7
25	National survey on critical values reporting in a cohort of Italian laboratories. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007 , 45, 1411-3	5.9	32
24	Interchangeability and diagnostic accuracy of two assays for total and free prostate-specific antigen: two not always related items. <i>International Journal of Biological Markers</i> , 2007 , 22, 154-8	2.8	1
23	Differences of prostate-specific antigen assays: a small light at the end of the tunnel?. <i>Annals of Clinical Biochemistry</i> , 2006 , 43, 420-1; author reply 422-3	2.2	2
22	Indirect methods for reference intervals based on current data. <i>Clinical Chemistry</i> , 2006 , 52, 335-7; author reply 337-8	5.5	13
21	National survey on the pre-analytical variability in a representative cohort of Italian laboratories. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006 , 44, 1491-4	5.9	14
20	Length of erythrocyte sedimentation rate (ESR) adjusted for the hematocrit: reference values for the TEST 1 method. <i>Clinical Laboratory</i> , 2006 , 52, 241-5	2	3
19	Decision limit for troponin I on ADVIA:Centaur and evaluation of the analytical precision at low concentrations. <i>Clinical Laboratory</i> , 2003 , 49, 251-3	2	5
18	Monitoring high-dose heparin levels by ACT and HMT during extracorporeal circulation: diagnostic accuracy of three compact monitors. <i>Perfusion (United Kingdom)</i> , 2002 , 17, 23-6	1.9	6
17	Internal quality control for erythrocyte sedimentation rate measured by TEST-1 Analyzer. <i>Clinical Laboratory</i> , 2002 , 48, 459-62	2	5

16	Reference interval of D-dimer in pregnant women. <i>Clinical Biochemistry</i> , 2001 , 34, 331-3	3.5	38
15	Thromboembolic neurologic events in patients with antiphospholipid-antibody syndrome. <i>Italian Journal of Neurological Sciences</i> , 1999 , 20, 71-2		2
14	Method comparison of automated systems for the erythrocyte sedimentation rate. <i>American Journal of Clinical Pathology</i> , 1999 , 112, 721-2; author reply 723-4	1.9	4
13	External Quality Assessment of stat test intralaboratory turnaround times. Pilot study from the Members of the Working Group for the Standardization and Promotion of Turnaround Time Control under the Auspices of the Comitato Italiano per la Standardizzazione dei Metodi Ematologici e di Laboratorio. <i>Clinical Chemistry and Laboratory Medicine</i> , 1998 , 36, 867-70	5.9	6
12	Difference plots and mountain plots are useful also in comparing CA 125 immunoassay systems manufactured by the same company. <i>Clinical Chemistry and Laboratory Medicine</i> , 1998 , 36, 497	5.9	
11	Estimating mean pulmonary wedge pressure in patients with chronic atrial fibrillation from transthoracic Doppler indexes of mitral and pulmonary venous flow velocity. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 19-26	15.1	90
10	Anti-TPO and anti-thyroglobulin antibodies or anti-TPO antibodies alone?. <i>Clinical Endocrinology</i> , 1997 , 46, 235-6	3.4	1
9	Serum paraoxonase activity is decreased in uremic patients. <i>Clinica Chimica Acta</i> , 1996 , 247, 71-80	6.2	77
8	Fasting plasma glucose and diabetes diagnosis. <i>Clinica Chimica Acta</i> , 1996 , 252, 209-13	6.2	3
7	The role of erythrocytes in the deperoxidative processes in people on hemodialysis. <i>ASAIO Journal</i> , 1996 , 42, M890-4	3.6	13
6	Age-Related Correlations between Weight and Lipoprotein(a) Concentrations. <i>Clinical Chemistry</i> , 1992 , 38, 1386-1386	5.5	2
5	Expert system for interpretation of water and electrolyte laboratory data. <i>Analytica Chimica Acta</i> , 1989 , 223, 269-276	6.6	
4	Latex kits for detection of rotavirus. <i>American Journal of Clinical Pathology</i> , 1989 , 92, 254	1.9	
3	Monomeric calcitonin secretion in infants with congenital hypothyroidism. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1989 , 78, 885-8	3.1	1
2	Mineral metabolism in obese children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1988 , 77, 741-6	3.1	37
1	Quality in point of care testing. <i>Biochemia Medica</i> , 200-206	2.5	2