

Ute Bltmann

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2198219/ute-bultmann-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

185
papers

6,857
citations

42
h-index

78
g-index

200
ext. papers

8,430
ext. citations

4.4
avg, IF

5.81
L-index

#	Paper	IF	Citations
185	Genome-wide association study identifies 74 loci associated with educational attainment. <i>Nature</i> , 2016 , 533, 539-42	50.4	850
184	Genetic variants associated with subjective well-being, depressive symptoms, and neuroticism identified through genome-wide analyses. <i>Nature Genetics</i> , 2016 , 48, 624-33	36.3	602
183	GWAS of 126,559 individuals identifies genetic variants associated with educational attainment. <i>Science</i> , 2013 , 340, 1467-71	33.3	563
182	Fatigue and psychological distress in the working population: psychometrics, prevalence, and correlates. <i>Journal of Psychosomatic Research</i> , 2002 , 52, 445-52	4.1	207
181	Psychosocial work environment and incidence of severe depressive symptoms: prospective findings from a 5-year follow-up of the Danish work environment cohort study. <i>American Journal of Epidemiology</i> , 2006 , 163, 877-87	3.8	197
180	Measurement of prolonged fatigue in the working population: Determination of a cutoff point for the Checklist Individual Strength.. <i>Journal of Occupational Health Psychology</i> , 2000 , 5, 411-416	5.7	148
179	Physical work environment risk factors for long term sickness absence: prospective findings among a cohort of 5357 employees in Denmark. <i>BMJ, The</i> , 2006 , 332, 449-52	5.9	143
178	Psychosocial work environment exposures as risk factors for long-term sickness absence among Danish employees: results from DWECS/DREAM. <i>Journal of Occupational and Environmental Medicine</i> , 2005 , 47, 1141-7	2	116
177	Interventions to improve return to work in depressed people. <i>The Cochrane Library</i> , 2014 , CD006237	5.2	114
176	Depressive symptoms and the risk of long-term sickness absence: a prospective study among 4747 employees in Denmark. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 875-80	4.5	114
175	Recurrence of sickness absence due to common mental disorders. <i>International Archives of Occupational and Environmental Health</i> , 2011 , 84, 193-201	3.2	111
174	Coordinated and tailored work rehabilitation: a randomized controlled trial with economic evaluation undertaken with workers on sick leave due to musculoskeletal disorders. <i>Journal of Occupational Rehabilitation</i> , 2009 , 19, 81-93	3.6	106
173	A prospective study of return to work across health conditions: perceived work attitude, self-efficacy and perceived social support. <i>Journal of Occupational Rehabilitation</i> , 2010 , 20, 104-12	3.6	105
172	The contribution of the psychosocial work environment to sickness absence in human service workers: Results of a 3-year follow-up study. <i>Work and Stress</i> , 2007 , 21, 293-311	6.1	102
171	Behavioral determinants as predictors of return to work after long-term sickness absence: an application of the theory of planned behavior. <i>Journal of Occupational Rehabilitation</i> , 2009 , 19, 166-74	3.6	96
170	Genetic variants linked to education predict longevity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 13366-13371	11.5	90
169	Health status, work limitations, and return-to-work trajectories in injured workers with musculoskeletal disorders. <i>Quality of Life Research</i> , 2007 , 16, 1167-78	3.7	89

168	WHY DO OLDER WORKERS WITH CHRONIC HEALTH CONDITIONS PREFER TO RETIRE EARLY?. <i>Innovation in Aging</i> , 2019 , 3, S43-S43	0.1	78
167	Mental health trajectories from childhood to young adulthood affect the educational and employment status of young adults: results from the TRAILS study. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 588-93	5.1	66
166	Severe depressive symptoms as predictor of disability pension: a 10-year follow-up study in Denmark. <i>European Journal of Public Health</i> , 2008 , 18, 232-4	2.1	64
165	Predictors of return to work in employees sick-listed with mental health problems: findings from a longitudinal study. <i>European Journal of Public Health</i> , 2011 , 21, 806-11	2.1	62
164	Loneliness, worries, anxiety, and precautionary behaviours in response to the COVID-19 pandemic: A longitudinal analysis of 200,000 Western and Northern Europeans. <i>Lancet Regional Health - Europe, The</i> , 2021 , 2, 100020		62
163	Psychological distress, fatigue and long-term sickness absence: prospective results from the Maastricht Cohort Study. <i>Journal of Occupational and Environmental Medicine</i> , 2005 , 47, 941-7	2	60
162	The work role functioning questionnaire 2.0 (Dutch version): examination of its reliability, validity and responsiveness in the general working population. <i>Journal of Occupational Rehabilitation</i> , 2013 , 23, 135-47	3.6	59
161	Socioeconomic disparities in chronic kidney disease: a systematic review and meta-analysis. <i>American Journal of Preventive Medicine</i> , 2015 , 48, 580-92	6.1	57
160	Systematic review of intervention practices for depression in the workplace. <i>Journal of Occupational Rehabilitation</i> , 2012 , 22, 312-21	3.6	56
159	Childhood Adversities and Educational Attainment in Young Adulthood: The Role of Mental Health Problems in Adolescence. <i>Journal of Adolescent Health</i> , 2015 , 57, 462-7	5.8	55
158	Occupational cognitive requirements and late-life cognitive aging. <i>Neurology</i> , 2016 , 86, 1386-1392	6.5	54
157	Impact of burnout and psychosocial work characteristics on future long-term sickness absence. Prospective results of the Danish PUMA Study among human service workers. <i>Journal of Occupational and Environmental Medicine</i> , 2010 , 52, 964-70	2	53
156	Adverse psychosocial working conditions and risk of severe depressive symptoms. Do effects differ by occupational grade?. <i>European Journal of Public Health</i> , 2013 , 23, 415-20	2.1	52
155	Mental health problems and educational attainment in adolescence: 9-year follow-up of the TRAILS study. <i>PLoS ONE</i> , 2014 , 9, e101751	3.7	52
154	Functional limitations in functional somatic syndromes and well-defined medical diseases. Results from the general population cohort LifeLines. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 94-9	4.1	51
153	Prevention of recurrent sickness absence in workers with common mental disorders: results of a cluster-randomised controlled trial. <i>Occupational and Environmental Medicine</i> , 2014 , 71, 21-9	2.1	51
152	The impact of health behaviour on long term sickness absence: results from DWECS/DREAM. <i>Industrial Health</i> , 2007 , 45, 348-51	2.5	50
151	Lifestyle factors as risk factors for fatigue and psychological distress in the working population: prospective results from the Maastricht Cohort Study. <i>Journal of Occupational and Environmental Medicine</i> , 2002 , 44, 116-24	2	49

150	Health, work, and personal-related predictors of time to return to work among employees with mental health problems. <i>Disability and Rehabilitation</i> , 2012 , 34, 1311-6	2.4	48
149	The association between chronic diseases and fatigue in the working population. <i>Journal of Psychosomatic Research</i> , 2003 , 54, 339-44	4.1	47
148	Course, diagnosis, and treatment of depressive symptomatology in workers following a workplace injury: a prospective cohort study. <i>Canadian Journal of Psychiatry</i> , 2009 , 54, 534-46	4.8	46
147	Mediators of the association between low socioeconomic status and chronic kidney disease in the United States. <i>American Journal of Epidemiology</i> , 2015 , 181, 385-96	3.8	44
146	The incidence of anxiety and depression among employees--the role of psychosocial work characteristics. <i>Depression and Anxiety</i> , 2009 , 26, 1040-8	8.4	44
145	Socioeconomic measures and CKD in the United States and The Netherlands. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 1685-93	6.9	43
144	The Combined Effects of Obesity, Abdominal Obesity and Major Depression/Anxiety on Health-Related Quality of Life: the LifeLines Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0148871	3.7	43
143	Labor markets and health: an integrated life course perspective. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016 , 42, 346-53	4.3	42
142	Differences in fatigue and psychological distress across occupations: results from the Maastricht Cohort Study of Fatigue at Work. <i>Journal of Occupational and Environmental Medicine</i> , 2001 , 43, 976-83	2	39
141	Towards a new definition of return-to-work outcomes in common mental disorders from a multi-stakeholder perspective. <i>PLoS ONE</i> , 2012 , 7, e39947	3.7	39
140	Workplace Interventions to Prevent Disability from Both the Scientific and Practice Perspectives: A Comparison of Scientific Literature, Grey Literature and Stakeholder Observations. <i>Journal of Occupational Rehabilitation</i> , 2016 , 26, 417-433	3.6	38
139	Sleep and need for recovery in shift workers: do chronotype and age matter?. <i>Ergonomics</i> , 2016 , 59, 310-24	2.4	36
138	IGLOO: An integrated framework for sustainable return to work in workers with common mental disorders. <i>Work and Stress</i> , 2018 , 32, 400-417	6.1	35
137	Bivariate genome-wide association analyses of the broad depression phenotype combined with major depressive disorder, bipolar disorder or schizophrenia reveal eight novel genetic loci for depression. <i>Molecular Psychiatry</i> , 2020 , 25, 1420-1429	15.1	35
136	Long-term work retention after treatment for cancer: a systematic review and meta-analysis. <i>Journal of Cancer Survivorship</i> , 2020 , 14, 135-150	5.1	34
135	Gender and age differences in the recurrence of sickness absence due to common mental disorders: a longitudinal study. <i>BMC Public Health</i> , 2010 , 10, 426	4.1	34
134	Personal and Societal Impact of Low Back Pain: The Groningen Spine Cohort. <i>Spine</i> , 2019 , 44, E1443-E1451	5.1	34
133	Factors associated with first return to work and sick leave durations in workers with common mental disorders. <i>European Journal of Public Health</i> , 2012 , 22, 440-5	2.1	33

132	Evaluation of the measurement properties of self-reported health-related work-functioning instruments among workers with common mental disorders. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012 , 38, 5-18	4.3	32
131	Shortened version of the work ability index to identify workers at risk of long-term sickness absence. <i>European Journal of Public Health</i> , 2016 , 26, 301-5	2.1	30
130	Sleep disturbances and fatigue: independent predictors of sickness absence? A prospective study among 6538 employees. <i>European Journal of Public Health</i> , 2013 , 23, 123-8	2.1	30
129	Return to work among sickness-absent Danish employees: prospective results from the Danish Work Environment Cohort Study/National Register on Social Transfer Payments. <i>International Journal of Rehabilitation Research</i> , 2006 , 29, 229-35	1.8	30
128	Predicting the two-year course of unexplained fatigue and the onset of long-term sickness absence in fatigued employees: results from the Maastricht Cohort Study. <i>Journal of Occupational and Environmental Medicine</i> , 2004 , 46, 1041-7	2	30
127	Predictors of recurrent sickness absence among workers having returned to work after sickness absence due to common mental disorders. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 195-202	4.3	30
126	Work adjustments in a representative sample of employees with a chronic disease in the Netherlands. <i>Journal of Occupational Rehabilitation</i> , 2013 , 23, 200-8	3.6	29
125	Effects of job insecurity from a workplace closure threat on fatigue and psychological distress. <i>Journal of Occupational and Environmental Medicine</i> , 2004 , 46, 443-9	2	29
124	Prevention of recurrent sickness absence among employees with common mental disorders: design of a cluster-randomised controlled trial with cost-benefit and effectiveness evaluation. <i>BMC Public Health</i> , 2010 , 10, 132	4.1	27
123	The fraction of long-term sickness absence attributable to work environmental factors: prospective results from the Danish Work Environment Cohort Study. <i>Occupational and Environmental Medicine</i> , 2007 , 64, 487-9	2.1	26
122	The impact of low education and poor health on unemployment varies by work life stage. <i>International Journal of Public Health</i> , 2017 , 62, 997-1006	4	25
121	The presence of a depressive episode predicts lower return to work rate after myocardial infarction. <i>General Hospital Psychiatry</i> , 2014 , 36, 363-7	5.6	24
120	Workers with health problems: three perspectives on functioning at work. <i>Disability and Rehabilitation</i> , 2013 , 35, 20-6	2.4	23
119	The development and validation of two prediction models to identify employees at risk of high sickness absence. <i>European Journal of Public Health</i> , 2013 , 23, 128-33	2.1	23
118	Cross-national comparisons of sickness absence systems and statistics: towards common indicators. <i>European Journal of Public Health</i> , 2014 , 24, 663-6	2.1	21
117	Employment trajectories after spinal cord injury: results from a 5-year prospective cohort study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014 , 95, 2040-6	2.8	21
116	The prospective association between obesity and major depression in the general population: does single or recurrent episode matter?. <i>BMC Public Health</i> , 2015 , 15, 350	4.1	21
115	Process evaluation of a problem solving intervention to prevent recurrent sickness absence in workers with common mental disorders. <i>Social Science and Medicine</i> , 2014 , 100, 123-32	5.1	21

114	Physical and mental fatigue as predictors of sickness absence among Norwegian nurses. <i>Research in Nursing and Health</i> , 2013 , 36, 453-65	2	21
113	Employment status transitions in employees with and without chronic disease in the Netherlands. <i>International Journal of Public Health</i> , 2018 , 63, 713-722	4	20
112	Predictors of return to work 5 years after discharge for wheelchair-dependent individuals with spinal cord injury. <i>Journal of Rehabilitation Medicine</i> , 2014 , 46, 984-90	3.4	20
111	The cross-cultural adaptation of the work role functioning questionnaire to Dutch. <i>Work</i> , 2012 , 43, 203-106	106	20
110	Health-related Work Limitations Among Older Workers-the Role of Flexible Work Arrangements and Organizational Climate. <i>Gerontologist, The</i> , 2020 , 60, 450-459	5	20
109	Are fatigue, depression and anxiety associated with labour market participation among patients diagnosed with haematological malignancies? A prospective study. <i>Psycho-Oncology</i> , 2015 , 24, 408-15	3.9	19
108	Course of Depressive Symptoms Following a Workplace Injury: A 12-Month Follow-Up Update. <i>Journal of Occupational Rehabilitation</i> , 2016 , 26, 204-15	3.6	19
107	Return to work among employees with common mental disorders: study design and baseline findings from a mixed-method follow-up study. <i>Scandinavian Journal of Public Health</i> , 2010 , 38, 864-72	3	18
106	Lifelines COVID-19 cohort: investigating COVID-19 infection and its health and societal impacts in a Dutch population-based cohort. <i>BMJ Open</i> , 2021 , 11, e044474	3	18
105	Development and validation of a prediction model for long-term sickness absence based on occupational health survey variables. <i>Disability and Rehabilitation</i> , 2018 , 40, 168-175	2.4	17
104	Recovery and recurrence of mental sickness absence among production and office workers in the industrial sector. <i>European Journal of Public Health</i> , 2015 , 25, 419-23	2.1	17
103	Mental health symptoms as prognostic risk markers of all-cause and psychiatric sickness absence in office workers. <i>European Journal of Public Health</i> , 2014 , 24, 101-5	2.1	17
102	Work functioning trajectories in cancer patients: Results from the longitudinal Work Life after Cancer (WOLICA) study. <i>International Journal of Cancer</i> , 2017 , 141, 1751-1762	7.5	16
101	Educational level and risk of chronic kidney disease: longitudinal data from the PREVEND study. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 1211-1218	4.3	16
100	Added value of screening for CKD among the elderly or persons with low socioeconomic status. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 562-70	6.9	15
99	Functional health decline before and after retirement: A longitudinal analysis of the Health and Retirement Study. <i>Social Science and Medicine</i> , 2016 , 170, 26-34	5.1	15
98	Work, eat and sleep: towards a healthy ageing at work program offshore. <i>BMC Public Health</i> , 2016 , 16, 134	4.1	15
97	The interaction of socioeconomic position and type 2 diabetes mellitus family history: a cross-sectional analysis of the Lifelines Cohort and Biobank Study. <i>BMJ Open</i> , 2017 , 7, e015275	3	14

96	The Work Role Functioning Questionnaire v2.0 Showed Consistent Factor Structure Across Six Working Samples. <i>Journal of Occupational Rehabilitation</i> , 2018 , 28, 465-474	3.6	14
95	Meaning and components of quality of life among individuals with spinal cord injury in Yogyakarta Province, Indonesia. <i>Disability and Rehabilitation</i> , 2018 , 40, 1183-1191	2.4	14
94	Prognostic factors for successful work functioning in the general working population. <i>Journal of Occupational Rehabilitation</i> , 2013 , 23, 162-9	3.6	14
93	SES, Chronic Kidney Disease, and Race in the U.S.: A Systematic Review and Meta-analysis. <i>American Journal of Preventive Medicine</i> , 2017 , 53, 730-739	6.1	14
92	A life course perspective on mental health problems, employment, and work outcomes. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017 , 43, 316-325	4.3	14
91	Interventions to improve return to work in depressed people. <i>The Cochrane Library</i> , 2020 , 10, CD006237	5.2	14
90	Overweight, obesity and work functioning: the role of working-time arrangements. <i>Applied Ergonomics</i> , 2016 , 52, 128-34	4.2	13
89	Presenteeism in a Dutch hand eczema population-a cross-sectional survey. <i>Contact Dermatitis</i> , 2018 , 79, 10-19	2.7	13
88	Differences in predictors for return to work following musculoskeletal injury between workers with and without somatic comorbidities. <i>International Archives of Occupational and Environmental Health</i> , 2014 , 87, 871-9	3.2	13
87	Reliability and validity of the work role functioning questionnaire (Spanish version). <i>Journal of Occupational Rehabilitation</i> , 2014 , 24, 640-9	3.6	13
86	Predictors of recurrent sickness absence due to depressive disorders--a Delphi approach involving scientists and physicians. <i>PLoS ONE</i> , 2012 , 7, e51792	3.7	13
85	Economic evaluation of a problem solving intervention to prevent recurrent sickness absence in workers with common mental disorders. <i>PLoS ONE</i> , 2013 , 8, e71937	3.7	13
84	Multimorbidity and the Transition Out of Full-Time Paid Employment: A Longitudinal Analysis of the Health and Retirement Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2020 , 75, 705-715	4.6	13
83	Combining informal care and paid work: The use of work arrangements by working adult-child caregivers in the Netherlands. <i>Health and Social Care in the Community</i> , 2018 , 26, e122-e131	2.6	13
82	Investigating daily fatigue scores during two-week offshore day shifts. <i>Applied Ergonomics</i> , 2018 , 71, 87-94	4.2	12
81	Implementing sensor technology applications for workplace health promotion: a needs assessment among workers with physically demanding work. <i>BMC Public Health</i> , 2019 , 19, 1100	4.1	12
80	Absolute and Relative Socioeconomic Health Inequalities across Age Groups. <i>PLoS ONE</i> , 2015 , 10, e0145947	3.7	12
79	Sickness benefit claims due to mental disorders in Brazil: associations in a population-based study. <i>Cadernos De Saude Publica</i> , 2012 , 28, 1854-66	3.2	11

78	Identifying employees at risk for job loss during sick leave. <i>Disability and Rehabilitation</i> , 2013 , 35, 1835-41.4		11
77	Impact of depressive symptoms on worklife expectancy: a longitudinal study on Danish employees. <i>Occupational and Environmental Medicine</i> , 2019 , 76, 838-844	2.1	11
76	Multifaceted intervention for the prevention and management of musculoskeletal pain in nursing staff: Results of a cluster randomized controlled trial. <i>PLoS ONE</i> , 2019 , 14, e0225198	3.7	11
75	Increasing return-to-work among people on sick leave due to common mental disorders: design of a cluster-randomized controlled trial of a problem-solving intervention versus care-as-usual conducted in the Swedish primary health care system (PROSA). <i>BMC Public Health</i> , 2018 , 18, 889	4.1	11
74	Time-of-day and days-on-shift predict increased fatigue over two-week offshore day-shifts. <i>Applied Ergonomics</i> , 2019 , 78, 157-163	4.2	10
73	Early identification in primary health care of people at risk for sick leave due to work-related stress - study protocol of a randomized controlled trial (RCT). <i>BMC Public Health</i> , 2016 , 16, 1193	4.1	10
72	Implementation of the participatory approach to increase supervisors' self-efficacy in supporting employees at risk for sick leave; design of a randomised controlled trial. <i>BMC Public Health</i> , 2013 , 13, 750	4.1	10
71	Prolonged fatigue is associated with sickness absence in men but not in women: prospective study with 1-year follow-up of white-collar employees. <i>International Archives of Occupational and Environmental Health</i> , 2014 , 87, 257-63	3.2	10
70	Number of medications and adverse drug events by unintentional poisoning among older adults in consideration of inappropriate drug use: a Swedish population-based matched case-control study. <i>European Journal of Clinical Pharmacology</i> , 2017 , 73, 743-749	2.8	9
69	A systematic review of interventions to retain chronically ill occupationally active employees in work: can findings be transferred to cancer survivors?. <i>Acta Oncologica</i> , 2019 , 58, 548-565	3.2	9
68	Why do older workers with chronic health conditions prefer to retire early?. <i>Age and Ageing</i> , 2020 , 49, 403-410	3	9
67	Active recruitment and limited participant-load related to high participation in large population-based biobank studies. <i>Journal of Clinical Epidemiology</i> , 2016 , 78, 52-62	5.7	9
66	How Do Organizational Policies and Practices Affect Return to Work and Work Role Functioning Following a Musculoskeletal Injury?. <i>Journal of Occupational Rehabilitation</i> , 2017 , 27, 393-404	3.6	9
65	Responsiveness of the Work Role Functioning Questionnaire (Spanish version) in a general working population. <i>Journal of Occupational and Environmental Medicine</i> , 2014 , 56, 189-94	2	9
64	Effort-reward imbalance at work and risk of long-term sickness absence in the Danish workforce. <i>Journal of Occupational and Environmental Medicine</i> , 2013 , 55, 454-9	2	9
63	Self-reported or register-based? A comparison of sickness absence data among 8110 public and private employees in Denmark. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 631-638 ^{4.3}		9
62	Perceived stress and sickness absence: a prospective study of 17,795 employees in Denmark. <i>International Archives of Occupational and Environmental Health</i> , 2019 , 92, 821-828	3.2	9
61	Does obesity along with major depression or anxiety lead to higher use of health care and costs? A 6-year follow-up study. <i>European Journal of Public Health</i> , 2017 , 27, 965-971	2.1	8

60	Type of cancer treatment and cognitive symptoms in working cancer survivors: an 18-month follow-up study. <i>Journal of Cancer Survivorship</i> , 2020 , 14, 158-167	5.1	8
59	Quality of life of obstructive sleep apnoea patients receiving continuous positive airway pressure treatment: A systematic review and meta-analysis. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2020 , 49, 10-24	2.6	8
58	Mental health among university students: The associations of effort-reward imbalance and overcommitment with psychological distress. <i>Journal of Affective Disorders</i> , 2021 , 282, 953-961	6.6	8
57	Associations between shift schedule characteristics with sleep, need for recovery, health and performance measures for regular (semi-)continuous 3-shift systems. <i>Applied Ergonomics</i> , 2016 , 56, 203-212	4.2	8
56	Beyond return to work from sickness absence due to mental disorders: 5-year longitudinal study of employment status among production workers. <i>European Journal of Public Health</i> , 2017 , 27, 79-83	2.1	8
55	Need for recovery among male technical distal on-call workers. <i>Ergonomics</i> , 2015 , 58, 1927-38	2.9	7
54	Investigating young adults' mental health and early working life trajectories from a life course perspective: the role of transitions. <i>Journal of Epidemiology and Community Health</i> , 2020 , 74, 179-181	5.1	7
53	Developing Normative Integration among Professionals in an Intersectoral Collaboration: A Multi-Method Investigation of an Integrated Intervention for People on Sick Leave Due to Common Mental Disorders. <i>International Journal of Integrated Care</i> , 2019 , 19, 4	2	7
52	Polygenic prediction of educational attainment within and between families from genome-wide association analyses in 3 million individuals.. <i>Nature Genetics</i> , 2022 ,	36.3	7
51	Two valid and reliable work role functioning questionnaire short versions were developed: WRFQ 5 and WRFQ 10. <i>Journal of Clinical Epidemiology</i> , 2019 , 105, 101-111	5.7	6
50	Identification of developmental trajectory classes: Comparing three latent class methods using simulated and real data. <i>Advances in Life Course Research</i> , 2019 , 42, 100288	3.1	5
49	The Interaction of Genetic Predisposition and Socioeconomic Position With Type 2 Diabetes Mellitus: Cross-Sectional and Longitudinal Analyses From the Lifelines Cohort and Biobank Study. <i>Psychosomatic Medicine</i> , 2018 , 80, 252-262	3.7	5
48	Geriatric Syndromes and Incident Chronic Health Conditions Among 9094 Older Community-Dwellers: Findings from the Lifelines Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2021 ,	5.9	5
47	Fragmentation in the future of work: A horizon scan examining the impact of the changing nature of work on workers experiencing vulnerability. <i>American Journal of Industrial Medicine</i> , 2021 , 64, 649-666 ²⁻⁷	2.7	5
46	Associations between physical and psychosocial work environment factors and sickness absence incidence depend on the lengths of the sickness absence episodes: a prospective study of 27 678 Danish employees. <i>Occupational and Environmental Medicine</i> , 2021 , 78, 46-53	2.1	5
45	Evaluation of a genetic risk score based on creatinine-estimated glomerular filtration rate and its association with kidney outcomes. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 1757-1764	4.3	4
44	Effect of an eHealth Intervention to Reduce Sickness Absence Frequency Among Employees With Frequent Sickness Absence: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018 , 20, e10821	7.6	4
43	Understanding socioeconomic differences in incident metabolic syndrome among adults: What is the mediating role of health behaviours?. <i>Preventive Medicine</i> , 2021 , 148, 106537	4.3	4

42	Psychological distress in patients with obstructive sleep apnoea: The role of hostility and coping self-efficacy. <i>Journal of Health Psychology</i> , 2020 , 25, 2244-2259	3.1	4
41	Validation of the Work Role Functioning Questionnaire 2.0 in cancer patients. <i>European Journal of Cancer Care</i> , 2021 , 30, e13420	2.4	4
40	Occupational distribution of metabolic syndrome prevalence and incidence differs by sex and is not explained by age and health behavior: results from 75 000 Dutch workers from 40 occupational groups. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	3
39	How to engage occupational physicians in recruitment of research participants: a mixed-methods study of challenges and opportunities. <i>Journal of Occupational Rehabilitation</i> , 2014 , 24, 68-78	3.6	3
38	Variance constraints strongly influenced model performance in growth mixture modeling: a simulation and empirical study. <i>BMC Medical Research Methodology</i> , 2020 , 20, 276	4.7	3
37	Risk reclassification analysis investigating the added value of fatigue to sickness absence predictions. <i>International Archives of Occupational and Environmental Health</i> , 2015 , 88, 1069-75	3.2	2
36	Reciprocal associations between depression, anxiety and work-related injury. <i>Injury Prevention</i> , 2020 , 26, 529-535	3.2	2
35	Long working hours are associated with incident depressive and anxiety symptoms in women. <i>Evidence-Based Mental Health</i> , 2012 , 15, 58	11.1	2
34	Airborne occupational exposures and the risk of developing respiratory symptoms and airway obstruction in the Lifelines Cohort Study. <i>Thorax</i> , 2021 ,	7.3	2
33	Are disease severity, sleep-related problems, and anxiety associated with work functioning in patients with obstructive sleep apnoea?. <i>Disability and Rehabilitation</i> , 2019 , 41, 2164-2174	2.4	2
32	Suicidal ideation in patients with obstructive sleep apnoea and its relationship with disease severity, sleep-related problems and social support. <i>Journal of Health Psychology</i> , 2020 , 25, 1450-1461	3.1	2
31	Childhood Socioeconomic Status and Depressive Symptom Trajectories in the Transition to Adulthood in the United States and Canada. <i>Journal of Adolescent Health</i> , 2021 , 68, 161-168	5.8	2
30	Airborne occupational exposures and inflammatory biomarkers in the Lifelines cohort study. <i>Occupational and Environmental Medicine</i> , 2021 , 78, 82-85	2.1	2
29	Cross-cultural translation and adaptation of the Readiness for Return To Work questionnaire for Dutch cancer survivors. <i>European Journal of Cancer Care</i> , 2021 , 30, e13383	2.4	2
28	Associations of university student life challenges with mental health and self-rated health: A longitudinal study with 6 months follow-up. <i>Journal of Affective Disorders</i> , 2022 , 296, 250-257	6.6	2
27	Social support, mastery, sleep-related problems and their association with functional status in untreated obstructive sleep apnoea patients. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2018 , 47, 371-379	2.6	1
26	Rugulies et al. Respond to "Mapping the Tip of the Iceberg" <i>American Journal of Epidemiology</i> , 2006 , 163, 891-892	3.8	1
25	Proposing network analysis for early life adversity: An application on life event data.. <i>Social Science and Medicine</i> , 2022 , 296, 114784	5.1	1

24	Does social support at home moderate the association between social support at work and work functioning among cancer patients?. <i>Journal of Cancer Survivorship</i> , 2021 , 1	5.1	1
23	O7C.3 Effectiveness of a multi-faceted intervention to prevent musculoskeletal pain in nurses and aides: results of a cluster-randomized controlled trial. <i>Occupational and Environmental Medicine</i> , 2019 , 76, A65.1-A65	2.1	1
22	Do older manual workers benefit in vitality after retirement? Findings from a 3-year follow-up panel study. <i>European Journal of Ageing</i> , 2021 , 18, 369-379	3.6	1
21	Does the timing and duration of mental health problems during childhood and adolescence matter for labour market participation of young adults?. <i>Journal of Epidemiology and Community Health</i> , 2021 , 75, 896-902	5.1	1
20	Psychosocial work factors and blood pressure among 63 800 employees from The Netherlands in the Lifelines Cohort Study. <i>Journal of Epidemiology and Community Health</i> , 2022 , 76, 60-66	5.1	1
19	The timing and duration of depressive symptoms from adolescence to young adulthood and young adults' NEET status: the role of educational attainment. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1	4.5	1
18	Exploring reasons for sick leave due to common mental disorders from the perspective of employees and managers - what has gender got to do with it?. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2022 , 17, 2054081	2	1
17	Understanding socioeconomic differences in metabolic syndrome remission among adults: what is the mediating role of health behaviors?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 147	8.4	0
16	The association between fast-food outlet proximity and density and Body Mass Index: Findings from 147,027 Lifelines Cohort Study participants.. <i>Preventive Medicine</i> , 2021 , 155, 106915	4.3	0
15	Process evaluation of a complex workplace intervention to prevent musculoskeletal pain in nursing staff: results from INTEVAL_Spain. <i>BMC Nursing</i> , 2021 , 20, 189	3.2	0
14	Physical Activity Advice for Prevention and Rehabilitation of Low Back Pain- Same or Different? A Study on Device-Measured Physical Activity and Register-Based Sickness Absence. <i>Journal of Occupational Rehabilitation</i> , 2021 , 1	3.6	0
13	Supporting participation in paid work of cancer survivors and their partners in the Netherlands: protocol of the SusTained Employability in cancer Patients and their partnerS (STEPS) multi-centre randomized controlled trial and cohort study. <i>BMC Public Health</i> , 2021 , 21, 1844	4.1	0
12	Occupational exposures and genetic susceptibility to occupational exposures are related to sickness absence in the Lifelines cohort study. <i>Scientific Reports</i> , 2020 , 10, 12963	4.9	0
11	Barriers and facilitators for work and social participation among individuals with spinal cord injury in Indonesia. <i>Spinal Cord</i> , 2021 , 59, 1079-1087	2.7	0
10	Employees Receiving Inpatient Treatment for Common Mental Disorders in Germany: Factors Associated with Time to First and Full Return to Work. <i>Journal of Occupational Rehabilitation</i> , 2021 , 1	3.6	0
9	Developing Interpersonal Trust Between Service Users and Professionals in Integrated Services: Compensating for Latent Distrust, Vulnerabilities and Uncertainty Shaped by Organisational Context. <i>International Journal of Integrated Care</i> , 2021 , 21, 1	2	0
8	Metabolic syndrome incidence in an aging workforce: Occupational differences and the role of health behaviors. <i>SSM - Population Health</i> , 2021 , 15, 100881	3.8	0
7	Socioeconomic differences in metabolic syndrome development: examining the mediating role of chronic stress using the Lifelines Cohort Study.. <i>BMC Public Health</i> , 2022 , 22, 261	4.1	0

- 6 Sustainable employability of teachers with hearing loss. *International Journal of Audiology*, **2021**, 1-8 2.6
- 5 Associations of Genetic Factors, Educational Attainment, and Their Interaction With Kidney Function Outcomes. *American Journal of Epidemiology*, **2021**, 190, 864-874 3.8
- 4 Multifaceted intervention for the prevention and management of musculoskeletal pain in nursing staff: Results of a cluster randomized controlled trial **2019**, 14, e0225198
- 3 Multifaceted intervention for the prevention and management of musculoskeletal pain in nursing staff: Results of a cluster randomized controlled trial **2019**, 14, e0225198
- 2 Multifaceted intervention for the prevention and management of musculoskeletal pain in nursing staff: Results of a cluster randomized controlled trial **2019**, 14, e0225198
- 1 Multifaceted intervention for the prevention and management of musculoskeletal pain in nursing staff: Results of a cluster randomized controlled trial **2019**, 14, e0225198