

# Karen L Guerrero

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2198772/publications.pdf>

Version: 2024-02-01

12  
papers

274  
citations

1307594

7  
h-index

1281871

11  
g-index

12  
all docs

12  
docs citations

12  
times ranked

375  
citing authors

#	ARTICLE	IF	CITATIONS
1	Alternative to prophylactic antibiotics for the treatment of recurrent urinary tract infections in women: multicentre, open label, randomised, non-inferiority trial. <i>BMJ, The</i> , 2022, 376, e068229.	6.0	35
2	Methenamine hippurate compared with antibiotic prophylaxis to prevent recurrent urinary tract infections in women: the ALTAR non-inferiority RCT. <i>Health Technology Assessment</i> , 2022, 26, 1-172.	2.8	8
3	Urethral bulking agents: a retrospective review of primary versus salvage procedure outcomes. <i>World Journal of Urology</i> , 2021, 39, 2107-2112.	2.2	4
4	Self-management of overactive bladder at home using transcutaneous tibial nerve stimulation: a qualitative study of women's experiences. <i>BMC Women's Health</i> , 2021, 21, 374.	2.0	1
5	Effectiveness of pelvic floor muscle training with and without electromyographic biofeedback for urinary incontinence in women: multicentre randomised controlled trial. <i>BMJ, The</i> , 2020, 371, m3719.	6.0	50
6	Basic versus biofeedback-mediated intensive pelvic floor muscle training for women with urinary incontinence: the OPAL RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-144.	2.8	19
7	Pelvic floor muscle training for women with pelvic organ prolapse: the PROPEL realist evaluation. <i>Health Services and Delivery Research</i> , 2020, 8, 1-104.	1.4	6
8	Implementing pelvic floor muscle training for women with pelvic organ prolapse: a realist evaluation of different delivery models. <i>BMC Health Services Research</i> , 2020, 20, 910.	2.2	2
9	Effectiveness and cost-effectiveness of basic versus biofeedback-mediated intensive pelvic floor muscle training for female stress or mixed urinary incontinence: protocol for the OPAL randomised trial. <i>BMJ Open</i> , 2019, 9, e024153.	1.9	14
10	Prospective observational study of the impact of vaginal surgery (pelvic organ prolapse with or without hysterectomy) on quality of life. <i>BMJ</i> , 2019, 379, e024153.	1.4	10
11	Adverse events after first, single, mesh and non-mesh surgical procedures for stress urinary incontinence and pelvic organ prolapse in Scotland, 1997-2016: a population-based cohort study. <i>Lancet, The</i> , 2017, 389, 629-640.	13.7	115
12	PROPEL: implementation of an evidence based pelvic floor muscle training intervention for women with pelvic organ prolapse: a realist evaluation and outcomes study protocol. <i>BMC Health Services Research</i> , 2017, 17, 843.	2.2	10