

Christos A Venetis

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2199063/christos-a-venetis-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91 papers	4,110 citations	33 h-index	63 g-index
97 ext. papers	4,866 ext. citations	4.8 avg, IF	5.47 L-index

#	Paper	IF	Citations
91	Higher estradiol levels are associated with lower neonatal birthweight after fresh and frozen embryo transfers. A cohort study of 3631 singleton IVF pregnancies. <i>Gynecological Endocrinology</i> , 2021 , 37, 618-623	2.4	2
90	Biosimilar recombinant follitropin alfa preparations versus the reference product (Gonal-F®) in couples undergoing assisted reproductive technology treatment: a systematic review and meta-analysis. <i>Reproductive Biology and Endocrinology</i> , 2021 , 19, 51	5	0
89	Optimising Follicular Development, Pituitary Suppression, Triggering and Luteal Phase Support During Assisted Reproductive Technology: A Delphi Consensus. <i>Frontiers in Endocrinology</i> , 2021 , 12, 675870	5.7	5
88	The presence of cytoplasmic strings in human blastocysts is associated with the probability of clinical pregnancy with fetal heart. <i>Journal of Assisted Reproduction and Genetics</i> , 2021 , 38, 2139-2149	3.4	0
87	Is there an optimal number of oocytes retrieved at which live birth rates or cumulative live birth rates per aspiration are maximized after ART? A systematic review. <i>Reproductive BioMedicine Online</i> , 2021 , 42, 83-104	4	5
86	Female age is associated with the optimal number of oocytes to maximize fresh live birth rates: an analysis of 256,643 fresh ART cycles. <i>Reproductive BioMedicine Online</i> , 2021 , 42, 669-678	4	1
85	A bespoke data linkage of an IVF clinical quality registry to population health datasets; methods and performance. <i>International Journal of Population Data Science</i> , 2021 , 6, 1679	1.4	0
84	The use of oil-soluble contrast media for tubal flushing in infertility: A consensus statement from ACCEPT (Australasian CREI Consensus Expert Panel on Trial evidence). <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2020 , 60, 667-670	1.7	2
83	Methodologic considerations in randomized clinical trials in reproductive medicine. <i>Fertility and Sterility</i> , 2020 , 113, 1107-1112	4.8	0
82	Cumulative live birth rates for women returning to ART treatment for a second ART-conceived child. <i>Human Reproduction</i> , 2020 , 35, 1432-1440	5.7	3
81	Oocyte meiotic spindle morphology is a predictive marker of blastocyst ploidy-a prospective cohort study. <i>Fertility and Sterility</i> , 2020 , 113, 105-113.e1	4.8	5
80	Association between body mass index and oocyte maturation in patients triggered with GnRH agonist who are at high risk for severe ovarian hyperstimulation syndrome: an observational cohort study. <i>Reproductive BioMedicine Online</i> , 2020 , 40, 168-175	4	4
79	The number of oocytes associated with maximum cumulative live birth rates per aspiration depends on female age: a population study of 221 221 treatment cycles. <i>Human Reproduction</i> , 2019 , 34, 1778-1787	5.7	25
78	Higher probability of live-birth in high, but not normal, responders after first frozen-embryo transfer in a freeze-only cycle strategy compared to fresh-embryo transfer: a meta-analysis. <i>Human Reproduction</i> , 2019 , 34, 491-505	5.7	26
77	Are singleton pregnancies after assisted reproduction technology (ART) associated with a higher risk of placental anomalies compared with non-ART singleton pregnancies? A systematic review and meta-analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 209-218	3.7	36
76	Is oocyte maturation rate associated with triptorelin dose used for triggering final oocyte maturation in patients at high risk for severe ovarian hyperstimulation syndrome?. <i>Human Reproduction</i> , 2019 , 34, 1770-1777	5.7	3
75	Is there an association between oocyte number and embryo quality? A systematic review and meta-analysis. <i>Reproductive BioMedicine Online</i> , 2019 , 39, 751-763	4	18

74	Fine-tuning blastocyst selection based on morphology: a multicentre analysis of 2461 single blastocyst transfers. <i>Reproductive BioMedicine Online</i> , 2019 , 39, 588-598	4	1
73	Is more better? A higher oocyte yield is independently associated with more day-3 euploid embryos after ICSI. <i>Human Reproduction</i> , 2019 , 34, 79-83	5.7	10
72	Physical activity in pregnancy and offspring weight: what we know and what we don't. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 471	3.7	1
71	Ultrasound and hematological changes during early luteal phase in women at high risk for developing ovarian hyperstimulation syndrome. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 126-133	5.8	4
70	Time-lapse algorithms and morphological selection of day-5 embryos for transfer: a preclinical validation study. <i>Fertility and Sterility</i> , 2018 , 109, 276-283.e3	4.8	20
69	GnRH antagonists vs. long GnRH agonists in IVF: significant flaws in a meta-analysis lead to invalid conclusions. <i>Human Reproduction Update</i> , 2018 , 24, 242-243	15.8	6
68	Personalized ovarian stimulation for assisted reproductive technology: study design considerations to move from hype to added value for patients. <i>Fertility and Sterility</i> , 2018 , 109, 968-979	4.8	23
67	OC05: Ultrasound and hematological early-luteal-phase predictors of severe ovarian hyperstimulation syndrome in high-risk patients following triggering of final oocyte maturation with human chorionic gonadotropin. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 52, 556	5.8	0
66	Low as well as high serum P4 levels in the early and mid-luteal phase reduce the chance of a live birth following IVF treatment with fresh embryo transfer: where is the evidence?. <i>Human Reproduction</i> , 2018 , 33, 2312-2313	5.7	1
65	Anti-Müllerian hormone kinetics in pregnancy and post-partum: a systematic review. <i>Reproductive BioMedicine Online</i> , 2017 , 34, 522-533	4	7
64	Is early embryo development as observed by time-lapse microscopy dependent on whether fresh or frozen sperm was used for ICSI? A cohort study. <i>Journal of Assisted Reproduction and Genetics</i> , 2017 , 34, 733-740	3.4	11
63	Inter-observer and intra-observer agreement between embryologists during selection of a single Day 5 embryo for transfer: a multicenter study. <i>Human Reproduction</i> , 2017 , 32, 307-314	5.7	57
62	Blastocyst utilization rates after continuous culture in two commercial single-step media: a prospective randomized study with sibling oocytes. <i>Journal of Assisted Reproduction and Genetics</i> , 2017 , 34, 1377-1383	3.4	11
61	What is the best predictor of severe ovarian hyperstimulation syndrome in IVF? A cohort study. <i>Journal of Assisted Reproduction and Genetics</i> , 2017 , 34, 1341-1351	3.4	13
60	Non-publication and publication bias in reproductive medicine: a cohort analysis. <i>Human Reproduction</i> , 2017 , 32, 1658-1666	5.7	4
59	Does oocyte donation compared with autologous oocyte IVF pregnancies have a higher risk of preeclampsia?. <i>Reproductive BioMedicine Online</i> , 2017 , 34, 11-18	4	22
58	Basal serum progesterone and history of elevated progesterone on the day of hCG administration are significant predictors of late follicular progesterone elevation in GnRH antagonist IVF cycles. <i>Human Reproduction</i> , 2016 , 31, 1859-65	5.7	26
57	Transdermal testosterone pretreatment in poor responders undergoing ICSI: a randomized clinical trial. <i>Human Reproduction</i> , 2016 , 31, 977-85	5.7	37

56	Is oocyte meiotic spindle morphology associated with embryo ploidy? A prospective cohort study. <i>Fertility and Sterility</i> , 2016 , 105, 1085-1092.e7	4.8	18
55	Exaggerations and Caveats in Press Releases and Health-Related Science News. <i>PLoS ONE</i> , 2016 , 11, e0168217	3.7	71
54	Qualitative research in the ESHRE Guideline S Routine psychosocial care in infertility and medically assisted reproduction - a guide for staff <i>Human Reproduction</i> , 2016 , 31, 1928-9	5.7	7
53	Reply: Modified natural cycles for poor responders: addressing misconceptions and fallacies. <i>Human Reproduction</i> , 2016 , 31, 222-3	5.7	
52	Morphokinetic parameters using time-lapse technology and day 5 embryo quality: a prospective cohort study. <i>Journal of Assisted Reproduction and Genetics</i> , 2015 , 32, 1151-60	3.4	25
51	Is the time interval between HCG administration and oocyte retrieval associated with oocyte retrieval rate?. <i>Reproductive BioMedicine Online</i> , 2015 , 31, 625-32	4	8
50	To pill or not to pill in GnRH-antagonist cycles: the answer is in the data already!. <i>Reproductive BioMedicine Online</i> , 2015 , 31, 6-8	4	12
49	Propofol versus thiopental sodium as anaesthetic agents for oocyte retrieval: a randomized controlled trial. <i>Reproductive BioMedicine Online</i> , 2015 , 31, 752-9	4	11
48	Live birth rates after modified natural cycle compared with high-dose FSH stimulation using GnRH antagonists in poor responders. <i>Human Reproduction</i> , 2015 , 30, 2321-30	5.7	47
47	ESHRE guideline: routine psychosocial care in infertility and medically assisted reproduction-a guide for fertility staff. <i>Human Reproduction</i> , 2015 , 30, 2476-85	5.7	143
46	Corifollitropin alfa compared with follitropin beta in poor responders undergoing ICSI: a randomized controlled trial. <i>Human Reproduction</i> , 2015 , 30, 432-40	5.7	32
45	Estimating the net effect of progesterone elevation on the day of hCG on live birth rates after IVF: a cohort analysis of 3296 IVF cycles. <i>Human Reproduction</i> , 2015 , 30, 684-91	5.7	90
44	Novasure impedance control system versus microwave endometrial ablation for the treatment of dysfunctional uterine bleeding: a double-blind, randomized controlled trial. <i>Clinical and Experimental Obstetrics and Gynecology</i> , 2015 , 42, 347-351	1.2	7
43	Clinical implications of congenital uterine anomalies: a meta-analysis of comparative studies. <i>Reproductive BioMedicine Online</i> , 2014 , 29, 665-83	4	160
42	Is assessment of anti-Müllerian hormone and/or antral follicle count useful in the prediction of ovarian response in expected normal responders treated with a fixed dose of recombinant FSH and GnRH antagonists? A prospective observational study. <i>Gynecological Endocrinology</i> , 2014 , 30, 817-21	2.4	5
41	Recombinant human follicle-stimulating hormone (r-hFSH) plus recombinant luteinizing hormone versus r-hFSH alone for ovarian stimulation during assisted reproductive technology: systematic review and meta-analysis. <i>Reproductive Biology and Endocrinology</i> , 2014 , 12, 17	5	86
40	Systematic review and meta-analysis of linezolid versus daptomycin for treatment of vancomycin-resistant enterococcal bacteremia. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 734-9	5.9	107
39	The Bologna criteria for poor ovarian response: the good, the bad and the way forward. <i>Human Reproduction</i> , 2014 , 29, 1839-41	5.7	33

38	The association between exaggeration in health related science news and academic press releases: retrospective observational study. <i>BMJ, The</i> , 2014 , 349, g7015	5.9	185
37	Association of TSH concentrations and thyroid autoimmunity with IVF outcome in women with TSH concentrations within normal adult range. <i>Gynecologic and Obstetric Investigation</i> , 2014 , 77, 84-8	2.5	22
36	Galanin in the amniotic fluid and neonatal birth weight: a prospective observational study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013 , 26, 1316-20	2	3
35	Progesterone elevation and probability of pregnancy after IVF: a systematic review and meta-analysis of over 60 000 cycles. <i>Human Reproduction Update</i> , 2013 , 19, 433-57	15.8	309
34	The use of androgens or androgen-modulating agents in poor responders undergoing in vitro fertilization: a systematic review and meta-analysis. <i>Human Reproduction Update</i> , 2012 , 18, 127-45	15.8	99
33	Visfatin serum levels are increased in women with preeclampsia: a case-control study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 1668-73	2	11
32	GnRH agonist for triggering final oocyte maturation: time for a critical evaluation of data. <i>Human Reproduction Update</i> , 2012 , 18, 228-9; author reply 229-30	15.8	9
31	Significantly lower pregnancy rates in the presence of progesterone elevation in patients treated with GnRH antagonists and gonadotrophins: a systematic review and meta-analysis. <i>Current Pharmaceutical Biotechnology</i> , 2012 , 13, 464-70	2.6	81
30	Intravenous albumin administration for the prevention of severe ovarian hyperstimulation syndrome: a systematic review and metaanalysis. <i>Fertility and Sterility</i> , 2011 , 95, 188-96, 196.e1-3	4.8	29
29	Fixed versus flexible gonadotropin-releasing hormone antagonist administration in in vitro fertilization: a randomized controlled trial. <i>Fertility and Sterility</i> , 2011 , 95, 558-62	4.8	39
28	Thyroid function during ovarian stimulation: a systematic review. <i>Fertility and Sterility</i> , 2011 , 96, 780-5	4.8	39
27	Emotional distress in infertile women and failure of assisted reproductive technologies: meta-analysis of prospective psychosocial studies. <i>BMJ, The</i> , 2011 , 342, d223	5.9	222
26	DHEA administration in poor responders. <i>Human Reproduction</i> , 2011 , 26, 730-1; author reply 731	5.7	19
25	Risk of spontaneous miscarriage in euthyroid women with thyroid autoimmunity undergoing IVF: a meta-analysis. <i>European Journal of Endocrinology</i> , 2010 , 162, 643-52	6.5	114
24	Biopsy versus resection in the management of malignant gliomas: a systematic review and meta-analysis. <i>Journal of Neurosurgery</i> , 2010 , 112, 1020-32	3.2	33
23	Inhibin B and anti-Mullerian hormone as markers of persistent spermatogenesis in men with non-obstructive azoospermia: a meta-analysis of diagnostic accuracy studies. <i>Human Reproduction Update</i> , 2010 , 16, 713-24	15.8	55
22	Monozygotic twinning is not increased after single blastocyst transfer compared with single cleavage-stage embryo transfer. <i>Fertility and Sterility</i> , 2010 , 93, 592-7	4.8	55
21	Oral contraceptive pretreatment significantly reduces ongoing pregnancy likelihood in gonadotropin-releasing hormone antagonist cycles: an updated meta-analysis. <i>Fertility and Sterility</i> , 2010 , 94, 2382-4	4.8	83

20	Prevention of intra-peritoneal adhesions in gynaecological surgery: theory and evidence. <i>Reproductive BioMedicine Online</i> , 2010 , 21, 290-303	4	47
19	Evidence-based management of poor ovarian response. <i>Annals of the New York Academy of Sciences</i> , 2010 , 1205, 199-206	6.5	27
18	Steroid receptor expression in human endometrium during the follicular phase of stimulated cycles. <i>Human Reproduction</i> , 2009 , 24, 2931-5	5.7	3
17	Approaches to improve the diagnosis and management of infertility. <i>Human Reproduction Update</i> , 2009 , 15, 391-408	15.8	58
16	How to improve the probability of pregnancy in poor responders undergoing in vitro fertilization: a systematic review and meta-analysis. <i>Fertility and Sterility</i> , 2009 , 91, 749-66	4.8	165
15	Risk of gestational diabetes mellitus in women with polycystic ovary syndrome: a systematic review and a meta-analysis. <i>Fertility and Sterility</i> , 2009 , 92, 667-77	4.8	87
14	Ovarian control of pituitary sensitivity of luteinizing hormone secretion to gonadotropin-releasing hormone in women with the polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2009 , 92, 1378-1380	4.8	9
13	Thyroid autoimmunity and miscarriages: the corpus luteum hypothesis. <i>Medical Hypotheses</i> , 2009 , 73, 1060-2	3.8	17
12	Benefits of luteinizing hormone activity in ovarian stimulation for IVF. <i>Reproductive BioMedicine Online</i> , 2009 , 18 Suppl 2, 31-6	4	9
11	Role of the endocrine profile for the achievement of pregnancy with IVF. <i>Reproductive BioMedicine Online</i> , 2009 , 18 Suppl 2, 37-43	4	8
10	Addition of growth hormone to gonadotrophins in ovarian stimulation of poor responders treated by in-vitro fertilization: a systematic review and meta-analysis. <i>Human Reproduction Update</i> , 2009 , 15, 613-22	15.8	122
9	Cryopreservation of human embryos by vitrification or slow freezing: which one is better?. <i>Current Opinion in Obstetrics and Gynecology</i> , 2009 , 21, 270-4	2.4	71
8	Live birth rates after transfer of equal number of blastocysts or cleavage-stage embryos in IVF. A systematic review and meta-analysis. <i>Human Reproduction</i> , 2008 , 23, 91-9	5.7	209
7	Cryopreservation of human embryos by vitrification or slow freezing: a systematic review and meta-analysis. <i>Fertility and Sterility</i> , 2008 , 90, 186-93	4.8	278
6	Oral contraceptive pill pretreatment in ovarian stimulation with GnRH antagonists for IVF: a systematic review and meta-analysis. <i>Fertility and Sterility</i> , 2008 , 90, 1055-63	4.8	78
5	Reply: Comment on: Is progesterone elevation on the day of human chorionic gonadotrophin administration associated with the probability of pregnancy in in vitro fertilization? A systematic review and meta-analysis. By Venetis et al (2007). <i>Human Reproduction Update</i> , 2008 , 14, 195-196	15.8	1
4	Estrogen addition to progesterone for luteal phase support in cycles stimulated with GnRH analogues and gonadotrophins for IVF: a systematic review and meta-analysis. <i>Human Reproduction</i> , 2008 , 23, 1346-54	5.7	55
3	Progesterone elevation and probability of pregnancy after IVF: facts and fiction. <i>Human Reproduction Update</i> , 2008 , 14, 538	15.8	3

2	Is progesterone elevation on the day of human chorionic gonadotrophin administration associated with the probability of pregnancy in in vitro fertilization? A systematic review and meta-analysis. <i>Human Reproduction Update</i> , 2007 , 13, 343-55	15.8	182
1	The effect of oral contraceptives on assisted reproductive technology [corrected] cycles. <i>Current Opinion in Obstetrics and Gynecology</i> , 2007 , 19, 244-7	2.4	0