Sverre Bergh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2199811/publications.pdf

Version: 2024-02-01

471509 243625 2,519 45 17 44 citations h-index g-index papers 48 48 48 5405 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Genome-wide meta-analysis identifies new loci and functional pathways influencing Alzheimer's disease risk. Nature Genetics, 2019, 51, 404-413.	21.4	1,625
2	The course of neuropsychiatric symptoms in nursing-home patients with dementia over a 53-month follow-up period. International Psychogeriatrics, 2014, 26, 81-91.	1.0	114
3	Current and Future Prevalence Estimates of Mild Cognitive Impairment, Dementia, and Its Subtypes in a Population-Based Sample of People 70 Years and Older in Norway: The HUNT Study. Journal of Alzheimer's Disease, 2021, 79, 1213-1226.	2.6	74
4	Resource Use and Disease Course in dementia - Nursing Home (REDIC-NH), a longitudinal cohort study; design and patient characteristics at admission to Norwegian nursing homes. BMC Health Services Research, 2017, 17, 365.	2.2	53
5	Temporal changes in cardiorespiratory fitness and risk of dementia incidence and mortality: a population-based prospective cohort study. Lancet Public Health, The, 2019, 4, e565-e574.	10.0	52
6	Predictors for Nursing Home Admission and Death among Community-Dwelling People 70 Years and Older Who Receive Domiciliary Care. Dementia and Geriatric Cognitive Disorders Extra, 2015, 5, 320-329.	1.3	47
7	Meta-analysis of Alzheimer's disease on 9,751 samples from Norway and IGAP study identifies four risk loci. Scientific Reports, 2018, 8, 18088.	3.3	47
8	Mobility and cognition at admission to the nursing home $\hat{a} \in \text{``a cross-sectional study. BMC Geriatrics,}}$ 2018, 18, 30.	2.7	42
9	Modifiable factors affecting older patients' quality of life and physical function during cancer treatment. Journal of Geriatric Oncology, 2019, 10, 904-912.	1.0	38
10	Targeted Interdisciplinary Model for Evaluation and Treatment of Neuropsychiatric Symptoms: A Cluster Randomized Controlled Trial. American Journal of Geriatric Psychiatry, 2018, 26, 25-38.	1.2	36
11	Examining the association between genetic liability for schizophrenia and psychotic symptoms in Alzheimer's disease. Translational Psychiatry, 2019, 9, 273.	4.8	36
12	The course of neuropsychiatric symptoms in nursing home residents from admission to 30-month follow-up. PLoS ONE, 2018, 13, e0206147.	2.5	30
13	Genome-wide association identifies the first risk loci for psychosis in Alzheimer disease. Molecular Psychiatry, 2021, 26, 5797-5811.	7.9	30
14	The Reliability and Validity of the Norwegian Version of the Quality of Life in Late-Stage Dementia Scale. Dementia and Geriatric Cognitive Disorders, 2015, 40, 233-242.	1.5	26
15	Signs of Imminent Dying and Change in Symptom Intensity During Pharmacological Treatment in Dying Nursing Home Patients: A Prospective Trajectory Study. Journal of the American Medical Directors Association, 2016, 17, 821-827.	2.5	22
16	Cohort Profile: The Health and Memory Study (HMS): a dementia cohort linked to the HUNT study in Norway. International Journal of Epidemiology, 2014, 43, 1759-1768.	1.9	21
17	The course of depressive symptoms with decline in cognitive function - a longitudinal study of older adults receiving in-home care at baseline. BMC Geriatrics, 2019, 19, 231.	2.7	20
18	Physical performance across the cognitive spectrum and between dementia subtypes in a population-based sample of older adults: The HUNT study. Archives of Gerontology and Geriatrics, 2021, 95, 104400.	3.0	19

#	Article	IF	Citations
19	Trajectories of quality of life and their association with anxiety in people with dementia in nursing homes: A 12-month follow-up study. PLoS ONE, 2018, 13, e0203773.	2.5	16
20	Prevalence and persistent use of psychotropic drugs in older adults receiving domiciliary care at baseline. BMC Geriatrics, 2019, 19, 119.	2.7	15
21	Antipsychotic Drug Use Is Not Associated With Long-Term Mortality Risk in Norwegian Nursing Home Patients. Journal of the American Medical Directors Association, 2016, 17, 464.e1-464.e7.	2.5	14
22	The Validity of the Norwegian Version of the Cognitive Function Instrument. Dementia and Geriatric Cognitive Disorders, 2018, 46, 217-228.	1.5	12
23	Characteristics of patients assessed for cognitive decline in primary healthcare, compared to patients assessed in specialist healthcare. Scandinavian Journal of Primary Health Care, 2020, 38, 107-116.	1.5	12
24	Pain in nursing home residents with dementia and its association to quality of life. Aging and Mental Health, 2021 , , $1-11$.	2.8	12
25	A systematic review of self-report measures used in epidemiological studies to assess alcohol consumption among older adults. PLoS ONE, 2021, 16, e0261292.	2.5	12
26	Screening for frailty among older patients with cancer using blood biomarkers of inflammation. Journal of Geriatric Oncology, 2019, 10, 272-278.	1.0	10
27	The course of anxiety in persons with dementia in Norwegian nursing homes: A 12-month follow-up study. Journal of Affective Disorders, 2018, 235, 117-123.	4.1	9
28	Course of activities of daily living in nursing home residents with dementia from admission to 36-month follow-up. BMC Geriatrics, 2020, 20, 488.	2.7	9
29	Development of best practice recommendations to enhance access to and use of formal community care services for people with dementia in Europe: a Delphi process conducted by the Actifcare project. Aging and Mental Health, 2021, 25, 2298-2309.	2.8	8
30	Trajectories of physical performance in nursing home residents with dementia. Aging Clinical and Experimental Research, 2020, 32, 2603-2610.	2.9	7
31	Does Psychotropic Drug Prescription Change in Nursing Home Patients the First 6ÂMonths After Admission?. Journal of the American Medical Directors Association, 2021, 22, 101-108.e1.	2.5	7
32	Associations between unmet needs for daytime activities and company and scores on the Neuropsychiatric Inventory-Questionnaire in people with dementia: a longitudinal study. Aging and Mental Health, 2022, 26, 725-734.	2.8	7
33	Geriatric assessment with management for older patients with cancer receiving radiotherapy. Protocol of a Norwegian cluster-randomised controlled pilot study. Journal of Geriatric Oncology, 2022, 13, 363-373.	1.0	5
34	Exploring life-space in the nursing home. An observational longitudinal study. BMC Geriatrics, 2021, 21, 396.	2.7	4
35	The course of depressive symptoms and mortality in older patients with cancer. Aging and Mental Health, 2022, 26, 1153-1160.	2.8	3
36	Using Polygenic Hazard Scores to Predict Age at Onset of Alzheimer's Disease in Nordic Populations. Journal of Alzheimer's Disease, 2022, 88, 1533-1544.	2.6	3

#	Article	IF	CITATIONS
37	Alcohol consumption among older adults with symptoms of cognitive decline consulting specialist health care. Aging and Mental Health, $2021, 19.$	2.8	2
38	Do prescription rates of psychotropic drugs change over three years from nursing home admission?. BMC Geriatrics, 2021, 21, 496.	2.7	2
39	Mortality in nursing home residents stratified according to subtype of dementia: a longitudinal study over three years. BMC Geriatrics, 2022, 22, 282.	2.7	2
40	Prevalence and persistent use of analgesic drugs in older adults receiving domiciliary care at baselineâ€"A longitudinal study. Health Science Reports, 2021, 4, e316.	1.5	1
41	Does Elevated Alcohol Consumption Delay the Diagnostic Assessment of Cognitive Impairment among Older Adults?. Dementia and Geriatric Cognitive Disorders Extra, 2022, 12, 14-23.	1.3	1
42	The Effect of the NorGeP–NH on Quality of Life and Drug Prescriptions in Norwegian Nursing Homes: A Randomized Controlled Trial. Pharmacy (Basel, Switzerland), 2022, 10, 32.	1.6	1
43	Cohort profile: Norwegian survey of health and ageing (NORSE). BMC Public Health, 2021, 21, 2229.	2.9	1
44	O2â€05â€05: MODERATEâ€TOâ€VIGOROUS PHYSICAL ACTIVITY, PSYCHOLOGICAL DISTRESS, AND DEMENTIA: 1 STUDY AND THE HEALTH AND MEMORY STUDY IN NORDâ€TRÃ~NDELAG. Alzheimer's and Dementia, 2018, 14, P628.	HE HUNT 0.8	0
45	321 - Association between quality of life and anxiety, depression, and comorbid anxiety and depression in people with dementia in nursing homes: A 12-month follow-up study. International Psychogeriatrics, 2020, 32, 79-79.	1.0	O