

# Fang pingfei

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2200113/publications.pdf>

Version: 2024-02-01

12  
papers

141  
citations

1478505

6  
h-index

1281871

11  
g-index

13  
all docs

13  
docs citations

13  
times ranked

255  
citing authors

#	ARTICLE	IF	CITATIONS
1	Glycyrrhiza uralensis Fisch. and its active components mitigate Semen Strychni-induced neurotoxicity through regulating high mobility group box 1 (HMGB1) translocation. <i>Biomedicine and Pharmacotherapy</i> , 2022, 149, 112884.	5.6	6
2	Absolute quantitative analysis of endogenous neurotransmitters and amino acids by liquid chromatography-tandem mass spectrometry combined with multidimensional adsorption and collision energy defect. <i>Journal of Chromatography A</i> , 2021, 1638, 461867.	3.7	10
3	Changes in clinical trials of endocrine disorder and metabolism and nutrition disorder drugs in mainland China over 2010–2019. <i>Pharmacology Research and Perspectives</i> , 2021, 9, e00729.	2.4	6
4	Single Dose of SHR-1222, a Sclerostin Monoclonal Antibody, in Healthy Men and Postmenopausal Women With Low Bone Mass: A Randomized, Double-Blind, Placebo-Controlled, Dose-Escalation, Phase I Study. <i>Frontiers in Pharmacology</i> , 2021, 12, 770073.	3.5	6
5	Isoliquiritigenin Alleviates Semen Strychni-Induced Neurotoxicity by Restoring the Metabolic Pathway of Neurotransmitters in Rats. <i>Frontiers in Pharmacology</i> , 2021, 12, 762290.	3.5	1
6	Dihydromyricetin affect the pharmacokinetics of triptolide in rats. <i>Xenobiotica</i> , 2020, 50, 332-338.	1.1	7
7	Investigation of the detoxification effect of licorice on Semen Strychni-induced acute toxicity in rats using a HPLC-Q-TOF/MS-based metabolomics approach. <i>RSC Advances</i> , 2020, 10, 44398-44407.	3.6	0
8	Quantitative monitoring of a panel of stress-induced biomarkers in human plasma by liquid chromatography–tandem mass spectrometry: an application in a comparative study between depressive patients and healthy subjects. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 5765-5777.	3.7	11
9	Dexamethasone changes the pharmacokinetics of amitriptyline and reduces its accumulation in rat brain: The roles of P-gp and cyp3a2. <i>Journal of Pharmacological Sciences</i> , 2019, 140, 54-61.	2.5	4
10	Nrf2–dependent antioxidant response mediated the protective effect of tanshinone IIA on doxorubicin–induced cardiotoxicity. <i>Experimental and Therapeutic Medicine</i> , 2018, 16, 3333-3344.	1.8	34
11	Mechanisms of Triptolide-Induced Hepatotoxicity and Protective Effect of Combined Use of Isoliquiritigenin: Possible Roles of Nrf2 and Hepatic Transporters. <i>Frontiers in Pharmacology</i> , 2018, 9, 226.	3.5	36
12	Glycyrrhetic Acid Accelerates the Clearance of Triptolide through P-gp <i>In Vitro</i> . <i>Phytotherapy Research</i> , 2017, 31, 1090-1096.	5.8	20