

Agneta Akesson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2200343/agneta-akesson-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147
papers

8,809
citations

44
h-index

91
g-index

169
ext. papers

10,016
ext. citations

6.2
avg. IF

6.24
L-index

#	Paper	IF	Citations
147	Long-term cadmium exposure and fractures, cardiovascular disease, and mortality in a prospective cohort of women.. <i>Environment International</i> , 2022 , 161, 107114	12.9	0
146	The Dietary Approach to Stop Hypertension (DASH) diet is associated with a lower risk of heart failure: A cohort study.. <i>European Journal of Preventive Cardiology</i> , 2022 ,	3.9	1
145	Protein intake in children and growth and risk of overweight or obesity: A systematic review and meta-analysis.. <i>Food and Nutrition Research</i> , 2022 , 66,	3.1	3
144	The intake of flavonoids, stilbenes, and tyrosols, mainly consumed through red wine and virgin olive oil, is associated with lower carotid and femoral subclinical atherosclerosis and coronary calcium.. <i>European Journal of Nutrition</i> , 2022 , 1	5.2	1
143	Per- and Polyfluoroalkyl Substances and Risk of Myocardial Infarction and Stroke: A Nested Case-Control Study in Sweden.. <i>Environmental Health Perspectives</i> , 2022 , 130, 37007	8.4	1
142	Anti-inflammatory diet and incident peripheral artery disease: Two prospective cohort studies.. <i>Clinical Nutrition</i> , 2022 , 41, 1191-1196	5.9	1
141	Chlorination by-products in drinking water and risk of bladder cancer - A population-based cohort study.. <i>Water Research</i> , 2022 , 214, 118202	12.5	1
140	Dietary Acrylamide Exposure and Risk of Site-Specific Cancer: A Systematic Review and Dose-Response Meta-Analysis of Epidemiological Studies.. <i>Frontiers in Nutrition</i> , 2022 , 9, 875607	6.2	1
139	Fluoride in Drinking Water, Diet, and Urine in Relation to Bone Mineral Density and Fracture Incidence in Postmenopausal Women. <i>Environmental Health Perspectives</i> , 2021 , 129, 47005	8.4	5
138	High Consumption of Ultra-Processed Food is Associated with Incident Dyslipidemia: A Prospective Study of Older Adults. <i>Journal of Nutrition</i> , 2021 , 151, 2390-2398	4.1	4
137	Potential Negative Effects of Whole grain Consumption 2021 , 337-350		
136	Lifestyle factors and venous thromboembolism in two cohort studies. <i>Thrombosis Research</i> , 2021 , 202, 119-124	8.2	2
135	Dietary climate impact: Contribution of foods and dietary patterns by gender and age in a Swedish population. <i>Journal of Cleaner Production</i> , 2021 , 306, 127189	10.3	1
134	Overall and abdominal obesity in relation to venous thromboembolism. <i>Journal of Thrombosis and Haemostasis</i> , 2021 , 19, 460-469	15.4	6
133	Plasma metabolites associated with exposure to perfluoroalkyl substances and risk of type 2 diabetes - A nested case-control study. <i>Environment International</i> , 2021 , 146, 106180	12.9	11
132	Mediterranean Diet is Associated with Reduced Risk of Abdominal Aortic Aneurysm in Smokers: Results of Two Prospective Cohort Studies. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021 , 62, 284-293	2.3	1
131	Drinking Water Disinfection by-Products and Congenital Malformations: A Nationwide Register-Based Prospective Study. <i>Environmental Health Perspectives</i> , 2021 , 129, 97012	8.4	0

130	Anti-inflammatory diet and venous thromboembolism: Two prospective cohort studies. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 2831-2838	4.5	3
129	Associations of serum phthalate metabolites with thyroid hormones in GraMo cohort, Southern Spain. <i>Environmental Pollution</i> , 2021 , 287, 117606	9.3	0
128	Endemic gastrointestinal illness and change in raw water source and drinking water production - A population-based prospective study. <i>Environment International</i> , 2020 , 137, 105575	12.9	1
127	Towards Harmonized Biobanking for Biomonitoring: A Comparison of Human Biomonitoring-Related and Clinical Biorepositories. <i>Biopreservation and Biobanking</i> , 2020 , 18, 122-135	2.1	5
126	Exposure to Drinking Water Chlorination by-Products and Fetal Growth and Prematurity: A Nationwide Register-Based Prospective Study. <i>Environmental Health Perspectives</i> , 2020 , 128, 57006	8.4	7
125	Cardiovascular and cancer mortality in relation to dietary polychlorinated biphenyls and marine polyunsaturated fatty acids: a nutritional-toxicological aspect of fish consumption. <i>Journal of Internal Medicine</i> , 2020 , 287, 197-209	10.8	10
124	Joint Analysis of Metabolite Markers of Fish Intake and Persistent Organic Pollutants in Relation to Type 2 Diabetes Risk in Swedish Adults. <i>Journal of Nutrition</i> , 2019 , 149, 1413-1423	4.1	8
123	Cadmium Exposure in the Environment: Dietary Exposure, Bioavailability and Renal Effects 2019 , 475-484		3
122	Chlorinated persistent organic pollutants and type 2 diabetes - A population-based study with pre- and post- diagnostic plasma samples. <i>Environmental Research</i> , 2019 , 174, 35-45	7.9	17
121	Visualization and Interpretation of Multivariate Associations with Disease Risk Markers and Disease Risk-The Triplot. <i>Metabolites</i> , 2019 , 9,	5.6	4
120	Assessing Causality in Associations of Serum Calcium and Magnesium Levels With Heart Failure: A Two-Sample Mendelian Randomization Study. <i>Frontiers in Genetics</i> , 2019 , 10, 1069	4.5	6
119	Dietary exposure to polychlorinated biphenyls and risk of heart failure - A population-based prospective cohort study. <i>Environment International</i> , 2019 , 126, 1-6	12.9	15
118	Perfluoroalkyl substances and risk of type II diabetes: A prospective nested case-control study. <i>Environment International</i> , 2019 , 123, 390-398	12.9	33
117	Associations between repeated measure of plasma perfluoroalkyl substances and cardiometabolic risk factors. <i>Environment International</i> , 2019 , 124, 58-65	12.9	31
116	Cadmium in tobacco smokers: a neglected link to lung disease?. <i>European Respiratory Review</i> , 2018 , 27,	9.8	67
115	Drinking water consumption patterns among adults-SMS as a novel tool for collection of repeated self-reported water consumption. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2018 , 28, 131-139	6.7	16
114	Climate impact of alcohol consumption in Sweden. <i>Journal of Cleaner Production</i> , 2018 , 201, 287-294	10.3	13
113	Persistent Organochlorine Pollutants in Plasma, Blood Pressure, and Hypertension in a Longitudinal Study. <i>Hypertension</i> , 2018 , 71, 1258-1268	8.5	19

112	Fish consumption and frying of fish in relation to type 2 diabetes incidence: a prospective cohort study of Swedish men. <i>European Journal of Nutrition</i> , 2017 , 56, 843-852	5.2	32
111	End-stage renal disease after occupational lead exposure: 20 years of follow-up. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 396-401	2.1	10
110	Dietary polychlorinated biphenyls, long-chain n-3 polyunsaturated fatty acids and incidence of malignant melanoma. <i>European Journal of Cancer</i> , 2017 , 72, 137-143	7.5	26
109	Perspective: An Extension of the STROBE Statement for Observational Studies in Nutritional Epidemiology (STROBE-nut): Explanation and Elaboration. <i>Advances in Nutrition</i> , 2017 , 8, 652-678	10	28
108	Changes in fruit, vegetable and juice consumption after the diagnosis of type 2 diabetes: a prospective study in men. <i>British Journal of Nutrition</i> , 2017 , 117, 712-719	3.6	8
107	Risks and Benefits of Increased Nut Consumption: Cardiovascular Health Benefits Outweigh the Burden of Carcinogenic Effects Attributed to Aflatoxin B ₁ Exposure. <i>Nutrients</i> , 2017 , 9,	6.7	15
106	Dietary exposure to polychlorinated biphenyls and risk of breast, endometrial and ovarian cancer in a prospective cohort. <i>British Journal of Cancer</i> , 2016 , 115, 1113-1121	8.7	14
105	Exposure to polychlorinated biphenyls and prostate cancer: population-based prospective cohort and experimental studies. <i>Carcinogenesis</i> , 2016 , 37, 1144-1151	4.6	16
104	Healthy Lifestyle and Risk of Heart Failure: Results From 2 Prospective Cohort Studies. <i>Circulation: Heart Failure</i> , 2016 , 9, e002855	7.6	39
103	Adherence to a Mediterranean diet is associated with reduced risk of heart failure in men. <i>European Journal of Heart Failure</i> , 2016 , 18, 253-9	12.3	59
102	Exposure to lithium through drinking water and calcium homeostasis during pregnancy: A longitudinal study. <i>Environmental Research</i> , 2016 , 147, 1-7	7.9	18
101	Dietary exposure to polychlorinated biphenyls and risk of myocardial infarction in men - A population-based prospective cohort study. <i>Environment International</i> , 2016 , 88, 9-14	12.9	26
100	Strengthening the Reporting of Observational Studies in Epidemiology-Nutritional Epidemiology (STROBE-nut): An Extension of the STROBE Statement. <i>PLoS Medicine</i> , 2016 , 13, e1002036	11.6	150
99	Chocolate consumption and risk of myocardial infarction: a prospective study and meta-analysis. <i>Heart</i> , 2016 , 102, 1017-22	5.1	32
98	Strengthening the Reporting of Observational Studies in Epidemiology - nutritional epidemiology (STROBE-nut): An extension of the STROBE statement. <i>Nutrition Bulletin</i> , 2016 , 41, 240-251	3.5	44
97	Modest U-Shaped Association between Dietary Acid Load and Risk of All-Cause and Cardiovascular Mortality in Adults. <i>Journal of Nutrition</i> , 2016 , 146, 1580-5	4.1	25
96	Associations of dietary polychlorinated biphenyls and long-chain omega-3 fatty acids with stroke risk. <i>Environment International</i> , 2016 , 94, 706-711	12.9	14
95	Long-term processed and unprocessed red meat consumption and risk of heart failure: A prospective cohort study of women. <i>International Journal of Cardiology</i> , 2015 , 193, 42-6	3.2	25

94	Primary prevention of stroke by a healthy lifestyle in a high-risk group. <i>Neurology</i> , 2015 , 84, 2224-8	6.5	46
93	Relationship between age at natural menopause and risk of heart failure. <i>Menopause</i> , 2015 , 22, 12-6	2.5	44
92	Egg consumption and risk of heart failure, myocardial infarction, and stroke: results from 2 prospective cohorts. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1007-13	7	39
91	A Mediterranean diet and risk of myocardial infarction, heart failure and stroke: A population-based cohort study. <i>Atherosclerosis</i> , 2015 , 243, 93-8	3.1	118
90	Healthy diet and lifestyle and risk of stroke in a prospective cohort of women. <i>Neurology</i> , 2015 , 84, 22936-5		1
89	Dietary exposure to polychlorinated biphenyls and risk of myocardial infarction - a population-based prospective cohort study. <i>International Journal of Cardiology</i> , 2015 , 183, 242-8	3.2	34
88	Dietary cadmium exposure and chronic kidney disease: a population-based prospective cohort study of men and women. <i>International Journal of Hygiene and Environmental Health</i> , 2014 , 217, 720-5	6.9	21
87	Processed and unprocessed red meat consumption and risk of heart failure: prospective study of men. <i>Circulation: Heart Failure</i> , 2014 , 7, 552-7	7.6	47
86	Sweetened beverage consumption is associated with increased risk of stroke in women and men. <i>Journal of Nutrition</i> , 2014 , 144, 856-60	4.1	37
85	Associations between cadmium exposure and circulating levels of sex hormones in postmenopausal women. <i>Environmental Research</i> , 2014 , 134, 265-9	7.9	21
84	Low-risk diet and lifestyle habits in the primary prevention of myocardial infarction in men: a population-based prospective cohort study. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 1299-306	15.1	137
83	In utero and lactational exposure to a mixture of environmental contaminants detected in Canadian Arctic human populations alters retinoid levels in rat offspring with low margins of exposure. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2014 , 77, 223-45	3.2	13
82	Healthy diet and lifestyle and risk of stroke in a prospective cohort of women. <i>Neurology</i> , 2014 , 83, 1699-704	6.9	60
81	Gestational and lactational exposure to the polychlorinated biphenyl mixture Aroclor 1254 modulates retinoid homeostasis in rat offspring. <i>Toxicology Letters</i> , 2014 , 229, 41-51	4.4	11
80	Non-renal effects and the risk assessment of environmental cadmium exposure. <i>Environmental Health Perspectives</i> , 2014 , 122, 431-8	8.4	182
79	Dietary exposure to polychlorinated biphenyls is associated with increased risk of stroke in women. <i>Journal of Internal Medicine</i> , 2014 , 276, 248-59	10.8	29
78	Overall diet quality and risk of stroke: a prospective cohort study in women. <i>Atherosclerosis</i> , 2014 , 233, 27-9	3.1	15
77	Exposure to cadmium from food and risk of cardiovascular disease in men: a population-based prospective cohort study. <i>European Journal of Epidemiology</i> , 2013 , 28, 837-40	12.1	18

76	Dietary cadmium exposure and kidney stone incidence: a population-based prospective cohort study of men & women. <i>Environment International</i> , 2013 , 59, 148-51	12.9	14
75	Cadmium in diet and risk of cardiovascular disease in women. <i>Epidemiology</i> , 2013 , 24, 880-5	3.1	19
74	Ascorbic acid supplements and kidney stone risk--reply. <i>JAMA Internal Medicine</i> , 2013 , 173, 1384	11.5	
73	Association between dairy food consumption and risk of myocardial infarction in women differs by type of dairy food. <i>Journal of Nutrition</i> , 2013 , 143, 74-9	4.1	64
72	Ascorbic acid supplements and kidney stone incidence among men: a prospective study. <i>JAMA Internal Medicine</i> , 2013 , 173, 386-8	11.5	72
71	Health effects associated with foods characteristic of the Nordic diet: a systematic literature review. <i>Food and Nutrition Research</i> , 2013 , 57,	3.1	32
70	Elevated manganese concentrations in drinking water may be beneficial for fetal survival. <i>PLoS ONE</i> , 2013 , 8, e74119	3.7	19
69	Associations between dietary cadmium exposure and bone mineral density and risk of osteoporosis and fractures among women. <i>Bone</i> , 2012 , 50, 1372-8	4.7	123
68	Validation of questionnaire-based long-term dietary exposure to polychlorinated biphenyls using biomarkers. <i>Molecular Nutrition and Food Research</i> , 2012 , 56, 1748-54	5.9	23
67	Total antioxidant capacity from diet and risk of myocardial infarction: a prospective cohort of women. <i>American Journal of Medicine</i> , 2012 , 125, 974-80	2.4	61
66	Dietary cadmium exposure and risk of postmenopausal breast cancer: a population-based prospective cohort study. <i>Cancer Research</i> , 2012 , 72, 1459-66	10.1	125
65	Dietary cadmium exposure and prostate cancer incidence: a population-based prospective cohort study. <i>British Journal of Cancer</i> , 2012 , 107, 895-900	8.7	88
64	Cadmium-induced effects on cellular signaling pathways in the liver of transgenic estrogen reporter mice. <i>Toxicological Sciences</i> , 2012 , 127, 66-75	4.4	30
63	Thromboxane metabolite excretion during pregnancy--influence of preeclampsia and aspirin treatment. <i>Thrombosis Research</i> , 2011 , 127, 605-6	8.2	13
62	In utero and lactational exposure to Aroclor 1254 affects bone geometry, mineral density and biomechanical properties of rat offspring. <i>Toxicology Letters</i> , 2011 , 207, 82-8	4.4	15
61	Relation between dietary cadmium intake and biomarkers of cadmium exposure in premenopausal women accounting for body iron stores. <i>Environmental Health</i> , 2011 , 10, 105	6	45
60	Long-term cadmium exposure and the association with bone mineral density and fractures in a population-based study among women. <i>Journal of Bone and Mineral Research</i> , 2011 , 26, 486-95	6.3	100
59	Dietary cadmium exposure and fracture incidence among men: a population-based prospective cohort study. <i>Journal of Bone and Mineral Research</i> , 2011 , 26, 1601-8	6.3	50

58	Perinatal exposure to environmental contaminants detected in Canadian Arctic human populations changes bone geometry and biomechanical properties in rat offspring. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2011 , 74, 1304-18	3.2	10
57	Retinol may counteract the negative effect of cadmium on bone. <i>Journal of Nutrition</i> , 2011 , 141, 2198-2031	3.1	3
56	Dietary cadmium exposure and risk of epithelial ovarian cancer in a prospective cohort of Swedish women. <i>British Journal of Cancer</i> , 2011 , 105, 441-4	8.7	25
55	Cadmium Exposure in the Environment: Renal Effects and the Benchmark Dose 2011 , 465-473		7
54	Estrogen-like effects of cadmium in vivo do not appear to be mediated via the classical estrogen receptor transcriptional pathway. <i>Environmental Health Perspectives</i> , 2010 , 118, 1389-94	8.4	61
53	Multivitamin use and the risk of myocardial infarction: a population-based cohort of Swedish women. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 1251-6	7	37
52	Recent applications of benchmark dose method for estimation of reference cadmium exposure for renal effects in man. <i>Toxicology Letters</i> , 2010 , 198, 40-3	4.4	26
51	Benchmark dose for cadmium-induced osteoporosis in women. <i>Toxicology Letters</i> , 2010 , 197, 123-7	4.4	31
50	Multivitamin use and breast cancer incidence in a prospective cohort of Swedish women. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 1268-72	7	41
49	Dietary acrylamide intake and prostate cancer risk in a prospective cohort of Swedish men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 1939-41	4	30
48	Population toxicokinetic modeling of cadmium for health risk assessment. <i>Environmental Health Perspectives</i> , 2009 , 117, 1293-301	8.4	143
47	Long-term dietary acrylamide intake and risk of epithelial ovarian cancer in a prospective cohort of Swedish women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 994-7	4	42
46	Current status of cadmium as an environmental health problem. <i>Toxicology and Applied Pharmacology</i> , 2009 , 238, 201-8	4.6	1543
45	Long-term dietary acrylamide intake and risk of endometrial cancer in a prospective cohort of Swedish women. <i>International Journal of Cancer</i> , 2009 , 124, 1196-9	7.5	38
44	25-hydroxyvitamin D accumulation during summer in elderly women at latitude 60 degrees N. <i>Journal of Internal Medicine</i> , 2009 , 266, 476-83	10.8	33
43	Dietary acrylamide intake and risk of colorectal cancer in a prospective cohort of men. <i>European Journal of Cancer</i> , 2009 , 45, 513-6	7.5	33
42	Cadmium-induced bone effect is not mediated via low serum 1,25-dihydroxy vitamin D. <i>Environmental Research</i> , 2009 , 109, 188-92	7.9	29
41	Changes in bone mineral density 10 years after marked reduction of cadmium exposure in a Chinese population. <i>Environmental Research</i> , 2009 , 109, 874-9	7.9	21

40	Exposure to cadmium and persistent organochlorine pollutants and its association with bone mineral density and markers of bone metabolism on postmenopausal women. <i>Environmental Research</i> , 2009 , 109, 991-6	7.9	29
39	Long-term dietary acrylamide intake and breast cancer risk in a prospective cohort of Swedish women. <i>American Journal of Epidemiology</i> , 2009 , 169, 376-81	3.8	36
38	Long-term dietary cadmium intake and postmenopausal endometrial cancer incidence: a population-based prospective cohort study. <i>Cancer Research</i> , 2008 , 68, 6435-41	10.1	196
37	Dietary supplement use and mortality in a cohort of Swedish men [response from Åesson and Wolk. <i>British Journal of Nutrition</i> , 2008 , 100, 1346-1346	3.6	
36	Dietary supplement use and mortality in a cohort of Swedish men. <i>British Journal of Nutrition</i> , 2008 , 99, 626-31	3.6	33
35	Associations of diet, supplement use, and ultraviolet B radiation exposure with vitamin D status in Swedish women during winter. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 1399-404	7	120
34	Influence of iron and zinc status on cadmium accumulation in Bangladeshi women. <i>Toxicology and Applied Pharmacology</i> , 2007 , 222, 221-6	4.6	86
33	Erythropoietin and intravenous iron therapy in postpartum anaemia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007 , 86, 957-62	3.8	18
32	Coffee consumption and risk of myocardial infarction among older Swedish women. <i>American Journal of Epidemiology</i> , 2007 , 165, 288-93	3.8	32
31	Combined effect of low-risk dietary and lifestyle behaviors in primary prevention of myocardial infarction in women. <i>Archives of Internal Medicine</i> , 2007 , 167, 2122-7		102
30	Gender differences in the disposition and toxicity of metals. <i>Environmental Research</i> , 2007 , 104, 85-95	7.9	479
29	Benchmark dose for cadmium-induced renal effects in humans. <i>Environmental Health Perspectives</i> , 2006 , 114, 1072-6	8.4	92
28	Cadmium-induced effects on bone in a population-based study of women. <i>Environmental Health Perspectives</i> , 2006 , 114, 830-4	8.4	232
27	Long-term stability of food patterns identified by use of factor analysis among Swedish women. <i>Journal of Nutrition</i> , 2006 , 136, 626-33	4.1	103
26	Longitudinal changes in food patterns predict changes in weight and body mass index and the effects are greatest in obese women. <i>Journal of Nutrition</i> , 2006 , 136, 2580-7	4.1	77
25	Creatinine versus specific gravity-adjusted urinary cadmium concentrations. <i>Biomarkers</i> , 2005 , 10, 117-26	6	138
24	Major dietary patterns and risk of renal cell carcinoma in a prospective cohort of Swedish women. <i>Journal of Nutrition</i> , 2005 , 135, 1757-62	4.1	42
23	Alcohol consumption and risk of renal cell carcinoma: a prospective study of Swedish women. <i>International Journal of Cancer</i> , 2005 , 117, 848-53	7.5	27

22	Tubular and glomerular kidney effects in Swedish women with low environmental cadmium exposure. <i>Environmental Health Perspectives</i> , 2005 , 113, 1627-31	8.4	325
21	Toxic metals and the menopause. <i>The Journal of the British Menopause Society</i> , 2004 , 10, 60-4		31
20	Bone turnover from early pregnancy to postweaning. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004 , 83, 1049-55	3.8	28
19	Inorganic mercury and methylmercury in placentas of Swedish women. <i>Environmental Health Perspectives</i> , 2002 , 110, 523-6	8.4	117
18	Soluble Transferrin Receptor. <i>Obstetrics and Gynecology</i> , 2002 , 99, 260-266	4.9	2
17	Cadmium exposure in pregnancy and lactation in relation to iron status. <i>American Journal of Public Health</i> , 2002 , 92, 284-7	5.1	171
16	Metals and women's health. <i>Environmental Research</i> , 2002 , 88, 145-55	7.9	220
15	Soluble transferrin receptor: longitudinal assessment from pregnancy to postlactation. <i>Obstetrics and Gynecology</i> , 2002 , 99, 260-6	4.9	26
14	Toxic and essential elements in placentas of Swedish women. <i>Clinical Biochemistry</i> , 2000 , 33, 131-8	3.5	213
13	Phlebotomy increases cadmium uptake in hemochromatosis. <i>Environmental Health Perspectives</i> , 2000 , 108, 289-91	8.4	17
12	Longitudinal study of methylmercury and inorganic mercury in blood and urine of pregnant and lactating women, as well as in umbilical cord blood. <i>Environmental Research</i> , 2000 , 84, 186-94	7.9	168
11	Metal-bone interactions. <i>Toxicology Letters</i> , 2000 , 112-113, 219-25	4.4	119
10	Phlebotomy Increases Cadmium Uptake in Hemochromatosis. <i>Environmental Health Perspectives</i> , 2000 , 108, 289-291	8.4	19
9	Evaluation of kits for measurement of the soluble transferrin receptor. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1999 , 59, 77-81	2	41
8	Validation with biological markers for food intake of a dietary assessment method used by Swedish women with three different dietary preferences. <i>Public Health Nutrition</i> , 1998 , 1, 199-206	3.3	34
7	Serum transferrin receptor: a specific marker of iron deficiency in pregnancy. <i>American Journal of Clinical Nutrition</i> , 1998 , 68, 1241-6	7	97
6	Bioavailability of cadmium from shellfish and mixed diet in women. <i>Toxicology and Applied Pharmacology</i> , 1996 , 136, 332-41	4.6	107
5	Intestinal absorption of dietary cadmium in women depends on body iron stores and fiber intake. <i>Environmental Health Perspectives</i> , 1994 , 102, 1058-66	8.4	258

4	Long-term evaluation of penicillamine or cyclofenil in systemic sclerosis. Results from a two-year randomized study. <i>Scandinavian Journal of Rheumatology</i> , 1992 , 21, 238-44	1.9	12
3	Faecal elimination of lead and cadmium in subjects on a mixed and a lactovegetarian diet. <i>Food and Chemical Toxicology</i> , 1992 , 30, 281-7	4.7	7
2	Organ manifestations in 100 patients with progressive systemic sclerosis: a comparison between the CREST syndrome and diffuse scleroderma. <i>Rheumatology</i> , 1989 , 28, 281-6	3.9	114
1	Visceral improvement following combined plasmapheresis and immunosuppressive drug therapy in progressive systemic sclerosis. <i>Scandinavian Journal of Rheumatology</i> , 1988 , 17, 313-23	1.9	29