

John J Lannutti

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2201351/john-j-lannutti-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98
papers

3,018
citations

30
h-index

52
g-index

99
ext. papers

3,260
ext. citations

5.2
avg, IF

5.05
L-index

#	Paper	IF	Citations
98	Oxygen sensing performance of biodegradable electrospun nanofibers: Influence of fiber composition and core-shell geometry. <i>Sensors and Actuators B: Chemical</i> , 2021 , 329, 129191	8.5	4
97	Biodegradable oxygen biosensors via electrospinning. <i>Medical Devices & Sensors</i> , 2021 , 4, e10149	1.6	1
96	Injectable, dispersible polysulfone-polysulfone core-shell particles for optical oxygen sensing. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 50603	2.9	
95	3D reconstruction of bias effects on porosity, alignment and mesoscale structure in electrospun tubular polycaprolactone. <i>Polymer</i> , 2021 , 232, 124120	3.9	1
94	Self-reinforcing nanoscalar polycaprolactone-polyethylene terephthalate electrospun fiber blends. <i>Polymer</i> , 2020 , 202, 122573	3.9	1
93	Injectable biodegradable bi-layered capsule for sustained delivery of bevacizumab in treating wet age-related macular degeneration. <i>Journal of Controlled Release</i> , 2020 , 320, 442-456	11.7	18
92	Physical characterization of electrospun polycaprolactone via laser micrometry: Porosity and condition-dependent jet instabilities. <i>Polymer</i> , 2020 , 211, 123044	3.9	2
91	Modulation of biomimetic mineralization of collagen by soluble ectodomain of discoidin domain receptor 2. <i>Materials Science and Engineering C</i> , 2019 , 104, 109905	8.3	3
90	Effect of Electrospun Fiber Mat Thickness and Support Method on Cell Morphology. <i>Nanomaterials</i> , 2019 , 9,	5.4	11
89	Sintered electrospun poly(e-caprolactone)/poly(ethylene terephthalate) for drug delivery. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47731	2.9	8
88	Sintered electrospun polycaprolactone for controlled model drug delivery. <i>Materials Science and Engineering C</i> , 2019 , 99, 112-120	8.3	13
87	Analysis of long-term optical performance of phosphorescent oxygen sensing polymeric nanofibers. <i>Polymer Testing</i> , 2019 , 80, 106127	4.5	2
86	Photostability of oxygen-sensitive core-shell nanofibers. <i>Sensors and Actuators B: Chemical</i> , 2019 , 283, 269-277	8.5	5
85	Comparison of polyglycolic acid, polycaprolactone, and collagen as scaffolds for the production of tissue engineered intestine. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2019 , 107, 750-760	3.5	12
84	Understanding drug release from PCL/gelatin electrospun blends. <i>Journal of Biomaterials Applications</i> , 2017 , 31, 933-949	2.9	33
83	Nanoscale upconversion for oxygen sensing. <i>Materials Science and Engineering C</i> , 2017 , 70, 76-84	8.3	21
82	Surface topography during neural stem cell differentiation regulates cell migration and cell morphology. <i>Journal of Comparative Neurology</i> , 2016 , 524, 3485-3502	3.4	24

81	Surface topography during neural stem cell differentiation regulates cell migration and cell morphology. <i>Journal of Comparative Neurology</i> , 2016 , 524, Spc1-Spc1	3.4	1
80	Ablation characteristics of electrospun core-shell nanofiber by femtosecond laser. <i>Materials Science and Engineering C</i> , 2016 , 65, 232-9	8.3	5
79	Cancer cell aggregate hypoxia visualized in vitro via biocompatible fiber sensors. <i>Biomaterials</i> , 2016 , 76, 208-17	15.6	16
78	Biomimetic microstructural reorganization during suture retention strength evaluation of electrospun vascular scaffolds. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2016 , 104, 1525-1534	3.5	22
77	HB-EGF embedded in PGA/PLLA scaffolds via subcritical CO2 augments the production of tissue engineered intestine. <i>Biomaterials</i> , 2016 , 103, 150-159	15.6	23
76	Nanofiber-based paramagnetic probes for rapid, real-time biomedical oximetry. <i>Biomedical Microdevices</i> , 2016 , 18, 38	3.7	4
75	Upconverter-powered oxygen sensing in electrospun polymeric bilayers. <i>Sensors and Actuators B: Chemical</i> , 2016 , 235, 197-205	8.5	5
74	Fabrication of functional nanofibers through post-nanoparticle functionalization. <i>Macromolecular Rapid Communications</i> , 2015 , 36, 678-683	4.8	6
73	Microscale Sensing of Oxygen via Encapsulated Porphyrin Nanofibers: Effect of Indicator and Polymer "Core" Permeability. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 8606-14	9.5	39
72	Glioma-astrocyte interactions on white matter tract-mimetic aligned electrospun nanofibers. <i>Biotechnology Progress</i> , 2015 , 31, 1406-15	2.8	22
71	Dual drug release from CO2-infused nanofibers via hydrophobic and hydrophilic interactions. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	11
70	Bearing-Foreign Material Deposition on Retrieved Co-Cr Femoral Heads: Composition and Morphology. <i>BioMed Research International</i> , 2015 , 2015, 967278	3	1
69	THA Retrievals: The Need to Mark the Anatomic Orientation of the Femoral Head. <i>Journal of Arthroplasty</i> , 2015 , 30, 1089-94	4.4	1
68	Media-based effects on the hydrolytic degradation and crystallization of electrospun synthetic-biologic blends. <i>Journal of Materials Science: Materials in Medicine</i> , 2014 , 25, 297-309	4.5	12
67	Polydimethylsiloxane Core-Polycaprolactone Shell Nanofibers as Biocompatible, Real-Time Oxygen Sensors. <i>Sensors and Actuators B: Chemical</i> , 2014 , 192, 697-707	8.5	64
66	Scaffolding for challenging environments: materials selection for tissue engineered intestine. <i>Journal of Biomedical Materials Research - Part A</i> , 2014 , 102, 3795-802	5.4	17
65	Optical scattering in electrospun poly(ε-caprolactone) tissue scaffolds. <i>Journal of Laser Applications</i> , 2014 , 26, 032004	2.1	2
64	Recrystallization improves the mechanical properties of sintered electrospun polycaprolactone. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2014 , 30, 150-8	4.1	10

63	Modeling polyethylene wear acceleration due to femoral head dislocation damage. <i>Journal of Arthroplasty</i> , 2014 , 29, 1653-1657.e1	4.4	7
62	Toward 3D biomimetic models to understand the behavior of glioblastoma multiforme cells. <i>Tissue Engineering - Part B: Reviews</i> , 2014 , 20, 314-27	7.9	39
61	Hemoglobin regulates the migration of glioma cells along poly(ϵ -caprolactone)-aligned nanofibers. <i>Biotechnology Progress</i> , 2014 , 30, 1214-20	2.8	4
60	Preferential, enhanced breast cancer cell migration on biomimetic electrospun nanofiber cell highways. <i>BMC Cancer</i> , 2014 , 14, 825	4.8	41
59	Effects of hydrophobicity and mat thickness on release from hydrogel-electrospun fiber mat composites. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2013 , 24, 2018-30	3.5	14
58	Mimicking white matter tract topography using core-shell electrospun nanofibers to examine migration of malignant brain tumors. <i>Biomaterials</i> , 2013 , 34, 5181-90	15.6	85
57	Rapid response oxygen-sensing nanofibers. <i>Materials Science and Engineering C</i> , 2013 , 33, 3450-7	8.3	29
56	Wettability modification of electrospun poly(ϵ -caprolactone) fiber by femtosecond laser irradiation. <i>Journal of Laser Applications</i> , 2013 , 25, 012002	2.1	4
55	Encoding scratch and scrape features for wear modeling of total joint replacements. <i>Computational and Mathematical Methods in Medicine</i> , 2013 , 2013, 624267	2.8	5
54	Hydrogel-electrospun fiber composite materials for hydrophilic protein release. <i>Journal of Controlled Release</i> , 2012 , 158, 165-70	11.7	64
53	Electrospun vascular graft properties following femtosecond laser ablation. <i>Journal of Applied Polymer Science</i> , 2012 , 124, 2513-2523	2.9	8
52	Carbon dioxide infusion of composite electrospun fibers for tissue engineering. <i>Journal of Supercritical Fluids</i> , 2012 , 70, 90-99	4.2	14
51	Cell attachment to hydrogel-electrospun fiber mat composite materials. <i>Journal of Functional Biomaterials</i> , 2012 , 3, 497-513	4.8	27
50	Effects of humidity on titania-based polyvinylpyrrolidone (PVP) electrospun fibers. <i>Ceramics International</i> , 2012 , 38, 4057-4064	5.1	6
49	Glioma cell migration on three-dimensional nanofiber scaffolds is regulated by substrate topography and abolished by inhibition of STAT3 signaling. <i>Neoplasia</i> , 2011 , 13, 831-40	6.4	96
48	Hydrogel-electrospun fiber mat composite coatings for neural prostheses. <i>Frontiers in Neuroengineering</i> , 2011 , 4, 2		26
47	Vascular wall engineering via femtosecond laser ablation: scaffolds with self-containing smooth muscle cell populations. <i>Annals of Biomedical Engineering</i> , 2011 , 39, 3031-41	4.7	22
46	Micropatterning and characterization of electrospun poly(ϵ -caprolactone)/gelatin nanofiber tissue scaffolds by femtosecond laser ablation for tissue engineering applications. <i>Biotechnology and Bioengineering</i> , 2011 , 108, 116-26	4.9	96

45	Modulation of embryonic mesenchymal progenitor cell differentiation via control over pure mechanical modulus in electrospun nanofibers. <i>Acta Biomaterialia</i> , 2011 , 7, 1516-24	10.8	122
44	Organ-derived coatings on electrospun nanofibers as ex vivo microenvironments. <i>Biomaterials</i> , 2011 , 32, 538-46	15.6	19
43	High throughput assembly of spatially controlled 3D cell clusters on a micro/nanoplatfrom. <i>Lab on A Chip</i> , 2010 , 10, 775-82	7.2	50
42	Electrospun scaffold topography affects endothelial cell proliferation, metabolic activity, and morphology. <i>Journal of Biomedical Materials Research - Part A</i> , 2010 , 94, 1195-204	5.4	29
41	Electrospun PCL in vitro: a microstructural basis for mechanical property changes. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2009 , 20, 467-81	3.5	58
40	Novel electrospun scaffolds for the molecular analysis of chondrocytes under dynamic compression. <i>Tissue Engineering - Part A</i> , 2009 , 15, 513-23	3.9	23
39	Quantitative analysis of complex glioma cell migration on electrospun polycaprolactone using time-lapse microscopy. <i>Tissue Engineering - Part C: Methods</i> , 2009 , 15, 531-40	2.9	90
38	Fabrication of burst pressure competent vascular grafts via electrospinning: effects of microstructure. <i>Journal of Biomedical Materials Research - Part A</i> , 2009 , 88, 923-34	5.4	65
37	Structure-function relationships and source-to-ground distance in electrospun polycaprolactone. <i>Acta Biomaterialia</i> , 2009 , 5, 1552-61	10.8	52
36	Mechanical characterization of electrospun polycaprolactone (PCL): a potential scaffold for tissue engineering. <i>Journal of Biomechanical Engineering</i> , 2008 , 130, 011006	2.1	61
35	Compressive forces induce osteogenic gene expression in calvarial osteoblasts. <i>Journal of Biomechanics</i> , 2008 , 41, 1095-103	2.9	144
34	Materials selection and residual solvent retention in biodegradable electrospun fibers. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 1547-1554	2.9	106
33	Microstructure-property relationships in a tissue-engineering scaffold. <i>Journal of Applied Polymer Science</i> , 2007 , 104, 2919-2927	2.9	42
32	Three-dimensional laser micrometry characterization of surface wear in total hip arthroplasty. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2007 , 82, 428-39	3.5	7
31	Carbon dioxide impregnation of electrospun polycaprolactone fibers. <i>Journal of Supercritical Fluids</i> , 2007 , 41, 173-178	4.2	31
30	Adipogenesis of murine embryonic stem cells in a three-dimensional culture system using electrospun polymer scaffolds. <i>Biomaterials</i> , 2007 , 28, 450-8	15.6	118
29	Structuring electrospun polycaprolactone nanofiber tissue scaffolds by femtosecond laser ablation. <i>Journal of Laser Applications</i> , 2007 , 19, 225-231	2.1	69
28	Improved cellular infiltration in electrospun fiber via engineered porosity. <i>Tissue Engineering</i> , 2007 , 13, 2249-57		340

27	Nanotopographic control of cytoskeletal organization. <i>Langmuir</i> , 2006 , 22, 5087-94	4	27
26	Curvature evolution in LTCC tapes and laminates. <i>IEEE Transactions on Components and Packaging Technologies</i> , 2005 , 28, 149-156		4
25	X-ray Computed Tomography for Evaluation of Density Gradient Formation during the Compaction of Spray-Dried Granules. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 1237-1247	3.8	36
24	X-ray Computed Tomography and Mercury Porosimetry for Evaluation of Density Evolution and Porosity Distribution. <i>Journal of the American Ceramic Society</i> , 2004 , 83, 518-522	3.8	25
23	Localized Densification during the Compaction of Alumina Granules: The Stage III Transition. <i>Journal of the American Ceramic Society</i> , 2004 , 83, 685-690	3.8	45
22	Density Gradients and Sintered Dimensional Tolerance in Compacts Formed from Spray-Dried Alumina. <i>Journal of the American Ceramic Society</i> , 2004 , 83, 1393-1398	3.8	11
21	Effect of Agglomerate Size Distribution on Loose Packing Fraction. <i>Journal of the American Ceramic Society</i> , 2004 , 83, 2183-2188	3.8	13
20	Effect of Density Gradients on Dimensional Tolerance During Binder Removal. <i>Journal of the American Ceramic Society</i> , 2004 , 83, 2536-2542	3.8	14
19	Localized Densification during the Stage IIII Transition - Compaction Efficiency at High Pressures. <i>Journal of the American Ceramic Society</i> , 2004 , 87, 557-564	3.8	6
18	Bioactive polymer surfaces via supercritical fluids. <i>Journal of Supercritical Fluids</i> , 2004 , 28, 241-248	4.2	49
17	Microstructural disassembly of calcium phosphates. <i>Journal of Biomedical Materials Research Part B</i> , 2004 , 68, 61-70		9
16	Curvature in solid oxide fuel cells. <i>Journal of Power Sources</i> , 2004 , 138, 145-155	8.9	46
15	An additive micromolding approach for the development of micromachined ceramic substrates for RF applications. <i>Journal of Microelectromechanical Systems</i> , 2004 , 13, 514-525	2.5	8
14	Density gradients and springback: environmental influences. <i>Powder Technology</i> , 2003 , 133, 23-32	5.2	19
13	Ca/P ratio effects on the degradation of hydroxyapatite in vitro. <i>Journal of Biomedical Materials Research Part B</i> , 2003 , 67, 599-608		93
12	Nanofibrillar Surfaces via Reactive Ion Etching. <i>Langmuir</i> , 2003 , 19, 9071-9078	4	40
11	Nanoscale modifications of PET polymer surfaces via oxygen-plasma discharge yield minimal changes in attachment and growth of mammalian epithelial and mesenchymal cells in vitro. <i>Journal of Biomedical Materials Research Part B</i> , 2002 , 61, 234-45		20
10	Density gradients formed during compaction of bronze powders: the origins of part-to-part variation. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2002 , 33, 165-170	2.3	7

9	Cold isostatic compaction of nano-size powders: Surface densification and dimensional asymmetry. <i>Journal of Materials Research</i> , 2002 , 17, 2794-2801	2.5	6
8	Phase transformation effects on the wear properties of alumina gel/polymer matrix nanocomposites. <i>Journal of Materials Research</i> , 2001 , 16, 1680-1685	2.5	1
7	Increased fracture toughness in nanoporous silica/polyimide matrix composites. <i>Journal of Materials Research</i> , 2001 , 16, 1975-1981	2.5	12
6	Solid-state NMR evaluation of the silane structure on nanoporous silica fillers. <i>Journal of Adhesion Science and Technology</i> , 2001 , 15, 267-277	2	7
5	Effect of filler porosity on the abrasion resistance of nanoporous silica gel/polymer composites. <i>Dental Materials</i> , 1998 , 14, 29-36	5.7	30
4	Phase instability in ZrO ₂ /Al functionally graded materials. <i>Journal of Materials Research</i> , 1997 , 12, 2589-2593	2.5	7
3	Effect of silane coupling agents on the wear resistance of polymer-nanoporous silica gel dental composites. <i>Materials Science and Engineering C</i> , 1997 , 5, 15-22	8.3	22
2	Room temperature perovskite production from bimetallic alkoxides by ketone assisted oxo supplementation (KAOS). <i>Journal of Materials Research</i> , 1996 , 11, 1953-1959	2.5	22
1	Microstructure and Reactions of SiCw-Reinforced Alumina with Ag-Cu-In-Ti. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 15-20	3.8	6