

# Giles E Eperon

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2203228/giles-e-eperon-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80  
papers

39,162  
citations

55  
h-index

85  
g-index

85  
ext. papers

43,390  
ext. citations

17.5  
avg, IF

7.59  
L-index

#	Paper	IF	Citations
80	Dimethylammonium Addition to Halide Perovskite Precursor Increases Vertical and Lateral Heterogeneity. <i>ACS Energy Letters</i> , <b>2022</b> , 7, 204-210	20.1	5
79	Proton-Radiation Tolerant All-Perovskite Multijunction Solar Cells (Adv. Energy Mater. 41/2021). <i>Advanced Energy Materials</i> , <b>2021</b> , 11, 2170164	21.8	
78	Reducing Surface Recombination Velocity of Methylammonium-Free Mixed-Cation Mixed-Halide Perovskites via Surface Passivation. <i>Chemistry of Materials</i> , <b>2021</b> , 33, 5035-5044	9.6	13
77	Tolerance of Perovskite Solar Cells to Targeted Proton Irradiation and Electronic Ionization Induced Healing. <i>ACS Energy Letters</i> , <b>2021</b> , 6, 2362-2368	20.1	11
76	Proton-Radiation Tolerant All-Perovskite Multijunction Solar Cells. <i>Advanced Energy Materials</i> , <b>2021</b> , 11, 2102246	21.8	7
75	Radiation stability of mixed tin/lead halide perovskites: Implications for space applications. <i>Solar Energy Materials and Solar Cells</i> , <b>2021</b> , 230, 111232	6.4	5
74	Relaxed Current Matching Requirements in Highly Luminescent Perovskite Tandem Solar Cells and Their Fundamental Efficiency Limits. <i>ACS Energy Letters</i> , <b>2021</b> , 6, 612-620	20.1	20
73	Choose Your Own Adventure: Fabrication of Monolithic All-Perovskite Tandem Photovoltaics. <i>Advanced Materials</i> , <b>2020</b> , 32, e2003312	24	23
72	The Role of Dimethylammonium in Bandgap Modulation for Stable Halide Perovskites. <i>ACS Energy Letters</i> , <b>2020</b> , 5, 1856-1864	20.1	39
71	Tin/Lead Alloying for Efficient and Stable All-Inorganic Perovskite Solar Cells. <i>Chemistry of Materials</i> , <b>2020</b> , 32, 2782-2794	9.6	33
70	Role of Exciton Binding Energy on LO Phonon Broadening and Polaron Formation in (BA) <sub>2</sub> PbI <sub>4</sub> Ruddlesden-Popper Films. <i>Journal of Physical Chemistry C</i> , <b>2020</b> , 124, 9496-9505	3.8	12
69	Enabling Flexible All-Perovskite Tandem Solar Cells. <i>Joule</i> , <b>2019</b> , 3, 2193-2204	27.8	211
68	Design of low bandgap tin/lead halide perovskite solar cells to achieve thermal, atmospheric and operational stability. <i>Nature Energy</i> , <b>2019</b> , 4, 939-947	62.3	152
67	Potential of High-Stability Perovskite Solar Cells for Low-Intensity/Low-Temperature (LILT) Outer Planetary Space Missions. <i>ACS Applied Energy Materials</i> , <b>2019</b> , 2, 814-821	6.1	21
66	Biexciton Auger Recombination Differs in Hybrid and Inorganic Halide Perovskite Quantum Dots. <i>Journal of Physical Chemistry Letters</i> , <b>2018</b> , 9, 104-109	6.4	53
65	Orientation of Ferroelectric Domains and Disappearance upon Heating Methylammonium Lead Triiodide Perovskite from Tetragonal to Cubic Phase. <i>ACS Applied Energy Materials</i> , <b>2018</b> , 1, 1534-1539	6.1	40
64	Tin/lead halide perovskites with improved thermal and air stability for efficient all-perovskite tandem solar cells. <i>Sustainable Energy and Fuels</i> , <b>2018</b> , 2, 2450-2459	5.8	127

63	Interplay of Mobile Ions and Injected Carriers Creates Recombination Centers in Metal Halide Perovskites under Bias. <i>ACS Energy Letters</i> , <b>2018</b> , 3, 1279-1286	20.1	81
62	Direct Observation and Quantitative Analysis of Mobile Frenkel Defects in Metal Halide Perovskites Using Scanning Kelvin Probe Microscopy. <i>Journal of Physical Chemistry C</i> , <b>2018</b> , 122, 12633-12639	3.8	43
61	Microseconds, milliseconds and seconds: deconvoluting the dynamic behaviour of planar perovskite solar cells. <i>Physical Chemistry Chemical Physics</i> , <b>2017</b> , 19, 5959-5970	3.6	160
60	Building integration of semitransparent perovskite-based solar cells: Energy performance and visual comfort assessment. <i>Applied Energy</i> , <b>2017</b> , 194, 94-107	10.7	59
59	Spatially resolved studies of the phases and morphology of methylammonium and formamidinium lead tri-halide perovskites. <i>Nanoscale</i> , <b>2017</b> , 9, 3222-3230	7.7	36
58	B-Site Metal Cation Exchange in Halide Perovskites. <i>ACS Energy Letters</i> , <b>2017</b> , 2, 1190-1196	20.1	80
57	Correlating Photoluminescence Heterogeneity with Local Electronic Properties in Methylammonium Lead Tribromide Perovskite Thin Films. <i>Chemistry of Materials</i> , <b>2017</b> , 29, 5484-5492	9.6	34
56	Measurement and modelling of dark current decay transients in perovskite solar cells. <i>Journal of Materials Chemistry C</i> , <b>2017</b> , 5, 452-462	7.1	51
55	The Potential of Multijunction Perovskite Solar Cells. <i>ACS Energy Letters</i> , <b>2017</b> , 2, 2506-2513	20.1	180
54	Improving energy and visual performance in offices using building integrated perovskite-based solar cells: A case study in Southern Italy. <i>Applied Energy</i> , <b>2017</b> , 205, 834-846	10.7	37
53	Metal halide perovskite tandem and multiple-junction photovoltaics. <i>Nature Reviews Chemistry</i> , <b>2017</b> , 1,	34.6	236
52	Band-Tail Recombination in Hybrid Lead Iodide Perovskite. <i>Advanced Functional Materials</i> , <b>2017</b> , 27, 1700860	9.6	94
51	Forthcoming perspectives of photoelectrochromic devices: a critical review. <i>Energy and Environmental Science</i> , <b>2016</b> , 9, 2682-2719	35.4	103
50	Anticorrelation between Local Photoluminescence and Photocurrent Suggests Variability in Contact to Active Layer in Perovskite Solar Cells. <i>ACS Nano</i> , <b>2016</b> , 10, 10258-10266	16.7	61
49	Metal halide perovskites for energy applications. <i>Nature Energy</i> , <b>2016</b> , 1,	62.3	528
48	Electron-phonon coupling in hybrid lead halide perovskites. <i>Nature Communications</i> , <b>2016</b> , 7,	17.4	668
47	Perovskite-perovskite tandem photovoltaics with optimized band gaps. <i>Science</i> , <b>2016</b> , 354, 861-865	33.3	865
46	Oxygen Degradation in Mesoporous Al <sub>2</sub> O <sub>3</sub> /CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3-x</sub> Cl <sub>x</sub> Perovskite Solar Cells: Kinetics and Mechanisms. <i>Advanced Energy Materials</i> , <b>2016</b> , 6, 1600014	21.8	159

45	Semitransparent quantum dot solar cell. <i>Nano Energy</i> , <b>2016</b> , 22, 70-78	17.1	30
44	A mixed-cation lead mixed-halide perovskite absorber for tandem solar cells. <i>Science</i> , <b>2016</b> , 351, 151-5	33.3	2024
43	Determination of the exciton binding energy and effective masses for methylammonium and formamidinium lead tri-halide perovskite semiconductors. <i>Energy and Environmental Science</i> , <b>2016</b> , 9, 962-970	35.4	457
42	Cation exchange for thin film lead iodide perovskite interconversion. <i>Materials Horizons</i> , <b>2016</b> , 3, 63-71	14.4	128
41	Bandgap-Tunable Cesium Lead Halide Perovskites with High Thermal Stability for Efficient Solar Cells. <i>Advanced Energy Materials</i> , <b>2016</b> , 6, 1502458	21.8	992
40	Shunt-Blocking Layers for Semitransparent Perovskite Solar Cells. <i>Advanced Materials Interfaces</i> , <b>2016</b> , 3, 1500837	4.6	60
39	Defect states in perovskite solar cells associated with hysteresis and performance. <i>Applied Physics Letters</i> , <b>2016</b> , 109, 153902	3.4	56
38	Carrier trapping and recombination: the role of defect physics in enhancing the open circuit voltage of metal halide perovskite solar cells. <i>Energy and Environmental Science</i> , <b>2016</b> , 9, 3472-3481	35.4	317
37	Charge-Carrier Dynamics in 2D Hybrid Metal-Halide Perovskites. <i>Nano Letters</i> , <b>2016</b> , 16, 7001-7007	11.5	327
36	Radiative Monomolecular Recombination Boosts Amplified Spontaneous Emission in HC(NH)SnI Perovskite Films. <i>Journal of Physical Chemistry Letters</i> , <b>2016</b> , 7, 4178-4184	6.4	78
35	The Importance of Moisture in Hybrid Lead Halide Perovskite Thin Film Fabrication. <i>ACS Nano</i> , <b>2015</b> , 9, 9380-93	16.7	366
34	Charge Carriers in Planar and Meso-Structured Organic-Inorganic Perovskites: Mobilities, Lifetimes, and Concentrations of Trap States. <i>Journal of Physical Chemistry Letters</i> , <b>2015</b> , 6, 3082-90	6.4	225
33	Solar cells. Impact of microstructure on local carrier lifetime in perovskite solar cells. <i>Science</i> , <b>2015</b> , 348, 683-6	33.3	1533
32	Perovskite photovoltachromic cells for building integration. <i>Energy and Environmental Science</i> , <b>2015</b> , 8, 1578-1584	35.4	102
31	Charge selective contacts, mobile ions and anomalous hysteresis in organic/inorganic perovskite solar cells. <i>Materials Horizons</i> , <b>2015</b> , 2, 315-322	14.4	338
30	Perovskite Crystals for Tunable White Light Emission. <i>Chemistry of Materials</i> , <b>2015</b> , 27, 8066-8075	9.6	327
29	Quantum funneling in blended multi-band gap core/shell colloidal quantum dot solar cells. <i>Applied Physics Letters</i> , <b>2015</b> , 107, 103902	3.4	6
28	Inorganic caesium lead iodide perovskite solar cells. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 19688-19695	9.5	1085

27	Modulating the Electron-Hole Interaction in a Hybrid Lead Halide Perovskite with an Electric Field. <i>Journal of the American Chemical Society</i> , <b>2015</b> , 137, 15451-9	16.4	51
26	Efficient, Semitransparent Neutral-Colored Solar Cells Based on Microstructured Formamidinium Lead Trihalide Perovskite. <i>Journal of Physical Chemistry Letters</i> , <b>2015</b> , 6, 129-38	6.4	153
25	Charge-Carrier Dynamics and Mobilities in Formamidinium Lead Mixed-Halide Perovskites. <i>Advanced Materials</i> , <b>2015</b> , 27, 7938-44	24	276
24	Temperature-Dependent Charge-Carrier Dynamics in CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> Perovskite Thin Films. <i>Advanced Functional Materials</i> , <b>2015</b> , 25, 6218-6227	15.6	645
23	Stability of Metal Halide Perovskite Solar Cells. <i>Advanced Energy Materials</i> , <b>2015</b> , 5, 1500963	21.8	861
22	Mapping Electric Field-Induced Switchable Poling and Structural Degradation in Hybrid Lead Halide Perovskite Thin Films. <i>Advanced Energy Materials</i> , <b>2015</b> , 5, 1500962	21.8	179
21	Non-ferroelectric nature of the conductance hysteresis in CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> perovskite-based photovoltaic devices. <i>Applied Physics Letters</i> , <b>2015</b> , 106, 173502	3.4	173
20	Ultrasootherganic-inorganic perovskite thin-film formation and crystallization for efficient planar heterojunction solar cells. <i>Nature Communications</i> , <b>2015</b> , 6, 6142	17.4	695
19	Characterization of Planar Lead Halide Perovskite Solar Cells by Impedance Spectroscopy, Open-Circuit Photovoltage Decay, and Intensity-Modulated Photovoltage/Photocurrent Spectroscopy. <i>Journal of Physical Chemistry C</i> , <b>2015</b> , 119, 3456-3465	3.8	310
18	The Importance of Perovskite Pore Filling in Organometal Mixed Halide Sensitized TiO <sub>2</sub> -Based Solar Cells. <i>Journal of Physical Chemistry Letters</i> , <b>2014</b> , 5, 1096-102	6.4	200
17	High charge carrier mobilities and lifetimes in organolead trihalide perovskites. <i>Advanced Materials</i> , <b>2014</b> , 26, 1584-9	24	2282
16	Lead-free organichorganic tin halide perovskites for photovoltaic applications. <i>Energy and Environmental Science</i> , <b>2014</b> , 7, 3061-3068	35.4	1635
15	Neutral color semitransparent microstructured perovskite solar cells. <i>ACS Nano</i> , <b>2014</b> , 8, 591-8	16.7	365
14	Formamidinium lead trihalide: a broadly tunable perovskite for efficient planar heterojunction solar cells. <i>Energy and Environmental Science</i> , <b>2014</b> , 7, 982	35.4	2706
13	Enhanced Hole Extraction in Perovskite Solar Cells Through Carbon Nanotubes. <i>Journal of Physical Chemistry Letters</i> , <b>2014</b> , 5, 4207-12	6.4	126
12	The Impact of the Crystallization Processes on the Structural and Optical Properties of Hybrid Perovskite Films for Photovoltaics. <i>Journal of Physical Chemistry Letters</i> , <b>2014</b> , 5, 3836-42	6.4	218
11	Carbon nanotube/polymer composites as a highly stable hole collection layer in perovskite solar cells. <i>Nano Letters</i> , <b>2014</b> , 14, 5561-8	11.5	944
10	Anomalous Hysteresis in Perovskite Solar Cells. <i>Journal of Physical Chemistry Letters</i> , <b>2014</b> , 5, 1511-5	6.4	1951

9	Electronic properties of meso-superstructured and planar organometal halide perovskite films: charge trapping, photodoping, and carrier mobility. <i>ACS Nano</i> , <b>2014</b> , 8, 7147-55	16.7	328
8	Controlling coverage of solution cast materials with unfavourable surface interactions. <i>Applied Physics Letters</i> , <b>2014</b> , 104, 091602	3.4	33
7	Steric engineering of metal-halide perovskites with tunable optical band gaps. <i>Nature Communications</i> , <b>2014</b> , 5, 5757	17.4	605
6	Morphological Control for High Performance, Solution-Processed Planar Heterojunction Perovskite Solar Cells. <i>Advanced Functional Materials</i> , <b>2014</b> , 24, 151-157	15.6	1639
5	Efficient organometal trihalide perovskite planar-heterojunction solar cells on flexible polymer substrates. <i>Nature Communications</i> , <b>2013</b> , 4, 2761	17.4	1371
4	Overcoming ultraviolet light instability of sensitized TiO <sub>2</sub> with meso-superstructured organometal tri-halide perovskite solar cells. <i>Nature Communications</i> , <b>2013</b> , 4, 2885	17.4	1367
3	Electron-hole diffusion lengths exceeding 1 micrometer in an organometal trihalide perovskite absorber. <i>Science</i> , <b>2013</b> , 342, 341-4	33.3	7280
2	Middle atmosphere predictability in a numerical weather prediction model: revisiting the inverse error cascade. <i>Quarterly Journal of the Royal Meteorological Society</i> , <b>2012</b> , 138, 1366-1378	6.4	15
1	Stoichiometry of a regulatory splicing complex revealed by single-molecule analyses. <i>EMBO Journal</i> , <b>2010</b> , 29, 2161-72	13	39