

# Raymond Kwan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2204259/publications.pdf>

Version: 2024-02-01

13  
papers

430  
citations

840776

11  
h-index

1125743

13  
g-index

13  
all docs

13  
docs citations

13  
times ranked

776  
citing authors

#	ARTICLE	IF	CITATIONS
1	Genotype-phenotype analysis of <i>LMNA</i> -related diseases predicts phenotype-selective alterations in lamin phosphorylation. <i>FASEB Journal</i> , 2020, 34, 9051-9073.	0.5	17
2	Types I and II Keratin Intermediate Filaments. <i>Cold Spring Harbor Perspectives in Biology</i> , 2018, 10, a018275.	5.5	171
3	Lamins and Lamin-Associated Proteins in Gastrointestinal Health and Disease. <i>Gastroenterology</i> , 2018, 154, 1602-1619.e1.	1.3	30
4	Nuclear lamina genetic variants, including a truncated LAP2, in twins and siblings with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2018, 67, 1710-1725.	7.3	19
5	Clusterin and Pycr1 alterations associate with strain and model differences in susceptibility to experimental pancreatitis. <i>Biochemical and Biophysical Research Communications</i> , 2017, 482, 1346-1352.	2.1	4
6	Hepatocyte-Specific Deletion of Mouse Lamin A/C Leads to Male-Selective Steatohepatitis. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2017, 4, 365-383.	4.5	27
7	Human keratin 8 variants promote mouse acetaminophen hepatotoxicity coupled with c-Jun amino-terminal kinase activation and protein adduct formation. <i>Hepatology</i> , 2015, 62, 876-886.	7.3	20
8	PKC412 normalizes mutation-related keratin filament disruption and hepatic injury in mice by promoting keratin-myosin binding. <i>Hepatology</i> , 2015, 62, 1858-1869.	7.3	26
9	Absence of keratin 8 or 18 promotes antimitochondrial autoantibody formation in aging male mice. <i>FASEB Journal</i> , 2015, 29, 5081-5089.	0.5	12
10	Absence of keratins 8 and 18 in rodent epithelial cell lines associates with keratin gene mutation and DNA methylation: Cell line selective effects on cell invasion. <i>Experimental Cell Research</i> , 2015, 335, 12-22.	2.6	12
11	Mutation of keratin 18 caspase digestion sites interferes with filament reorganization and promotes hepatocyte leakiness and necrosis. <i>Journal of Cell Science</i> , 2014, 127, 1464-75.	2.0	29
12	Lamin aggregation is an early sensor of porphyria-induced liver injury. <i>Journal of Cell Science</i> , 2013, 126, 3105-12.	2.0	32
13	Keratin 8 phosphorylation regulates its transamidation and hepatocyte Mallory-Denk body formation. <i>FASEB Journal</i> , 2012, 26, 2318-2326.	0.5	31