

Marilyn Halonen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2206325/marilyn-halonen-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98
papers

11,453
citations

40
h-index

104
g-index

104
ext. papers

12,660
ext. citations

8.5
avg, IF

5.5
L-index

#	Paper	IF	Citations
98	CC16 Levels into Adult Life Are Associated with Nitrogen Dioxide Exposure at Birth. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 200, 600-607	10.2	6
97	Non-atopic rhinitis at age 6 is associated with subsequent development of asthma. <i>Clinical and Experimental Allergy</i> , 2019 , 49, 35-43	4.1	6
96	Club Cell Secretory Protein Deficiency Leads to Altered Lung Function. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 199, 302-312	10.2	27
95	Trajectories and Early Determinants of Circulating CC16 from Birth to Age 32 Years. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018 , 198, 267-270	10.2	10
94	sensitisation at age 6 years is associated with subsequent airway hyper-responsiveness in non-asthmatics. <i>Thorax</i> , 2018 , 73, 1170-1173	7.3	4
93	Maternal Cytokine Profiles during Pregnancy Predict Asthma in Children of Mothers without Asthma. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2018 , 59, 592-600	5.7	11
92	Epigenome-wide analysis links SMAD3 methylation at birth to asthma in children of asthmatic mothers. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 140, 534-542	11.5	63
91	Prevalence of Asthma in School Children on the Arizona-Sonora Border. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2017 , 5, 114-120.e2	5.4	9
90	Exploration of early-life candidate biomarkers for childhood asthma using antibody arrays. <i>Pediatric Allergy and Immunology</i> , 2016 , 27, 696-701	4.2	8
89	Least absolute shrinkage and selection operator type methods for the identification of serum biomarkers of overweight and obesity: simulation and application. <i>BMC Medical Research Methodology</i> , 2016 , 16, 154	4.7	79
88	Club cell secretory protein in serum and bronchoalveolar lavage of patients with asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 138, 932-934.e1	11.5	19
87	Persistent insomnia is associated with mortality risk. <i>American Journal of Medicine</i> , 2015 , 128, 268-75.e2.2.4		145
86	Relation between circulating CC16 concentrations, lung function, and development of chronic obstructive pulmonary disease across the lifespan: a prospective study. <i>Lancet Respiratory Medicine</i> , 2015 , 3, 613-20	35.1	87
85	Asthma, airflow limitation and mortality risk in the general population. <i>European Respiratory Journal</i> , 2015 , 45, 338-46	13.6	33
84	Exposure to parental smoking in childhood is associated with persistence of respiratory symptoms into young adult life. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 134, 962-965.e4	11.5	10
83	The relation of circulating YKL-40 to levels and decline of lung function in adult life. <i>Respiratory Medicine</i> , 2013 , 107, 1923-30	4.6	21
82	Serum concentrations of club cell secretory protein (Clara) and cancer mortality in adults: a population-based, prospective cohort study. <i>Lancet Respiratory Medicine</i> , 2013 , 1, 779-85	35.1	19

81	Perinatal tumor necrosis factor- β production, influenced by maternal pregnancy weight gain, predicts childhood asthma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013 , 188, 35-41	10.2	40
80	Validation of an Early Life Candidate Biomarker for Childhood Asthma. <i>FASEB Journal</i> , 2013 , 27, 1107.2	0.9	
79	Familial aggregation of allergen-specific sensitization and asthma. <i>Pediatric Allergy and Immunology</i> , 2012 , 23, 21-7	4.2	12
78	Discovery of Early Life Plasma Protein Signatures for Asthma Development. <i>FASEB Journal</i> , 2012 , 26, 1122.2	0.9	
77	Effect of day care attendance on sensitization and atopic wheezing differs by Toll-like receptor 2 genotype in 2 population-based birth cohort studies. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 127, 390-397.e1-9	11.5	47
76	Adaptive cytokine production in early life differentially predicts total IgE levels and asthma through age 5 years. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 128, 397-402.e2	11.5	36
75	Cord blood 25-hydroxyvitamin D levels are associated with aeroallergen sensitization in children from Tucson, Arizona. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 128, 1093-9.e1-5	11.5	141
74	A SOCS-1 promoter variant is associated with total serum IgE levels. <i>Journal of Immunology</i> , 2011 , 187, 2794-802	5.3	14
73	Morbidity and mortality associated with the restrictive spirometric pattern: a longitudinal study. <i>Thorax</i> , 2010 , 65, 499-504	7.3	100
72	Environmental determinants of and impact on childhood asthma by the bacterial community in household dust. <i>Applied and Environmental Microbiology</i> , 2010 , 76, 2663-7	4.8	50
71	Chronic bronchitis before age 50 years predicts incident airflow limitation and mortality risk. <i>Thorax</i> , 2009 , 64, 894-900	7.3	112
70	Th1/Th2 patterns and balance in cytokine production in the parents and infants of a large birth cohort. <i>Journal of Immunology</i> , 2009 , 182, 3285-93	5.3	78
69	The course of persistent airflow limitation in subjects with and without asthma. <i>Respiratory Medicine</i> , 2008 , 102, 1473-82	4.6	41
68	Wheezing and bronchial hyper-responsiveness in early childhood as predictors of newly diagnosed asthma in early adulthood: a longitudinal birth-cohort study. <i>Lancet, The</i> , 2008 , 372, 1058-64	40	310
67	Effects of parental smoking on interferon gamma production in children. <i>Pediatrics</i> , 2008 , 121, e1563-9	7.4	29
66	Rethinking Th2 Antibody Responses and Allergic Sensitization. <i>Novartis Foundation Symposium</i> , 2008 , 25-44		2
65	Association of IL-5 cytokine production and in vivo IgE levels in infants and parents. <i>Journal of Allergy and Clinical Immunology</i> , 2007 , 120, 820-6	11.5	17
64	Low IFN-gamma production in the first year of life as a predictor of wheeze during childhood. <i>Journal of Allergy and Clinical Immunology</i> , 2007 , 120, 835-41	11.5	84

63	Influence of early day-care exposure on total IgE levels through age 3 years. <i>Journal of Allergy and Clinical Immunology</i> , 2007 , 120, 1201-7	11.5	21
62	Suppression of innate immune cytokines and interferon regulatory factor-1 by endogenous interferon-alpha in response to respiratory syncytial virus in neonate mononuclear cells. <i>Immunological Investigations</i> , 2007 , 36, 441-56	2.9	
61	Th2 cell-selective enhancement of human IL13 transcription by IL13-1112C>T, a polymorphism associated with allergic inflammation. <i>Journal of Immunology</i> , 2006 , 177, 8633-42	5.3	102
60	Cortisol circadian rhythms and stress responses in infants at risk of allergic disease. <i>Journal of Allergy and Clinical Immunology</i> , 2006 , 117, 306-11	11.5	36
59	Predicting the course of asthma. <i>Allergy and Asthma Proceedings</i> , 2006 , 27, 328-31	2.6	6
58	The impact of CD14 polymorphisms on the development of soluble CD14 levels during infancy. <i>Genes and Immunity</i> , 2006 , 7, 77-80	4.4	23
57	Prenatal factors associated with the development of eczema in the first year of life. <i>Pediatric Allergy and Immunology</i> , 2005 , 16, 19-26	4.2	14
56	Reduced interferon gamma production and soluble CD14 levels in early life predict recurrent wheezing by 1 year of age. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2004 , 169, 70-6	10.2	84
55	Dynamic changes in sensitization to specific aeroallergens in children raised in a desert environment. <i>Clinical and Experimental Allergy</i> , 2004 , 34, 1563-669	4.1	35
54	Differential control of eosinophil survival by glucocorticoids. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2004 , 9, 97-104	5.4	15
53	Innate immune responses in respiratory syncytial virus infections. <i>Viral Immunology</i> , 2004 , 17, 220-33	1.7	45
52	Parental asthma as a risk factor for the development of early skin test sensitization in children. <i>Journal of Allergy and Clinical Immunology</i> , 2004 , 113, 284-90	11.5	27
51	Correlation of human decidual and cord blood mononuclear cell cytokine production. <i>Human Immunology</i> , 2004 , 65, 1336-43	2.3	10
50	TGF-beta in human milk is associated with wheeze in infancy. <i>Journal of Allergy and Clinical Immunology</i> , 2003 , 112, 723-8	11.5	108
49	Cytokines, atopy, and asthma. <i>Lancet, The</i> , 2003 , 362, 1166-7	4.0	7
48	Tucson Children's Respiratory Study: 1980 to present. <i>Journal of Allergy and Clinical Immunology</i> , 2003 , 111, 661-75; quiz 676	11.5	465
47	Differences in participation of innate and adaptive immunity to respiratory syncytial virus in adults and neonates. <i>Journal of Infectious Diseases</i> , 2003 , 188, 433-9	7	49
46	Relation of two different subtypes of croup before age three to wheezing, atopy, and pulmonary function during childhood: a prospective study. <i>Pediatrics</i> , 2001 , 107, 512-8	7.4	38

45	Relation between infantile colic and asthma/atopy: a prospective study in an unselected population. <i>Pediatrics</i> , 2001 , 108, 878-82	7.4	54
44	Differences in proliferation of the hematopoietic cell line TF-1 and cytokine production by peripheral blood leukocytes induced by 2 naturally occurring forms of human IL-3. <i>Journal of Allergy and Clinical Immunology</i> , 2001 , 107, 505-10	11.5	13
43	Factor analysis of asthma and atopy traits shows 2 major components, one of which is linked to markers on chromosome 5q. <i>Journal of Allergy and Clinical Immunology</i> , 2001 , 108, 772-80	11.5	32
42	A cluster of seven tightly linked polymorphisms in the IL-13 gene is associated with total serum IgE levels in three populations of white children. <i>Journal of Allergy and Clinical Immunology</i> , 2000 , 105, 506-13	11.5	351
41	Two subphenotypes of childhood asthma that differ in maternal and paternal influences on asthma risk. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999 , 160, 564-70	10.2	69
40	Familial aggregation and segregation analysis of eosinophil levels. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999 , 160, 1604-10	10.2	19
39	Association of radiologically ascertained pneumonia before age 3 yr with asthmalike symptoms and pulmonary function during childhood: a prospective study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999 , 159, 1891-7	10.2	117
38	A Polymorphism* in the 5Sflanking region of the CD14 gene is associated with circulating soluble CD14 levels and with total serum immunoglobulin E. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 1999 , 20, 976-83	5.7	715
37	Respiratory syncytial virus in early life and risk of wheeze and allergy by age 13 years. <i>Lancet, The</i> , 1999 , 354, 541-5	4.0	1226
36	Total serum IgE and its association with asthma symptoms and allergic sensitization among children. <i>Journal of Allergy and Clinical Immunology</i> , 1999 , 104, 28-36	11.5	108
35	Breast-feeding, maternal IgE, and total serum IgE in childhood. <i>Journal of Allergy and Clinical Immunology</i> , 1999 , 104, 589-94	11.5	88
34	Perinatal events in the development of asthma. <i>Current Opinion in Pulmonary Medicine</i> , 1999 , 5, 4-9	3	8
33	Differential immune responses to acute lower respiratory illness in early life and subsequent development of persistent wheezing and asthma. <i>Journal of Allergy and Clinical Immunology</i> , 1998 , 102, 915-20	11.5	115
32	Platelet-activating factor induction of activator protein-1 signaling in bronchial epithelial cells. <i>Molecular Pharmacology</i> , 1998 , 53, 135-40	4.3	12
31	Evidence for platelet-activating factor receptor subtypes on human polymorphonuclear leukocyte membranes. <i>Biochemical Pharmacology</i> , 1997 , 54, 1007-12	6	8
30	Asthma and wheezing in the first six years of life. The Group Health Medical Associates. <i>New England Journal of Medicine</i> , 1995 , 332, 133-8	59.2	2919
29	Association of non-wheezing lower respiratory tract illnesses in early life with persistently diminished serum IgE levels. Group Health Medical Associates. <i>Thorax</i> , 1995 , 50, 1067-72	7.3	71
28	Association of interleukin-2 and interferon-gamma production by blood mononuclear cells in infancy with parental allergy skin tests and with subsequent development of atopy. <i>Journal of Allergy and Clinical Immunology</i> , 1995 , 96, 652-60	11.5	160

27	Relationships between total serum IgE, atopy, and smoking: a twenty-year follow-up analysis. <i>Journal of Allergy and Clinical Immunology</i> , 1994 , 94, 954-62	11.5	82
26	Epidemiology of Physician-Diagnosed Allergic Rhinitis in Childhood. <i>Pediatrics</i> , 1994 , 94, 895-901	7.4	252
25	Chronic exposure to a beta 2-adrenoceptor agonist increases the airway response to methacholine. <i>European Journal of Pharmacology</i> , 1993 , 241, 121-3	5.3	16
24	The effects of combined histamine and platelet-activating factor antagonism on systemic anaphylaxis induced by immunoglobulin E in the rabbit. <i>The American Review of Respiratory Disease</i> , 1993 , 147, 1223-8		5
23	Cloning of a human platelet-activating factor receptor gene: evidence for an intron in the 5'Suntranslated region. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 1993 , 8, 240-4	5.7	32
22	The predictive relationship between serum IgE levels at birth and subsequent incidences of lower respiratory illnesses and eczema in infants. <i>The American Review of Respiratory Disease</i> , 1992 , 146, 866-70		99
21	A minority of muscarinic receptors mediate rabbit tracheal smooth muscle contraction. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 1992 , 6, 279-86	5.7	18
20	Antigen enhances neuronally induced contraction of intrapulmonary bronchi from IgE-producing rabbits. <i>Journal of Neuroimmunology</i> , 1992 , 37, 105-14	3.5	2
19	Lymphocyte subpopulation number and function in infancy. <i>Autoimmunity</i> , 1992 , 2, 175-9		11
18	A longitudinal study of respiratory symptoms in a community population sample. Correlations with smoking, allergen skin-test reactivity, and serum IgE. <i>Chest</i> , 1991 , 99, 20-6	5.3	84
17	Characterization of receptors for platelet-activating factor in guinea pig lung membranes. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 1990 , 3, 259-64	5.7	18
16	Effects of the PAF antagonist WEB 2086 on PAF-induced physiologic alterations and on IgE anaphylaxis in the rabbit. <i>The American Review of Respiratory Disease</i> , 1990 , 142, 390-7		11
15	Problems in defining normal limits for serum IgE. <i>Journal of Allergy and Clinical Immunology</i> , 1990 , 85, 440-4	11.5	85
14	Asthma and serum levels of IgE. <i>New England Journal of Medicine</i> , 1989 , 320, 1696-7	59.2	3
13	Association of asthma with serum IgE levels and skin-test reactivity to allergens. <i>New England Journal of Medicine</i> , 1989 , 320, 271-7	59.2	1375
12	Airway cholinergic responsiveness in rabbits in relation to antigen sensitization and challenge. <i>Immunopharmacology</i> , 1988 , 15, 157-67		16
11	A muscarinic receptor with high affinity for pirenzepine mediates vagally induced bronchoconstriction. <i>European Journal of Pharmacology</i> , 1987 , 133, 21-7	5.3	41
10	Heterogeneity of the M1 muscarinic receptor subtype between peripheral lung and cerebral cortex demonstrated by the selective antagonist AF-DX 116. <i>Life Sciences</i> , 1987 , 41, 491-6	6.8	22

9	Relationship between serum IgE and cross-sectional and longitudinal FEV1 in two cohort studies. <i>Chest</i> , 1986 , 90, 416-23	5.3	53
8	The responsiveness of rabbit bronchial rings to antigen, AGEPC and histamine. <i>Immunopharmacology</i> , 1986 , 12, 89-96		6
7	Pneumococcus-specific immunoglobulin E in cigarette smokers. <i>Clinical and Experimental Allergy</i> , 1986 , 16, 25-32	4.1	19
6	Heightened cholinergic responsiveness in IgE-producing rabbits. <i>International Journal of Immunopharmacology</i> , 1984 , 6, 351-6		10
5	The role of histamine in the physiologic alterations of IgE anaphylaxis in the rabbit. <i>Immunopharmacology</i> , 1984 , 7, 77-87		8
4	Detection of beta-adrenergic receptors on rabbit mononuclear cells isolated free of significant contamination by other cell types. <i>Life Sciences</i> , 1983 , 33, 971-7	6.8	3
3	Interactions of smoking and immunologic factors in relation to airways obstruction. <i>Chest</i> , 1983 , 84, 657-61	5.1	40
2	Distribution of IgE in a community population sample: correlations with age, sex, and allergen skin test reactivity. <i>Journal of Allergy and Clinical Immunology</i> , 1981 , 68, 106-11	11.5	261
1	Preferential expression of anti-bovine serum albumin IgE homocytotropic antibody synthesis and anaphylactic sensitivity in the neonatal rabbit. <i>Journal of Allergy and Clinical Immunology</i> , 1972 , 49, 301-310	11.5	37