
Dulcinéia Saes Parra Abdalla

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2207014/publications.pdf

Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Inflammasome Activation in Human Macrophages Induced by a LDL (â^) Mimetic Peptide. Inflammation, 2020, 43, 722-730. | 3.8 | 2 |
| 2 | Proinflammatory Action of a New Electronegative Low-Density Lipoprotein Epitope. Biomolecules, 2019, 9, 386. | 4.0 | 7 |
| 3 | A nanoformulation containing a scFv reactive to electronegative LDL inhibits atherosclerosis in LDL receptor knockout mice. European Journal of Pharmaceutics and Biopharmaceutics, 2016, 107, 120-129. | 4.3 | 12 |
| 4 | New PPARÎ ³ partial agonist improves obesity-induced metabolic alterations and atherosclerosis in LDLrâ^'/â^' mice. Pharmacological Research, 2016, 104, 49-60. | 7.1 | 26 |
| 5 | Predictive Potential of Twenty-Two Biochemical Biomarkers for Coronary Artery Disease in Type 2 Diabetes Mellitus. International Journal of Endocrinology, 2015, 2015, 1-8. | 1.5 | 4 |
| 6 | The Hypolipidemic and Pleiotropic Effects of Rosuvastatin Are Not Enhanced by Its Association with Zinc and Selenium Supplementation in Coronary Artery Disease Patients: A Double Blind Randomized Controlled Study. PLoS ONE, 2015, 10, e0119830. | 2.5 | 10 |
| 7 | Influence of daily consumption of synbiotic soy-based product supplemented with okara soybean by-product on risk factors for cardiovascular diseases. Food Research International, 2015, 73, 142-148. | 6.2 | 34 |
| 8 | GFPâ€SCFV: Expression and possible applications as a tool for experimental investigations of atherosclerosis. Biotechnology Progress, 2014, 30, 1206-1213. | 2.6 | 3 |
| 9 | The beneficial effects of rosuvastatin are independent of zinc supplementation in patients with atherosclerosis. Journal of Trace Elements in Medicine and Biology, 2014, 28, 194-199. | 3.0 | 22 |
| 10 | Identification of microRNAs involved in the modulation of pro-angiogenic factors in atherosclerosis by a polyphenol-rich extract from propolis. Archives of Biochemistry and Biophysics, 2014, 557, 28-35. | 3.0 | 43 |
| 11 | Reduced Plasma Zinc Levels, Lipid Peroxidation, and Inflammation Biomarkers Levels in Hemodialysis Patients: Implications to Cardiovascular Mortality. Renal Failure, 2013, 35, 680-685. | 2.1 | 25 |
| 12 | Cloning and expression of an anti-LDL(-) single-chain variable fragment, and its inhibitory effect on experimental atherosclerosis. MAbs, 2013, 5, 763-775. | 5.2 | 17 |
| 13 | Lipid Peroxidation Is Associated with the Severity of Periodontal Disease and Local Inflammatory Markers in Patients with Type 2 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2012, 97, E1353-E1362. | 3.6 | 76 |
| 14 | Development of immunoassays for anti-electronegative LDL autoantibodies and immune complexes. Clinica Chimica Acta, 2012, 413, 291-297. | 1.1 | 19 |
| 15 | Anti-atherogenic and anti-angiogenic activities of polyphenols from propolis. Journal of Nutritional Biochemistry, 2012, 23, 557-566. | 4.2 | 70 |
| 16 | Increased electronegative LDL and decreased antibodies against electronegative LDL levels correlate with inflammatory markers and adhesion molecules in hemodialysed patients. Clinica Chimica Acta, 2011, 412, 1788-1792. | 1.1 | 10 |
| 17 | Electronegative low-density lipoprotein: Origin and impact on health and disease. Atherosclerosis, 2011, 215, 257-265. | 0.8 | 79 |
| 18 | Electronegative Lowâ€Density Lipoprotein is Associated with Dense Lowâ€Density Lipoprotein in Subjects with Different Levels of Cardiovascular Risk. Lipids, 2010, 45, 619-625. | 1.7 | 16 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Role of electronegative LDL and its associated antibodies in the pathogenesis of atherosclerosis. Clinical Lipidology, 2010, 5, 719-729. | 0.4 | 7 |
| 20 | Alpha-tocopherol supplementation decreases electronegative low-density lipoprotein concentration [LDL(-)] in haemodialysis patients. Nephrology Dialysis Transplantation, 2009, 24, 1587-1592. | 0.7 | 26 |
| 21 | Biomarkers of oxidative stress and endothelial dysfunction in glucose intolerance and diabetes mellitus. Clinical Biochemistry, 2008, 41, 1454-1460. | 1.9 | 58 |
| 22 | Validation of a novel ELISA for measurement of electronegative low-density lipoprotein. Clinical Chemistry and Laboratory Medicine, 2008, 46, 1769-75. | 2.3 | 34 |
| 23 | Biomarcadores de peroxidação lipÃdica na aterosclerose. Revista De Nutricao, 2008, 21, 749-756. | 0.4 | 5 |
| 24 | Cholesterol oxides as biomarkers of oxidative stress in type 1 and type 2 diabetes mellitus. Diabetes/Metabolism Research and Reviews, 2007, 23, 35-42. | 4.0 | 66 |
| 25 | Soy isoflavones reduce electronegative low-density lipoprotein (LDLâ^') and anti-LDLâ^' autoantibodies in experimental atherosclerosis. European Journal of Nutrition, 2007, 46, 125-132. | 3.9 | 34 |
| 26 | Identification of mildly oxidized low-density lipoprotein (electronegative LDL) and its auto-antibodies IgG in children and adolescents hypercholesterolemic offsprings. Atherosclerosis, 2006, 184, 103-107. | 0.8 | 28 |
| 27 | Molecular mechanisms of atherosclerosis. BJPS: Brazilian Journal of Pharmaceutical Sciences, 2006, 42, 617-618. | 0.5 | Ο |
| 28 | Effect of N-acetyl-L-cysteine on lymphocyte apoptosis, lymphocyte viability, TNF-alpha and IL-8 in HIV-infected patients undergoing anti-retroviral treatment. Brazilian Journal of Infectious Diseases, 2004, 8, 363-71. | 0.6 | 17 |
| 29 | Progesterone abolishes estrogen and/or atorvastatin endothelium dependent vasodilatory effects. Atherosclerosis, 2004, 177, 89-96. | 0.8 | 31 |
| 30 | Nutrição e doenças cardiovasculares: prevenção primária e secundária. BJPS: Brazilian Journal of Pharmaceutical Sciences, 2004, 40, 559-560. | 0.5 | 0 |
| 31 | Effects of Simvastatin and I -arginine on Vasodilation, Nitric Oxide Metabolites and Endogenous NOS Inhibitors in Hypercholesterolemic Subjects. Free Radical Research, 2003, 37, 529-536. | 3.3 | 34 |
| 32 | High-performance liquid chromatography of fatty acids in biological samples. Analytica Chimica Acta, 2002, 465, 81-91. | 5.4 | 60 |
| 33 | Patologia. BJPS: Brazilian Journal of Pharmaceutical Sciences, 2002, 38, 373-374. | 0.5 | Ο |
| 34 | Casein and Soy Protein Isolate in Experimental Atherosclerosis: Influence on Hyperlipidemia and Lipoprotein Oxidation. Annals of Nutrition and Metabolism, 2001, 45, 38-46. | 1.9 | 14 |
| 35 | Is ceruloplasmin an important catalyst for S-nitrosothiol generation in hypercholesterolemia?. Free Radical Biology and Medicine, 2001, 30, 318-326. | 2.9 | 36 |
| 36 | Lipid and acute-phase protein alterations in HIV-1 infected patients in the early stages of infection: correlation with CD4+ lymphocytes. Brazilian Journal of Infectious Diseases, 2001, 5, 192-9. | 0.6 | 18 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Lipid peroxidation and antioxidants in hyperlipidemia and hypertension. Biological Research, 2000, 33, 105-12. | 3.4 | 41 |
| 38 | Peroxidação lipÃdica em pacientes com insuficiência renal crônica. Revista De Nutricao, 1999, 12, 205-212. | 0.4 | 10 |
| 39 | Nitrotyrosine Bound to Î ² -VLDL-Apoproteins: A Biomarker of Peroxynitrite Formation in Experimental Atherosclerosis. Biochemical and Biophysical Research Communications, 1997, 232, 332-335. | 2.1 | 41 |
| 40 | Coulometric detection in high-performance liquid chromatographic analysis of cholesteryl ester hydroperoxides. Free Radical Biology and Medicine, 1996, 20, 365-371. | 2.9 | 47 |
| 41 | Evaluation of oxidative stress in patients with hyperlipidemia. Atherosclerosis, 1995, 117, 61-71. | 0.8 | 164 |
| 42 | Human macrophage metabolism of low density lipoprotein oxidized by stimulated neutrophils and ferritin. Atherosclerosis, 1994, 107, 157-163. | 0.8 | 13 |
| 43 | Low density lipoprotein oxidation by stimulated neutrophils and ferritin. Atherosclerosis, 1992, 97, 149-159. | 0.8 | 65 |