

# HÃ©lÃ¨ne Henri

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2207425/publications.pdf>

Version: 2024-02-01

8

papers

373

citations

1478505

6

h-index

1720034

7

g-index

11

all docs

11

docs citations

11

times ranked

445

citing authors

#	ARTICLE	IF	CITATIONS
1	Development of a <scp>PCR</scp>â€<scp>RFLP</scp> assay to identify <i>Drosophila melanogaster</i> among fieldâ€collected larvae. <i>Ecology and Evolution</i> , 2018, 8, 10067-10074.	1.9	2
2	Abundance of <i>Bemisia tabaci</i> Gennadius (Homoptera: Aleyrodidae) and its parasitoids on vegetables and cassava plants in Burkina Faso (West Africa). <i>Ecology and Evolution</i> , 2018, 8, 6091-6103.	1.9	17
3	Distribution of <i>Bemisia tabaci</i> (Homoptera: Aleyrodidae) biotypes and their associated symbiotic bacteria on host plants in West Africa. <i>Insect Conservation and Diversity</i> , 2013, 6, 411-421.	3.0	66
4	Molecular characterization of genetic diversity within the Africa/Middle East/Asia Minor and Sub-Saharan African groups of the <i>Bemisia tabaci</i> species complex. <i>International Journal of Pest Management</i> , 2013, 59, 329-338.	1.8	14
5	Evidence of diversity and recombination in Arsenophonus symbionts of the <i>Bemisia tabaci</i> species complex. <i>BMC Microbiology</i> , 2012, 12, S10.	3.3	41
6	Interaction between host genotype and environmental conditions affects bacterial density in Wolbachia symbiosis. <i>Biology Letters</i> , 2007, 3, 210-213.	2.3	107
7	Virulence, Multiple Infections and Regulation of Symbiotic Population in the Wolbachia-Asobara tabida Symbiosis. <i>Genetics</i> , 2004, 168, 181-189.	2.9	116
8	Wolbachia load variation in <i>Drosophila</i> is more likely caused by drift than by host genetic factors. , 0, 1, .	1	