

# Cleida A Oliveira

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2208162/publications.pdf>

Version: 2024-02-01

59  
papers

2,069  
citations

279701

23  
h-index

233338

45  
g-index

59  
all docs

59  
docs citations

59  
times ranked

2440  
citing authors

#	ARTICLE	IF	CITATIONS
1	TNF- $\hat{\pm}$ , CXCL-1 and IL-1 $\hat{\pm}^2$ as activators of the opioid system involved in peripheral analgesic control in mice. <i>European Journal of Pharmacology</i> , 2021, 896, 173900.	1.7	4
2	Altered expression of the vitamin D metabolizing enzymes CYP27B1 and CYP24A1 under the context of prostate aging and pathologies. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2021, 209, 105832.	1.2	4
3	Co-infection by <i>Salmonella enterica</i> subsp. <i>Enterica</i> serovar typhimurium and <i>Entamoeba dispar</i> pathogenic strains enhances colitis and the expression of amoebic virulence factors. <i>Microbial Pathogenesis</i> , 2021, 158, 105010.	1.3	1
4	Effects of high-dose bisphenol A on the mouse oral mucosa: A possible link with oral cancers. <i>Environmental Pollution</i> , 2021, 286, 117296.	3.7	8
5	Retinoic acid-loaded solid lipid nanoparticles surrounded by chitosan film support diabetic wound healing in in vivo study. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020, 188, 110749.	2.5	53
6	Targeting Wistar rat as a model for studying benign, premalignant and malignant lesions of the prostate. <i>Life Sciences</i> , 2020, 242, 117149.	2.0	8
7	Ion Pair Strategy in Solid Lipid Nanoparticles: a Targeted Approach to Improve Epidermal Targeting with Controlled Adapalene Release, Resulting Reduced Skin Irritation. <i>Pharmaceutical Research</i> , 2020, 37, 148.	1.7	10
8	Tumor-associated Macrophages (TAM) are recruited to the aging prostate epithelial lesions and become intermingled with basal cells. <i>Andrology</i> , 2020, 8, 1375-1386.	1.9	7
9	Oviduct morphology and estrogen receptors ER $\hat{\pm}$ and ER $\hat{\pm}^2$ expression in captive <i>Chinchilla lanigera</i> (Hystricomorpha: Chinchillidae). <i>General and Comparative Endocrinology</i> , 2019, 273, 32-39.	0.8	5
10	Seasonal variation of cell proliferation and apoptosis in the efferent ductules and epididymis of the Neotropical bat <i>Artibeus lituratus</i> (Chiroptera, Phyllostomidae). <i>General and Comparative Endocrinology</i> , 2019, 273, 3-10.	0.8	10
11	Reduced vitamin D receptor (VDR) expression and plasma vitamin D levels are associated with aging-related prostate lesions. <i>Prostate</i> , 2018, 78, 532-546.	1.2	12
12	Basal Cells Show Increased Expression of Aromatase and Estrogen Receptor $\hat{\pm}$ in Prostate Epithelial Lesions of Male Aging Rats. <i>Endocrinology</i> , 2018, 159, 723-732.	1.4	10
13	Atrazine affects the morphophysiology, tissue homeostasis and aromatase expression in the efferent ductules of adult rats with mild alterations in the ventral prostate. <i>Chemosphere</i> , 2018, 193, 958-967.	4.2	8
14	Profile of cell proliferation and apoptosis activated by the intrinsic and extrinsic pathways in the prostate of aging rats. <i>Prostate</i> , 2017, 77, 937-948.	1.2	12
15	Persistent testicular structural and functional alterations after exposure of adult rats to atrazine. <i>Reproductive Toxicology</i> , 2017, 73, 201-213.	1.3	14
16	A rare case of endometrioma in a bitch. <i>Acta Veterinaria Scandinavica</i> , 2015, 57, 31.	0.5	1
17	Changes in Estrogen Receptor ER $\hat{\pm}^2$ (ESR2) Expression without Changes in the Estradiol Levels in the Prostate of Aging Rats. <i>PLoS ONE</i> , 2015, 10, e0131901.	1.1	14
18	Mast cells in the colon of <i>Trypanosoma cruzi</i> -infected patients: are they involved in the recruitment, survival and/or activation of eosinophils?. <i>Parasitology Research</i> , 2015, 114, 1847-1856.	0.6	12

#	ARTICLE	IF	CITATIONS
19	The insulin receptor translocates to the nucleus to regulate cell proliferation in liver. <i>Hepatology</i> , 2014, 59, 274-283.	3.6	54
20	Effects of the oestrogen receptor antagonist Fulvestrant on expression of genes that affect organization of the epididymal epithelium. <i>Andrology</i> , 2014, 2, 559-571.	1.9	15
21	Differential expression and seasonal variation on aquaporins 1 and 9 in the male genital system of big fruit-eating bat <i>Artibeus lituratus</i> . <i>General and Comparative Endocrinology</i> , 2013, 186, 116-125.	0.8	16
22	Seasonal variation in estrogen receptor ER $\alpha$ , but not ER $\beta$ , androgen receptor and aromatase, in the efferent ductules and epididymis of the big fruit-eating bat <i>Artibeus lituratus</i> . <i>General and Comparative Endocrinology</i> , 2012, 179, 1-13.	0.8	12
23	Involvement of the transepithelial calcium transport disruption and the formation of epididymal stones in roosters. <i>Reproduction</i> , 2012, 143, 835-844.	1.1	8
24	Estrogen and Its Receptors in Efferent Ductules and Epididymis. <i>Journal of Andrology</i> , 2011, 32, 600-613.	2.0	107
25	Epididymal lithiasis in roosters: In the middle of the way there was a stone. <i>Life Sciences</i> , 2011, 89, 588-594.	2.0	8
26	Demasculinization and feminization of male gonads by atrazine: Consistent effects across vertebrate classes. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2011, 127, 64-73.	1.2	271
27	Angiotensin-(1-7) induces ovulation and steroidogenesis in perfused rabbit ovaries. <i>Experimental Physiology</i> , 2011, 96, 957-965.	0.9	37
28	Occurrence and cellular distribution of estrogen receptors ER $\alpha$ and ER $\beta$ in the testis and epididymal region of roosters. <i>General and Comparative Endocrinology</i> , 2011, 170, 597-603.	0.8	18
29	Comedolytic effect and reduced skin irritation of a new formulation of all-trans retinoic acid-loaded solid lipid nanoparticles for topical treatment of acne. <i>Archives of Dermatological Research</i> , 2011, 303, 513-520.	1.1	57
30	Roosters affected by epididymal lithiasis present local alteration in vitamin D3, testosterone and estradiol levels as well as estrogen receptor 2 (ER $\beta$ ) expression. <i>Reproduction</i> , 2011, 142, 439-446.	1.1	6
31	Changes in testicular morphology and steroidogenesis in adult rats exposed to Atrazine. <i>Reproductive Toxicology</i> , 2010, 29, 323-331.	1.3	121
32	Aspectos morfol3gicos, morfom3tricos e histoqu3micos dos t3bulos armazenadores de espermatozoides da f3mea do peru Meleagris gallopavo. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2009, 61, 72-79.	0.1	1
33	A new, major C27 biliary bile acid in the Red-winged tinamou ( <i>Rhynchotus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 182 Td (rufesc	2.0	6
34	Distribution of estrogen receptors (ER $\alpha$ and ER $\beta$ ) and androgen receptor in the testis of big fruit-eating bat <i>Artibeus lituratus</i> is cell- and stage-specific and increases during gonadal regression. <i>General and Comparative Endocrinology</i> , 2009, 161, 283-292.	0.8	23
35	Immunodiagnosis of human neurocysticercosis using a synthetic peptide selected by phage-display. <i>Clinical Immunology</i> , 2009, 131, 129-138.	1.4	31
36	Formation of ion pairing as an alternative to improve encapsulation and stability and to reduce skin irritation of retinoic acid loaded in solid lipid nanoparticles. <i>International Journal of Pharmaceutics</i> , 2009, 381, 77-83.	2.6	105

#	ARTICLE	IF	CITATIONS
37	Mast cell degranulation contributes to susceptibility to <i>Leishmania major</i> . <i>Parasite Immunology</i> , 2009, 31, 140-146.	0.7	26
38	Cellular and Regional Distributions of Ubiquitin-Proteasome and Endocytotic Pathway Components in the Epithelium of Rat Efferent Ductules and Initial Segment of the Epididymis. <i>Journal of Andrology</i> , 2009, 30, 590-601.	2.0	7
39	Comparative expression of androgen receptor in the testis and epididymal region of roosters ( <i>Gallus</i> ) <i>Tj ETQq1 1 0.784314 rgBT /Ove</i> 773-779.	0.8	22
40	Vitamin D3 and androgen receptors in testis and epididymal region of roosters ( <i>Gallus domesticus</i> ) as affected by epididymal lithiasis. <i>Animal Reproduction Science</i> , 2008, 109, 343-355.	0.5	33
41	17Beta-Estradiol Induces the Translocation of the Estrogen Receptors ESR1 and ESR2 to the Cell Membrane, MAPK3/1 Phosphorylation and Proliferation of Cultured Immature Rat Sertoli Cells1. <i>Biology of Reproduction</i> , 2008, 78, 101-114.	1.2	143
42	5 $\alpha$ -Androstane-3 $\beta$ ,17 $\beta$ -diol (3 $\beta$ -diol), an estrogenic metabolite of 5 $\alpha$ -dihydrotestosterone, is a potent modulator of estrogen receptor ER $\beta$ expression in the ventral prostate of adult rats. <i>Steroids</i> , 2007, 72, 914-922.	0.8	66
43	Distribution of vitamin D3 receptor in the epididymal region of roosters ( <i>Gallus domesticus</i> ) is cell and segment specific. <i>General and Comparative Endocrinology</i> , 2007, 150, 414-418.	0.8	13
44	Effects of the herbicide Roundup on the epididymal region of drakes <i>Anas platyrhynchos</i> . <i>Reproductive Toxicology</i> , 2007, 23, 182-191.	1.3	69
45	Effects of 3-beta-diol, an androgen metabolite with intrinsic estrogen-like effects, in modulating the aquaporin-9 expression in the rat efferent ductules. <i>Reproductive Biology and Endocrinology</i> , 2006, 4, 51.	1.4	55
46	Expression of different classes of immunoglobulin in intraepithelial plasma cells of the Harderian gland of domestic ducks <i>Anas platyrhynchos</i> . <i>Veterinary Immunology and Immunopathology</i> , 2006, 113, 257-266.	0.5	11
47	Aquaporin-1 and -9 are differentially regulated by oestrogen in the efferent ductule epithelium and initial segment of the epididymis. <i>Biology of the Cell</i> , 2005, 97, 385-395.	0.7	99
48	Differential hormonal regulation of estrogen receptors ER $\alpha$ and ER $\beta$ and androgen receptor expression in rat efferent ductules. <i>Reproduction</i> , 2004, 128, 73-86.	1.1	67
49	Location of the ureteral openings in the cloacas of tinamous, some ratite birds, and crocodilians: A primitive character. <i>Journal of Morphology</i> , 2004, 260, 234-246.	0.6	22
50	Intraepithelial plasma cells in the avian copulatory organ of two tinamou species: quantitative variation during the breeding season. <i>Anatomy and Embryology</i> , 2003, 207, 409-416.	1.5	3
51	The antiestrogen ICI 182,780 decreases the expression of estrogen receptor-alpha but has no effect on estrogen receptor-beta and androgen receptor in rat efferent ductules. <i>Reproductive Biology and Endocrinology</i> , 2003, 1, 75.	1.4	58
52	ER Function in the Adult Male Rat: Short- and Long-Term Effects of the Antiestrogen ICI 182,780 on the Testis and Efferent Ductules, without Changes in Testosterone. <i>Endocrinology</i> , 2002, 143, 2399-2409.	1.4	67
53	Epididymal lithiasis in roosters and efferent ductule and testicular damage. <i>Reproduction</i> , 2002, 124, 821-834.	1.1	20
54	ER Function in the Adult Male Rat: Short- and Long-Term Effects of the Antiestrogen ICI 182,780 on the Testis and Efferent Ductules, without Changes in Testosterone. <i>Endocrinology</i> , 2002, 143, 2399-2409.	1.4	23

#	ARTICLE	IF	CITATIONS
55	Infertility and Testicular Atrophy in the Antiestrogen-Treated Adult Male Rat. <i>Biology of Reproduction</i> , 2001, 65, 913-920.	1.2	80
56	Estrogens and epididymal function. <i>Reproduction, Fertility and Development</i> , 2001, 13, 273.	0.1	62
57	Morphology of the copulatory apparatus of the spotted tinamou <i>Nothura maculosa</i> (Aves.) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 T</i>	1.0	9
58	Sequential order of appearance of ossification centers in the opossum <i>Didelphis albiventris</i> (Didelphidae) skeleton during development in the Marsupium. <i>Annals of Anatomy</i> , 1998, 180, 113-121.	1.0	20
59	Cloacal morphology of <i>Nothura maculosa</i> (Temminck, 1815), Aves tinamiformes. <i>Annals of Anatomy</i> , 1996, 178, 471-476.	1.0	5