

Takashi Nakamura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/220833/publications.pdf>

Version: 2024-02-01

114
papers

2,351
citations

186265

28
h-index

233421

45
g-index

117
all docs

117
docs citations

117
times ranked

2421
citing authors

#	ARTICLE	IF	CITATIONS
1	Thermodynamic Analysis Enables Quantitative Evaluation of Lattice Oxygen Stability in Li-Ion Battery Cathodes. ACS Energy Letters, 2022, 7, 1687-1693.	17.4	14
2	V ⁴⁺ Dimerization and Magnetic State of Cobalt Ions in Ilmenite-Type CoVO ₃ . Inorganic Chemistry, 2022, 61, 7841-7846.	4.0	5
3	High-temperature ionic logic gates composed of an ionic rectifying solid ^{state} electrolyte interface. RSC Advances, 2022, 12, 18501-18506.	3.6	0
4	La _{0.8} Sr _{0.2} Co _{1-x} Ni _x O _{3-δ} as the Efficient Triple Conductor Air Electrode for Protonic Ceramic Cells. ACS Applied Energy Materials, 2021, 4, 554-563.	5.1	34
5	Oxygen defect engineering for the Li-rich cathode material Li _{1.2} Ni _{0.13} Co _{0.13} Mn _{0.54} O _{2+δ} . Journal of Materials Chemistry A, 2021, 9, 3657-3667.	10.3	46
6	Lattice Oxygen Instability in Oxide ^{ion} -Based Intercalation Cathodes: A Case Study of Layered LiNi _{1/3} Co _{1/3} Mn _{1/3} O ₂ . Advanced Energy Materials, 2021, 11, 2101005.	19.5	34
7	Experimental Evaluation of Influence of Stress on Li Chemical Potential and Phase Equilibrium in Two-phase Battery Electrode Materials. Electrochemistry, 2021, 89, 355-362.	1.4	6
8	In Situ Evaluation of the Influence of Interstitial Oxygen on the Elastic Modulus of La ₂ NiO ₄ . Metals, 2021, 11, 1889.	2.3	0
9	Impact of Oxygen Defects on Electrochemical Processes and Charge Compensation of Li-Rich Cathode Material Li _{1.2} Mn _{0.6} Ni _{0.2} O _{2+δ} . ACS Applied Energy Materials, 2020, 3, 9703-9713.	5.1	24
10	From Liquid- to Solid-State Batteries: Ion Transfer Kinetics of Heteroionic Interfaces. Electrochemical Energy Reviews, 2020, 3, 221-238.	25.5	117
11	Influence of Active Material Loading on Electrochemical Reactions in Composite Solid-State Battery Electrodes Revealed by <i>Operando</i> 3D CT-XANES Imaging. ACS Applied Energy Materials, 2020, 3, 7782-7793.	5.1	29
12	3D <i>Operando</i> Imaging and Quantification of Inhomogeneous Electrochemical Reactions in Composite Battery Electrodes. Journal of Physical Chemistry Letters, 2020, 11, 3629-3636.	4.6	35
13	Effect of post-deposition annealing in oxygen atmosphere on LiCoMnO ₄ thin films for ⁵ V lithium batteries. Thin Solid Films, 2019, 686, 137433.	1.8	3
14	Morphological Effect on Reaction Distribution Influenced by Binder Materials in Composite Electrodes for Sheet-type All-Solid-State Lithium-Ion Batteries with the Sulfide-based Solid Electrolyte. Journal of Physical Chemistry C, 2019, 123, 3292-3298.	3.1	53
15	Defect chemical studies on oxygen release from the Li-rich cathode material Li _{1.2} Mn _{0.6} Ni _{0.2} O _{2+δ} . Journal of Materials Chemistry A, 2019, 7, 5009-5019.	10.3	47
16	Influence of microstructures on conductivity in Tysonite-type fluoride ion conductors. Solid State Ionics, 2019, 338, 113-120.	2.7	16
17	Evaluation of the Electronic and Local Structure of Mn in Proton-Conducting Oxide, Ca(Zr,Mn)O _{3+δ} , To Elucidate a Direct Hydrogen Dissolution Reaction. Journal of Physical Chemistry C, 2019, 123, 16034-16045.	3.1	1
18	Guidelines for All-Solid-State Battery Design and Electrode Buffer Layers Based on Chemical Potential Profile Calculation. ACS Applied Materials & Interfaces, 2019, 11, 19968-19976.	8.0	77

#	ARTICLE	IF	CITATIONS
19	High-valence-state manganate($\text{Ba}_3\text{Mn}_2\text{O}_8$) as an efficient anode of a proton-conducting solid oxide steam electrolyzer. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 1587-1597.	6.0	8
20	Operando Observation of Formation and Annihilation of Inhomogeneous Reaction Distribution in a Composite Electrode for Lithium-ion Batteries. <i>Batteries and Supercaps</i> , 2019, 2, 688-694.	4.7	14
21	Evaluation of electrochemical properties of $\text{LaNi}_0.6\text{Fe}_0.4\text{O}_3$ - $\text{Ce}_0.9\text{Gd}_0.1\text{O}_{1.95}$ composite as air electrode for SOFC. <i>Solid State Ionics</i> , 2019, 332, 70-76.	2.7	15
22	Investigation of rate-determining step of $\text{LaNi}_0.6\text{Co}_0.4\text{O}_3$ film electrode. <i>Journal of Solid State Electrochemistry</i> , 2018, 22, 2227-2235.	2.5	2
23	Electrochemical performance of $\text{LaNi}_0.6\text{Co}_0.4\text{O}_3$ - $\text{Ce}_0.9\text{Gd}_0.1\text{O}_{1.95}$ composite electrode and evaluation of its effective reaction length. <i>Journal of Solid State Electrochemistry</i> , 2018, 22, 3955-3963.	2.5	5
24	Energy efficiency of ionic transport through proton conducting ceramic electrolytes for energy conversion applications. <i>Journal of Materials Chemistry A</i> , 2018, 6, 15771-15780.	10.3	55
25	Effect of Cation Ordering on the Performance and Chemical Stability of Layered Double Perovskite Cathodes. <i>Materials</i> , 2018, 11, 196.	2.9	43
26	Visualization of Inhomogeneous Reaction Distribution in the Model LiCoO_2 Composite Electrode of Lithium Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2017, 121, 2118-2124.	3.1	35
27	Defect chemistry and thermodynamic properties of proton dissolution into $\text{BaZr}_{0.9}\text{Y}_{0.1}\text{O}_{3-\delta}$. <i>Solid State Ionics</i> , 2017, 303, 12-15.	2.7	5
28	(Invited) Triple Phase Boundary Reaction in a Mixed-Conducting SOFC Cathode. <i>ECS Transactions</i> , 2017, 77, 41-47.	0.5	7
29	Operando Soft X-ray Absorption Spectroscopic Study on a Solid Oxide Fuel Cell Cathode during Electrochemical Oxygen Reduction. <i>ChemSusChem</i> , 2017, 10, 2008-2014.	6.8	20
30	Electronic conduction mechanism and defect chemical model of $\text{LaNi}_0.4\text{Fe}_0.6\text{O}_3$. <i>Solid State Ionics</i> , 2017, 310, 148-153.	2.7	3
31	Evaluation of electrical conductivity and oxygen diffusivity of the typical Ruddlesden-Popper oxide $\text{Sr}_3\text{Fe}_2\text{O}_7$. <i>Ceramics International</i> , 2017, 43, 16264-16269.	4.8	18
32	Materials Properties for the Simulation of Electro-Chemo-Mechanical Coupling Behavior of SOFC. <i>ECS Transactions</i> , 2017, 78, 2309-2316.	0.5	1
33	Contribution of Triple-Phase Boundary Reaction in Cathodic Reaction of Solid Oxide Fuel Cell. <i>ECS Transactions</i> , 2017, 78, 847-853.	0.5	3
34	Mechanism of Chromium Poisoning in SOFC Cathode Investigated by Using Pattern Thin Film Model Electrode. <i>ECS Transactions</i> , 2017, 78, 965-970.	0.5	4
35	Oxygen reduction reaction process of $\text{LaNi}_0.6\text{Fe}_0.4\text{O}_3$ film porous $\text{Ce}_0.9\text{Gd}_0.1\text{O}_{1.95}$ heterostructure electrode. <i>Solid State Ionics</i> , 2017, 312, 80-87.	2.7	10
36	The influence of crystal orientation on the change in Li chemical potential of LiCoO_2 under mechanical stress. <i>Solid State Ionics</i> , 2017, 299, 8-12.	2.7	4

#	ARTICLE	IF	CITATIONS
37	Visualization of the reaction distribution in a composite cathode for an all-solid-state lithium-ion battery. Journal of the Ceramic Society of Japan, 2017, 125, 299-302.	1.1	13
38	Preparation of Metaettringite from Ettringite and Its Performance for Boron Removal from Boric Acid Solution. Materials Transactions, 2017, 58, 1761-1767.	1.2	7
39	Nonstoichiometry and the Origin of Electrochemical Properties of Functional Oxides for Energy Conversion and Storage Technologies. Electrochemistry, 2017, 85, 552-558.	1.4	1
40	In-situ Simultaneous Soft X-ray Absorption and Emission Spectroscopy under Controlled Atmosphere and Temperature. Electrochemistry, 2016, 84, 793-796.	1.4	6
41	Oxygen Nonstoichiometry and Thermodynamic Explanation of Large Oxygen Deficient Ruddlesden-Popper Oxides $\text{La}_{1-x}\text{Sr}_{3x}\text{Fe}_2\text{O}_{7-\delta}$. Journal of the American Ceramic Society, 2016, 99, 3792-3801.	3.8	12
42	Chemically-induced structural deformation of layered perovskite oxides. , 2016, , .		1
43	Evaluation of Li chemical potential of mechanically stressed LiCoO_2 . , 2016, , .		0
44	Tailoring the chemical stability of cobalt-rich perovskite mixed conductor. Solid State Ionics, 2016, 288, 2-5.	2.7	7
45	Oxygen nonstoichiometry and transport properties of $\text{LaNi}_{0.6}\text{Co}_{0.4}\text{O}_{3-\delta}$. Solid State Ionics, 2016, 292, 52-58.	2.7	5
46	Bismuth and indium co-doping strategy for developing stable and efficient barium zirconate-based proton conductors for high-performance H-SOFCs. Journal of the European Ceramic Society, 2016, 36, 3423-3431.	5.7	52
47	The determining factor for interstitial oxygen formation in Ruddlesden-Popper type La_2NiO_4 -based oxides. Physical Chemistry Chemical Physics, 2016, 18, 1564-1569.	2.8	36
48	Electromotive force measurements of LiCoO_2 electrode on a lithium ion-conducting glass ceramics under mechanical stress. Solid State Ionics, 2016, 285, 75-78.	2.7	14
49	Oxygen nonstoichiometry and thermodynamic quantities in the Ruddlesden-Popper oxides $\text{LaSr}_3\text{Fe}_2\text{O}_7$. Solid State Ionics, 2016, 288, 298-302.	2.7	21
50	Theoretical study on temperature effect of electronic structure and spin state in LaCoO_3 by using density functional theory. Solid State Ionics, 2016, 285, 195-201.	2.7	12
51	Effect of Mechanical Stress on Lithium Chemical Potential in Positive Electrodes and Solid Electrolytes for Lithium Ion Batteries. Electrochemistry, 2015, 83, 894-897.	1.4	13
52	Oxygen nonstoichiometry, the defect equilibrium model and thermodynamic quantities of the Ruddlesden-Popper oxide $\text{Sr}_3\text{Fe}_2\text{O}_7$. Physical Chemistry Chemical Physics, 2015, 17, 7489-7497.	2.8	33
53	Oxygen Nonstoichiometry and Electrochemical Properties of $\text{LaNiO}_{3-\delta}$. ECS Transactions, 2015, 66, 177-183.	0.5	6
54	The effect of interstitial oxygen formation on the crystal lattice deformation in layered perovskite oxides for electrochemical devices. Journal of Materials Chemistry A, 2015, 3, 10471-10479.	10.3	40

#	ARTICLE	IF	CITATIONS
55	(Invited) Determination of Effective Reaction Area in a Mixed-Conducting SOFC Cathode. ECS Transactions, 2015, 66, 129-135.	0.5	1
56	Solvation Mechanism of Task-Specific Ionic Liquids in Water: A Combined Investigation Using Classical Molecular Dynamics and Density Functional Theory. Journal of Physical Chemistry B, 2015, 119, 12894-12904.	2.6	16
57	Theoretical Modeling of Oxygen and Water Adsorption on Indium Oxide (111) Surface. ACS Symposium Series, 2015, , 137-149.	0.5	4
58	Electrochemical Study of $\text{LaNi}_{0.6}\text{Fe}_{0.4}\text{O}_{3-\delta}$ Film Electrode. Journal of the Electrochemical Society, 2015, 162, F1445-F1450.	2.9	5
59	Quantitative Evaluation of Electrochemically Active Area in an SOFC Cathode by Oxygen Isotopic Exchange Measurements of a Model Patterned Electrode. ECS Transactions, 2015, 68, 623-630.	0.5	1
60	Evaluation of the effective reaction zone in a composite cathode for lithium ion batteries. Solid State Ionics, 2014, 262, 66-69.	2.7	11
61	Influence of Surface/Interface on the Performance of MIEC Cathode for SOFC. ECS Transactions, 2014, 61, 37-46.	0.5	0
62	Theoretical evaluation on solubility of synthesized task specific ionic liquids in water. Journal of Molecular Liquids, 2014, 200, 232-237.	4.9	8
63	Effect of Nb doping on the chemical stability of BSCF-based solid solutions. Solid State Ionics, 2014, 262, 719-723.	2.7	37
64	Analysis of structural phase transition behavior of Ln_2NiO_4 (Ln: Nd, Pr) with variation of oxygen content. Solid State Ionics, 2014, 262, 724-727.	2.7	8
65	The crystal structure, oxygen nonstoichiometry and chemical stability of $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$ (BSCF). Physical Chemistry Chemical Physics, 2014, 16, 7307.	2.8	38
66	Chemically-induced expansion of $\text{Zr}_{0.2}\text{Ce}_{0.8}\text{O}_{2-\delta}$. Solid State Ionics, 2014, 261, 1-4.	2.7	12
67	Development of in situ soft X-ray absorption spectroscopic technique under high temperature and controlled atmosphere. Solid State Ionics, 2014, 262, 911-913.	2.7	8
68	Evaluation of High-temperature Electronic and Electrochemical Properties of the Strained $\text{La}_{1-x}\text{Sr}_x\text{CoO}_{3-\delta}$ Films Prepared by a Pulsed Laser Deposition Technique. Electrochemistry, 2014, 82, 884-890.	1.4	1
69	Oxygen Nonstoichiometry of $\text{Ce}_{0.6}\text{La}_{0.4}\text{O}_{2-\delta}$. ECS Transactions, 2013, 57, 1125-1133.	0.5	3
70	Oxygen Nonstoichiometry and Electrochemical Properties in a Thin Film of Nickel Substituted Lanthanum Cobaltite for SOFCs. ECS Transactions, 2013, 57, 1893-1899.	0.5	2
71	Direct Evaluation of Oxygen Chemical Potential Distribution in an SOFC Cathode by In Situ X-Ray Absorption Spectroscopy. ECS Transactions, 2013, 57, 1925-1932.	0.5	6
72	Electronic Structures of LaCoO_3 -Based Oxides Studied by Soft X-ray Absorption Spectroscopy under Controlled Temperatures and Oxygen Partial Pressures. ECS Transactions, 2013, 57, 2051-2056.	0.5	2

#	ARTICLE	IF	CITATIONS
73	Structural Changes of Ni/YSZ Cermet for Solid Oxide Fuel Cells in Hydrocarbon Gas Containing Atmospheres. ECS Transactions, 2013, 57, 1539-1544.	0.5	3
74	The Effect of Cation Substitution on Chemical Stability of Ba _{0.5} Sr _{0.5} Co _{0.8} Fe _{0.2} O _{3-δ} -Based Mixed Conductors. ECS Transactions, 2013, 57, 2041-2049.	0.5	1
75	Elution of Hexavalent Chromium from Molten Sewage Sludge Slag: Influence of Sample Basicity and Cooling Rate. Industrial & Engineering Chemistry Research, 2013, 52, 3903-3909.	3.7	8
76	Analysis of structural phase transition of Nd ₂ NiO _{4+δ} by scanning thermal measurement under controlled oxygen partial pressure. Thermochimica Acta, 2011, 523, 46-50.	2.7	15
77	Thermally-induced and chemically-induced structural changes in layered perovskite-type oxides Nd _{2-x} Sr _{x} NiO ₄₊ ($x = 0, 0.2, 0.4$). Solid State Ionics, 2010, 181, 402-411.	2.7	39
78	Electrical conductivity, Seebeck coefficient, and defect structure of oxygen nonstoichiometric Nd _{2-x} Sr _{x} NiO ₄₊ . Materials Chemistry and Physics, 2010, 122, 250-258.	4.0	30
79	Reducible and non-reducible defect clusters in tin-doped indium oxide. Solid State Communications, 2010, 150, 18-21.	1.9	5
80	Structural analysis of La _{2-x} Sr _{x} NiO ₄₊ by high temperature X-ray diffraction. Solid State Ionics, 2010, 181, 292-299.	2.7	45
81	Oxygen Nonstoichiometry and Defect Equilibrium in La _{2-x} Sr _{x} NiO _{4+δ} . ECS Transactions, 2009, 16, 193-198.	0.5	0
82	Composite Cathode of Perovskite-Related Oxides, (La,Sr)CoO _{3+δ} •(La,Sr) ₂ CoO _{4+δ} , for Solid Oxide Fuel Cells. Electrochemical and Solid-State Letters, 2009, 12, B135.	2.2	45
83	Oxygen Nonstoichiometry, Crystal Structure, and Mechanical Properties of La ₂ NiO _{4+δ} . ECS Transactions, 2009, 25, 2573-2580.	0.5	9
84	Electronic Properties and Oxygen Nonstoichiometry of Mixed-conducting Oxide La _{1-x} Sr _{x} CoO _{3+δ} Thin Films at High Temperature. ECS Transactions, 2009, 16, 311-316.	0.5	2
85	Oxygen nonstoichiometry and defect equilibrium in La _{2-x} Sr _{x} NiO ₄₊ . Solid State Ionics, 2009, 180, 368-376.	2.7	111
86	Defect chemical and statistical thermodynamic studies on oxygen nonstoichiometric Nd _{2-x} Sr _{x} NiO ₄₊ . Solid State Ionics, 2009, 180, 1406-1413.	2.7	17
87	Thermodynamic quantities and defect equilibrium in La _{2-x} Sr _{x} NiO ₄₊ . Journal of Solid State Chemistry, 2009, 182, 1121-1128.	2.9	17
88	Oxygen nonstoichiometry and chemical stability of Nd _{2-x} Sr _{x} NiO ₄₊ . Journal of Solid State Chemistry, 2009, 182, 1533-1537.	2.9	22
89	Electronic state of oxygen nonstoichiometric La _{2-x} Sr _{x} NiO _{4+δ} at high temperatures. Physical Chemistry Chemical Physics, 2009, 11, 3055.	2.8	52
90	Electrical Conductivity and Thermoelectric Power of La _{2-x} Sr _{x} NiO _{4+δ} . ECS Transactions, 2009, 16, 317-325.	0.5	2

#	ARTICLE	IF	CITATIONS
91	Determination of the Reaction Zone in Gadolinia-Doped Ceria Anode for Solid Oxide Fuel Cell. Journal of the Electrochemical Society, 2008, 155, B1244.	2.9	48
92	Electrochemical Behaviors of Mixed Conducting Oxide Anodes for Solid Oxide Fuel Cell. Journal of the Electrochemical Society, 2008, 155, B563.	2.9	49
93	Promotion of Oxygen Surface Reaction at the Hetero-Interface of (La,Sr)CoO ₃ / (La,Sr) ₂ CoO ₄ . ECS Transactions, 2007, 7, 1055-1060.	0.5	11
94	Electrode Performance at Hetero-interface of Perovskite-related Oxides, (La, Sr)CoO _{3-δ} / (La, Sr) ₂ CoO _{4-δ} . ECS Transactions, 2007, 7, 1287-1292.	0.5	10
95	Electrochemical Behaviors of Mixed Conducting Oxide Anodes for SOFC. ECS Transactions, 2007, 7, 1601-1607.	0.5	0
96	Interstitial Oxygen and Dopant Atoms Arrangement in Tin-Doped Indium Oxide. Materials Transactions, 2007, 48, 666-669.	1.2	13
97	Helium Production Due to Neutron Streaming through Small Circular Ducts in a Fusion Reactor Blanket by Analytical Fitting from Monte Carlo Calculation Results. Fusion Science and Technology, 2003, 43, 559-568.	1.1	0
98	Projectile Dependency of Radioactivities of Spallation Products Induced in Copper. Journal of Nuclear Science and Technology, 2002, 39, 1179-1182.	1.3	2
99	High Energy Neutron Activation Cross Sections. Journal of Nuclear Science and Technology, 2002, 39, 1392-1395.	1.3	1
100	Correlation between Tritium and ¹⁵² Eu Induced in Various Types of Concrete by Thermal Neutron Irradiation. Journal of Nuclear Science and Technology, 2002, 39, 215-225.	1.3	8
101	Development of Heavy Ion Transport Monte Carlo Code. Journal of Nuclear Science and Technology, 2002, 39, 1013-1016.	1.3	0
102	Raw Materials for Low-Activation Concrete Neutron Shields. Journal of Nuclear Science and Technology, 2002, 39, 1275-1280.	1.3	30
103	Development of General-Purpose Particle and Heavy Ion Transport Monte Carlo Code. Journal of Nuclear Science and Technology, 2002, 39, 1142-1151.	1.3	355
104	Development of General-Purpose Particle and Heavy Ion Transport Monte Carlo Code.. Journal of Nuclear Science and Technology, 2002, 39, 1142-1151.	1.3	143
105	Raw Materials for Low-Activation Concrete Neutron Shields.. Journal of Nuclear Science and Technology, 2002, 39, 1275-1280.	1.3	4
106	Correlation between Tritium and ¹⁵² Eu Induced in Various Types of Concrete by Thermal Neutron Irradiation.. Journal of Nuclear Science and Technology, 2002, 39, 215-225.	1.3	2
107	Development of a Thermal Neutron Reference Field Using a Graphite Pile at the High Energy Accelerator Organization.. Japanese Journal of Health Physics, 2002, 37, 118-127.	0.1	0
108	Response Function Measurements of the Self-TOF Neutron Detector for Neutrons up to 800 MeV. Journal of Nuclear Science and Technology, 2001, 38, 8-14.	1.3	4

#	ARTICLE	IF	CITATIONS
109	Response Function Measurements of the Self-TOF Neutron Detector for Neutrons up to 800 MeV.. Journal of Nuclear Science and Technology, 2001, 38, 8-14.	1.3	3
110	Outline of a Practical Manual on Shielding Calculation of Radiation Facilities. Japanese Journal of Health Physics, 2001, 36, 3-5.	0.1	0
111	About Special Issue "Experiences in Criticality Accident of JCO". Japanese Journal of Health Physics, 2000, 35, 3-3.	0.1	0
112	Superdirective cascaded dipole array. Electronics and Communications in Japan, 1992, 75, 80-88.	0.1	0
113	A design of wide-bandpass filter using transmission lines and lumped capacitances. Electronics and Communications in Japan, Part III: Fundamental Electronic Science (English Translation of Denshi) 1991, 74, 10-14.	0.78	1
114	Loop antenna with a branch wire for circular polarization. Electronics and Communications in Japan, 1987, 70, 110-117.	0.1	8