

Massimo Iacoviello

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2209464/massimo-iacoviello-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

3,535
citations

29
h-index

55
g-index

184
ext. papers

4,258
ext. citations

3.6
avg, IF

4.88
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 154 | Renal effects of SGLT2 inhibitors in cardiovascular patients with and without chronic kidney disease: focus on heart failure and renal outcomes.. <i>Heart Failure Reviews</i> , 2022 , 1 | 5 | 1 |
| 153 | Arrhythmic myocarditis in an adolescent male: A unique presentation of multi-organ inflammatory syndrome (MIS-C).. <i>American Journal of Emergency Medicine</i> , 2022 , 54, 122-126 | 2.9 | |
| 152 | Age-related changes in clinical characteristics and outcomes of chronic heart failure outpatients in a cardiology setting. A report from the Italian Network on Heart Failure. <i>International Journal of Cardiology</i> , 2022 , 346, 36-44 | 3.2 | 0 |
| 151 | Influence of Heart Rate on Left and Right Ventricular Longitudinal Strain in Patients with Chronic Heart Failure. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 556 | 2.6 | 0 |
| 150 | Incorporating Baseline Outcome Data in Individual Participant Data Meta-Analysis of Non-randomized Studies.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 774251 | 5 | |
| 149 | Respiratory failure and bioelectrical phase angle are independent predictors for long-term survival in acute heart failure.. <i>Scandinavian Cardiovascular Journal</i> , 2022 , 56, 28-34 | 2 | 0 |
| 148 | Insulin-like growth factor-1 (IGF-1) as predictor of cardiovascular mortality in heart failure patients: data from the T.O.S.CA. registry.. <i>Internal and Emergency Medicine</i> , 2022 , 1 | 3.7 | 0 |
| 147 | Diabetes leading to heart failure and heart failure leading to diabetes: epidemiological and clinical evidence.. <i>Heart Failure Reviews</i> , 2022 , 1 | 5 | 2 |
| 146 | The PONTE (PDTA FOR INTEGRATED FOLLOW-UP TERRITORY HOSPITAL OF THE PATIENT WITH CARDIAC HEART FAILURE) (BRIDGE) Heart Failure project: increased adherence to guideline-recommended therapies through web-based shared clinical database. <i>European Heart Journal Supplements</i> , 2022 , 24, e001-0001 | 1.5 | |
| 145 | Brain Natriuretic Peptide Biomarkers in Current Clinical and Therapeutic Scenarios of Heart Failure. <i>Journal of Clinical Medicine</i> , 2022 , 11, 3192 | 5.1 | 0 |
| 144 | Predictors of clinical improvement with sacubitril/valsartan in a real world population with chronic heart failure. <i>Journal of Cardiovascular Medicine</i> , 2021 , 22, 508-510 | 1.9 | 1 |
| 143 | Pathophysiology of Takotsubo syndrome – a joint scientific statement from the Heart Failure Association Takotsubo Syndrome Study Group and Myocardial Function Working Group of the European Society of Cardiology – Part 2: vascular pathophysiology, gender and sex hormones, genetics, chronic cardiovascular problems and clinical implications. <i>European Journal of Heart Failure</i> , 2021 | 12.3 | 6 |
| 142 | Endocrine system dysfunction and chronic heart failure: a clinical perspective. <i>Endocrine</i> , 2021 , 1 | 4 | 1 |
| 141 | Prevalence, clinical impact and costs of hyperkalaemia: Special focus on heart failure. <i>European Journal of Clinical Investigation</i> , 2021 , 51, e13551 | 4.6 | 2 |
| 140 | Eligibility of outpatients with chronic heart failure for sodium-glucose co-transporter-2 inhibitors. <i>ESC Heart Failure</i> , 2021 , 8, 2951-2958 | 3.7 | 4 |
| 139 | Multivessel spontaneous coronary artery dissection and Crohn's disease. <i>Journal of Cardiovascular Medicine</i> , 2021 , 22, e26-e28 | 1.9 | 0 |
| 138 | Recent advances in pharmacological treatment of heart failure. <i>European Journal of Clinical Investigation</i> , 2021 , 51, e13624 | 4.6 | 5 |

| | | | |
|-----|--|------|---|
| 137 | Biomarkers in Cardiorenal Syndrome. <i>Journal of Clinical Medicine</i> , 2021 , 10, | 5.1 | 4 |
| 136 | Baseline and incident hypochloremia in chronic heart failure outpatients: Clinical correlates and prognostic role. <i>European Journal of Internal Medicine</i> , 2021 , 84, 32-37 | 3.9 | 0 |
| 135 | Coronary thrombosis due to heparin-induced thrombocytopenia after percutaneous coronary intervention: Easy to miss, uneasy to prevent. <i>Clinical Case Reports (discontinued)</i> , 2021 , 9, 90-92 | 0.7 | 2 |
| 134 | Local peribulbar anesthesia before glaucoma filtering surgery in a patient with Brugada syndrome. <i>European Journal of Ophthalmology</i> , 2021 , 31, NP39-NP42 | 1.9 | 2 |
| 133 | Infection, atherothrombosis and thromboembolism beyond the COVID-19 disease: what similar in physiopathology and researches. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 273-278 | 4.8 | 4 |
| 132 | Multiple hormonal and metabolic deficiency syndrome predicts outcome in heart failure: the T.O.S.CA. Registry. <i>European Journal of Preventive Cardiology</i> , 2021 , | 3.9 | 6 |
| 131 | Cardiac contractility modulation in left ventricular systolic dysfunction: trick or treat?. <i>Minerva Cardiology and Angiology</i> , 2021 , 69, 12-14 | 2.4 | |
| 130 | Continuous flow left ventricular assist devices do not worsen endothelial function in subjects with chronic heart failure: a pilot study. <i>ESC Heart Failure</i> , 2021 , 8, 3587-3593 | 3.7 | 3 |
| 129 | The Evolving Phenotypes of Cardiovascular Disease during COVID-19 Pandemic. <i>Cardiovascular Drugs and Therapy</i> , 2021 , 1 | 3.9 | 2 |
| 128 | ANMCO POSITION PAPER: Use of sacubitril/valsartan in hospitalized patients with acute heart failure. <i>European Heart Journal Supplements</i> , 2021 , 23, C176-C183 | 1.5 | 1 |
| 127 | Prognostic role of neoplastic markers in Takotsubo syndrome. <i>Scientific Reports</i> , 2021 , 11, 16548 | 4.9 | 1 |
| 126 | Remodelling is inversely proportional to left ventricular dimensions in a real-life population of patients with chronic heart failure after therapy with sacubitril/valsartan. <i>Acta Cardiologica</i> , 2021 , 1-6 | 0.9 | 1 |
| 125 | ANMCO POSITION PAPER: on administration of type 2 sodium-glucose co-transporter inhibitors to prevent heart failure in diabetic patients and to treat heart failure patients with and without diabetes. <i>European Heart Journal Supplements</i> , 2021 , 23, C184-C195 | 1.5 | 2 |
| 124 | Switch to SGLT2 Inhibitors and Improved Endothelial Function in Diabetic Patients with Chronic Heart Failure. <i>Cardiovascular Drugs and Therapy</i> , 2021 , 1 | 3.9 | 3 |
| 123 | Revascularization rates with coronary angioplasty and mortality in type 2 myocardial infarction: A meta-regression analysis. <i>American Journal of Emergency Medicine</i> , 2021 , 47, 145-148 | 2.9 | 0 |
| 122 | The Prognostic Impact of Estimated Creatinine Clearance by Bioelectrical Impedance Analysis in Heart Failure: Comparison of Different eGFR Formulas. <i>Biomedicine</i> , 2021 , 9, | 4.8 | 2 |
| 121 | Disease-modifier Drugs in Patients with Advanced Heart Failure: How to Optimize Their Use?. <i>Heart Failure Clinics</i> , 2021 , 17, 561-573 | 3.3 | 1 |
| 120 | Pathophysiology of Takotsubo Syndrome - a joint scientific statement from the Heart Failure Association Takotsubo Syndrome Study Group and Myocardial Function Working Group of the European Society of Cardiology - Part 1: Overview and the central role for catecholamines and sympathetic nervous system. <i>European Journal of Heart Failure</i> , 2021 , | 12.3 | 3 |

| | | | |
|-----|--|-----|----|
| 119 | Meta-analysis study on direct oral anticoagulants vs warfarin therapy in atrial fibrillation and PCI: Dual or triple approach?. <i>IJC Heart and Vasculature</i> , 2020 , 29, 100569 | 2.4 | 1 |
| 118 | Mineralcorticoid Receptor Antagonist Withdrawal for Hyperkalemia and Mortality in Patients with Heart Failure. <i>CardioRenal Medicine</i> , 2020 , 10, 145-153 | 2.8 | 1 |
| 117 | Right Ventricular Function in Chronic Heart Failure: From the Diagnosis to the Therapeutic Approach. <i>Journal of Cardiovascular Development and Disease</i> , 2020 , 7, | 4.2 | 7 |
| 116 | Heart Failure With Mid-range or Recovered Ejection Fraction: Differential Determinants of Transition. <i>Cardiac Failure Review</i> , 2020 , 6, e28 | 4.2 | 5 |
| 115 | Epidemiology of cardiomyopathies: essential context knowledge for a tailored clinical work-up. <i>European Journal of Preventive Cardiology</i> , 2020 , | 3.9 | 1 |
| 114 | Metformin: Up to Date. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2020 , 20, 172-181 | 2.2 | 3 |
| 113 | Thyroid Disorders and Prognosis in Chronic Heart Failure: A Long-Term Follow-Up Study. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2020 , 20, 437-445 | 2.2 | 3 |
| 112 | Congestive Heart Failure and Thyroid Dysfunction: The Role of the Low T3 Syndrome and Therapeutic Aspects. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2020 , 20, 646-653 | 2.2 | 6 |
| 111 | The PARAGON-HF trial: the sacubitril/valsartan in heart failure with preserved ejection fraction. <i>European Heart Journal Supplements</i> , 2020 , 22, L77-L81 | 1.5 | 4 |
| 110 | Glucose Metabolism in the Kidney: Neurohormonal Activation and Heart Failure Development. <i>Journal of the American Heart Association</i> , 2020 , 9, e018889 | 6 | 15 |
| 109 | Multiparametric approach to congestion for predicting long-term survival in heart failure. <i>Journal of Cardiology</i> , 2020 , 75, 47-52 | 3 | 17 |
| 108 | Serum biochemical determinants of peripheral congestion assessed by bioimpedance vector analysis in acute heart failure. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2019 , 48, 395-399 | 2.6 | 9 |
| 107 | Cardiac Biomarkers in the Emergency Department: The Role of Soluble ST2 (sST2) in Acute Heart Failure and Acute Coronary Syndrome-There is Meat on the Bone. <i>Journal of Clinical Medicine</i> , 2019 , 8, | 5.1 | 27 |
| 106 | New Frontiers in the Therapeutic Approach of Patients with Cardiovascular and Endocrine Diseases. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2019 , 19, 605-621 | 2.2 | 3 |
| 105 | Bioimpedance vector analysis predicts hospital length of stay in acute heart failure. <i>Nutrition</i> , 2019 , 61, 56-60 | 4.8 | 20 |
| 104 | Consensus document ANMCO/FADOI/SIAARTI/SIC/SIMG/SIMI/SIMEU: The clinical-diagnostic and therapeutic pathway of patients with acute heart failure in the Emergency Department. <i>Italian Journal of Medicine</i> , 2019 , 13, 247-276 | 0.5 | |
| 103 | Association between high Gal-3 serum levels and worsening of renal function in chronic heart failure outpatients. <i>Biomarkers in Medicine</i> , 2019 , 13, 707-713 | 2.3 | 9 |
| 102 | Low thyroid function is not associated with an accelerated deterioration in renal function. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 650-659 | 4.3 | 20 |

| | | | |
|-----|---|------|----|
| 101 | Measures of hospital competition and their impact on early mortality for congestive heart failure, acute myocardial infarction and cardiac surgery. <i>International Journal for Quality in Health Care</i> , 2019 , 31, 598-605 | 1.9 | 1 |
| 100 | Multiple hormonal and metabolic deficiency syndrome in chronic heart failure: rationale, design, and demographic characteristics of the T.O.S.C.A. Registry. <i>Internal and Emergency Medicine</i> , 2018 , 13, 661-671 | 3.7 | 29 |
| 99 | Heart and brain interaction in patients with heart failure: overview and proposal for a taxonomy. A position paper from the Study Group on Heart and Brain Interaction of the Heart Failure Association. <i>European Journal of Heart Failure</i> , 2018 , 20, 199-215 | 12.3 | 77 |
| 98 | Heart failure risk and major cardiovascular events in diabetes: an overview of within-group differences in non-insulin antidiabetic treatment. <i>Heart Failure Reviews</i> , 2018 , 23, 469-479 | 5 | 4 |
| 97 | The effects of heart rate control in chronic heart failure with reduced ejection fraction. <i>Heart Failure Reviews</i> , 2018 , 23, 527-535 | 5 | 8 |
| 96 | Right ventriculo-arterial coupling in heart failure: The role of the interventricular septum. <i>International Journal of Cardiology</i> , 2018 , 259, 134-135 | 3.2 | 1 |
| 95 | Dysthyroidism and Chronic Heart Failure: Pathophysiological Mechanisms and Therapeutic Approaches. <i>Advances in Experimental Medicine and Biology</i> , 2018 , 1067, 239-253 | 3.6 | 2 |
| 94 | Heart Failure and Kidney Disease. <i>Advances in Experimental Medicine and Biology</i> , 2018 , 1067, 219-238 | 3.6 | 12 |
| 93 | Critical Appraisal of Multivariable Prognostic Scores in Heart Failure: Development, Validation and Clinical Utility. <i>Advances in Experimental Medicine and Biology</i> , 2018 , 1067, 387-403 | 3.6 | 2 |
| 92 | Vasopressin in Heart Failure. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2018 , 18, 458-465 | 5.2 | 7 |
| 91 | Renal Venous Pattern: A New Parameter for Predicting Prognosis in Heart Failure Outpatients. <i>Journal of Cardiovascular Development and Disease</i> , 2018 , 5, | 4.2 | 25 |
| 90 | The Relation Between Thyroid Function and Anemia: A Pooled Analysis of Individual Participant Data. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 3658-3667 | 5.6 | 19 |
| 89 | Circulating microRNA-150-5p as a novel biomarker for advanced heart failure: A genome-wide prospective study. <i>Journal of Heart and Lung Transplantation</i> , 2017 , 36, 616-624 | 5.8 | 44 |
| 88 | Right ventriculo-arterial coupling assessed by two-dimensional strain: A new parameter of right ventricular function independently associated with prognosis in chronic heart failure patients. <i>International Journal of Cardiology</i> , 2017 , 241, 318-321 | 3.2 | 26 |
| 87 | Bioimpedance Vectorial Analyses in Cardiorenal Syndrome 2017 , 171-176 | | |
| 86 | Thyroid Function Within the Normal Range, Subclinical Hypothyroidism, and the Risk of Atrial Fibrillation. <i>Circulation</i> , 2017 , 136, 2100-2116 | 16.7 | 95 |
| 85 | Early mortality following percutaneous coronary intervention and cardiac surgery: Correlations within providers and operators. <i>International Journal of Cardiology</i> , 2017 , 240, 97-102 | 3.2 | 1 |
| 84 | ANMCO/ELAS/SIBioC Consensus Document: biomarkers in heart failure. <i>European Heart Journal Supplements</i> , 2017 , 19, D102-D112 | 1.5 | 9 |

| | | | |
|----|--|-----|----|
| 83 | ANMCO/SIC Consensus Document: cardiology networks for outpatient heart failure care. <i>European Heart Journal Supplements</i> , 2017 , 19, D89-D101 | 1.5 | 5 |
| 82 | GH Supplementation Effects on Cardiovascular Risk in GH Deficient Adult Patients: A Systematic Review and Meta-analysis. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2017 , 17, 285-296 | 2.2 | 4 |
| 81 | Targeted next-generation sequencing detects novel gene-phenotype associations and expands the mutational spectrum in cardiomyopathies. <i>PLoS ONE</i> , 2017 , 12, e0181842 | 3.7 | 15 |
| 80 | Neuro-Psychological Pattern in Patients Suffering from Primitive Dilated Cardiomyopathy with Impairment in Executive Function. <i>Current Neurovascular Research</i> , 2017 , 14, 39-45 | 1.8 | 1 |
| 79 | A Multiparametric Approach Based on NT-proBNP, ST2, and Galectin3 for Stratifying One Year Prognosis of Chronic Heart Failure Outpatients. <i>Journal of Cardiovascular Development and Disease</i> , 2017 , 4, | 4.2 | 9 |
| 78 | Role of imaging in the evaluation of renal dysfunction in heart failure patients. <i>World Journal of Nephrology</i> , 2017 , 6, 123-131 | 3.6 | 13 |
| 77 | The Renal Arterial Resistance Index Predicts Worsening Renal Function in Chronic Heart Failure Patients. <i>CardioRenal Medicine</i> , 2016 , 7, 42-49 | 2.8 | 6 |
| 76 | Mechanisms Explaining the Influence of Subclinical Hypothyroidism on the Onset and Progression of Chronic Heart Failure. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2016 , 16, 2-7 | 2.2 | 9 |
| 75 | Ventricular repolarization measures for arrhythmic risk stratification. <i>World Journal of Cardiology</i> , 2016 , 8, 57-73 | 2.1 | 23 |
| 74 | Galectin-3 Serum Levels Are Independently Associated With Microalbuminuria in Chronic Heart Failure Outpatients. <i>Research in Cardiovascular Medicine</i> , 2016 , 5, e28952 | 0.4 | 12 |
| 73 | 12-lead electrocardiogram features of arrhythmic risk: A focus on early repolarization. <i>World Journal of Cardiology</i> , 2016 , 8, 447-55 | 2.1 | 1 |
| 72 | Right Ventricular Longitudinal Strain Measures Independently Predict Chronic Heart Failure Mortality. <i>Echocardiography</i> , 2016 , 33, 992-1000 | 1.5 | 38 |
| 71 | Accuracy of bioimpedance vector analysis and brain natriuretic peptide in detection of peripheral edema in acute and chronic heart failure. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2016 , 45, 319-26 | 2.6 | 27 |
| 70 | Renal Arterial Resistance Index 2016 , 1101-1120 | | |
| 69 | Continuing Medical Education activity in Echocardiography July 2016. <i>Echocardiography</i> , 2016 , 33, 991 | 1.5 | |
| 68 | Intra-hospital correlations among 30-day mortality rates in 18 different clinical and surgical settings. <i>International Journal for Quality in Health Care</i> , 2016 , 28, 793-801 | 1.9 | 7 |
| 67 | The predictive value of plasma biomarkers in discharged heart failure patients: role of galectin-3. <i>Minerva Cardioangiologica</i> , 2016 , 64, 181-94 | 1.1 | 7 |
| 66 | Multiple hormone deficiencies in chronic heart failure. <i>International Journal of Cardiology</i> , 2015 , 184, 421-423 | 3.2 | 33 |

| | | | |
|----|--|------|----|
| 65 | Pharmacokinetics and pharmacodynamics of ticagrelor when treating non-ST elevation acute coronary syndromes. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2015 , 11, 977-93 | 5.5 | 1 |
| 64 | The association between diabetes and depression: a very disabling condition. <i>Endocrine</i> , 2015 , 48, 14-24 | 4 | 35 |
| 63 | Predicting short-term mortality in advanced decompensated heart failure - role of the updated acute decompensated heart failure/N-terminal pro-B-type natriuretic Peptide risk score. <i>Circulation Journal</i> , 2015 , 79, 1076-83 | 2.9 | 14 |
| 62 | Evaluation of chronic kidney disease in chronic heart failure: From biomarkers to arterial renal resistances. <i>World Journal of Clinical Cases</i> , 2015 , 3, 10-9 | 1.6 | 9 |
| 61 | The independent association between altered renal arterial resistance and loop diuretic dose in chronic heart failure outpatients. <i>IJC Heart and Vasculature</i> , 2015 , 7, 119-123 | 2.4 | 6 |
| 60 | Prognostic Role of Hypothyroidism in Heart Failure: A Meta-Analysis. <i>Medicine (United States)</i> , 2015 , 94, e1159 | 1.8 | 27 |
| 59 | Clinical and functional characterization of a novel mutation in lamin a/c gene in a multigenerational family with arrhythmogenic cardiac laminopathy. <i>PLoS ONE</i> , 2015 , 10, e0121723 | 3.7 | 34 |
| 58 | Predicting mortality in patients with acute heart failure: Role of risk scores. <i>World Journal of Cardiology</i> , 2015 , 7, 902-11 | 2.1 | 43 |
| 57 | Renal Arterial Resistance Index 2015 , 1-20 | | |
| 56 | Ivabradine, coronary artery disease, and heart failure: beyond rhythm control. <i>Drug Design, Development and Therapy</i> , 2014 , 8, 689-700 | 4.4 | 12 |
| 55 | The renal arterial resistance index: a marker of renal function with an independent and incremental role in predicting heart failure progression. <i>European Journal of Heart Failure</i> , 2014 , 16, 210-6 | 12.3 | 43 |
| 54 | Modulation of cardiac cytochrome P450 in patients with heart failure. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2014 , 10, 327-39 | 5.5 | 11 |
| 53 | Amiodarone-induced SIADH: two cases report. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2014 , 14, 123-5 | 2.2 | 6 |
| 52 | Non-invasive evaluation of arrhythmic risk in dilated cardiomyopathy: From imaging to electrocardiographic measures. <i>World Journal of Cardiology</i> , 2014 , 6, 562-76 | 2.1 | 7 |
| 51 | Independent role of high central venous pressure in predicting worsening of renal function in chronic heart failure outpatients. <i>International Journal of Cardiology</i> , 2013 , 162, 261-3 | 3.2 | 15 |
| 50 | Head-up tilt testing for diagnosing vasovagal syncope: a meta-analysis. <i>International Journal of Cardiology</i> , 2013 , 168, 27-35 | 3.2 | 52 |
| 49 | Head-up tilt testing for diagnosing vasovagal syncope: a meta-analysis. <i>International Journal of Cardiology</i> , 2013 , 169, e49-50 | 3.2 | 14 |
| 48 | Editorial (Hot Topic: Introduction to the Special Issue: Relevance of Endocrine and Metabolic Disorders in Heart Failure: From Pathophysiology to Therapeutic Approach). <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2013 , 13, 2-3 | 2.2 | 1 |

| | | | |
|----|--|------|-----|
| 47 | Independent role of left ventricular global longitudinal strain in predicting prognosis of chronic heart failure patients. <i>Echocardiography</i> , 2013 , 30, 803-11 | 1.5 | 47 |
| 46 | Testosterone deficiency in male: a risk factor for heart failure. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2013 , 13, 92-9 | 2.2 | 20 |
| 45 | A novel cardiac bio-marker: ST2: a review. <i>Molecules</i> , 2013 , 18, 15314-28 | 4.8 | 85 |
| 44 | Thyroid disorders in chronic heart failure: from prognostic set-up to therapeutic management. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2013 , 13, 22-37 | 2.2 | 16 |
| 43 | Managing erectile dysfunction in heart failure. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2013 , 13, 125-34 | 2.2 | 13 |
| 42 | Heart failure in elderly: progress in clinical evaluation and therapeutic approach. <i>Journal of Geriatric Cardiology</i> , 2013 , 10, 165-77 | 1.7 | 9 |
| 41 | Remote monitoring for implantable defibrillators: a nationwide survey in Italy. <i>Interactive Journal of Medical Research</i> , 2013 , 2, e27 | 2.1 | 5 |
| 40 | The glucocorticoid in acute decompensated heart failure: Dr Jekyll or Mr Hyde?. <i>American Journal of Emergency Medicine</i> , 2012 , 30, 517.e5-10 | 2.9 | 12 |
| 39 | Reversibility of the endothelial dysfunction after CPAP therapy in OSAS patients. <i>International Journal of Cardiology</i> , 2012 , 158, 383-6 | 3.2 | 47 |
| 38 | Dolichocarotids and dilated cardiomyopathy: is there a relationship?. <i>International Journal of Cardiology</i> , 2012 , 158, 123-5 | 3.2 | 6 |
| 37 | Subclinical thyroid dysfunction and the risk of heart failure events: an individual participant data analysis from 6 prospective cohorts. <i>Circulation</i> , 2012 , 126, 1040-9 | 16.7 | 315 |
| 36 | Incidence and prevalence of hypothyroidism in patients affected by chronic heart failure: role of amiodarone. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2012 , 12, 86-94 | 2.2 | 14 |
| 35 | Cardiovascular and noncardiovascular comorbidities in patients with chronic heart failure. <i>Journal of Cardiovascular Medicine</i> , 2011 , 12, 76-84 | 1.9 | 45 |
| 34 | Clinical correlates of endothelial function in chronic heart failure. <i>Clinical Research in Cardiology</i> , 2011 , 100, 515-21 | 6.1 | 31 |
| 33 | Altered two-dimensional strain measures of the right ventricle in patients with Brugada syndrome and arrhythmogenic right ventricular dysplasia/cardiomyopathy. <i>European Journal of Echocardiography</i> , 2011 , 12, 773-81 | | 26 |
| 32 | Nitrate-potentiated head-up tilt testing in older patients: outcomes, hemodynamic responses and prodrome recognition. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2010 , 33, 1210-6 | 1.6 | 3 |
| 31 | Independent role of reduced arterial baroreflex sensitivity during head-up tilt testing in predicting vasovagal syncope recurrence. <i>Europace</i> , 2010 , 12, 1149-55 | 3.9 | 21 |
| 30 | Lack of association between genetic polymorphisms affecting sympathetic activity and tilt-induced vasovagal syncope. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2010 , 155, 98-103 | 2.4 | 12 |

| | | | |
|----|--|------|-----|
| 29 | Clinical predictors of head-up tilt test outcome during the nitroglycerin phase. <i>Clinical Autonomic Research</i> , 2010 , 20, 167-73 | 4.3 | 8 |
| 28 | Increased carotid IMT in overweight and obese women affected by Hashimoto's thyroiditis: an adiposity and autoimmune linkage?. <i>BMC Cardiovascular Disorders</i> , 2010 , 10, 22 | 2.3 | 40 |
| 27 | Prevalence, timing, and haemodynamic correlates of prodromes in patients with vasovagal syncope induced by head-up tilt test. <i>Europace</i> , 2009 , 11, 1221-6 | 3.9 | 9 |
| 26 | Endothelin system polymorphisms in tilt test-induced vasovagal syncope. <i>Clinical Autonomic Research</i> , 2009 , 19, 347-54 | 4.3 | 13 |
| 25 | Endothelin system polymorphisms in tilt test-induced vasovagal syncope. <i>Clinical Autonomic Research</i> , 2009 , 19, 123-9 | 4.3 | 6 |
| 24 | BNP in mitral valve restrictive annuloplasty for ischemic mitral regurgitation. <i>International Journal of Cardiology</i> , 2009 , 137, 57-60 | 3.2 | 4 |
| 23 | Impaired arterial baroreflex function before nitrate-induced vasovagal syncope during head-up tilt test. <i>Europace</i> , 2008 , 10, 1170-5 | 3.9 | 22 |
| 22 | Prognostic role of sub-clinical hypothyroidism in chronic heart failure outpatients. <i>Current Pharmaceutical Design</i> , 2008 , 14, 2686-92 | 3.3 | 54 |
| 21 | Ventricular repolarization dynamicity provides independent prognostic information toward major arrhythmic events in patients with idiopathic dilated cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 225-31 | 15.1 | 58 |
| 20 | The 212A variant of the APJ receptor gene for the endogenous inotrope apelin is associated with slower heart failure progression in idiopathic dilated cardiomyopathy. <i>Journal of Cardiac Failure</i> , 2007 , 13, 521-9 | 3.3 | 20 |
| 19 | Methodical approach to collecting and preserving plasma samples containing B-type natriuretic peptide. <i>European Journal of Heart Failure</i> , 2007 , 9, 215-215 | 12.3 | 0 |
| 18 | Beta1- and beta2-adrenergic receptor polymorphisms affect susceptibility to idiopathic dilated cardiomyopathy. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 589-95 | 1.9 | 20 |
| 17 | Prognostic value of brain natriuretic peptide in the management of patients receiving cardiac resynchronization therapy. <i>European Journal of Heart Failure</i> , 2006 , 8, 509-14 | 12.3 | 22 |
| 16 | Independent and incremental prognostic value of endogenous ouabain in idiopathic dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2006 , 8, 179-86 | 12.3 | 44 |
| 15 | SCN5A polymorphism restores trafficking of a Brugada syndrome mutation on a separate gene. <i>Circulation</i> , 2006 , 114, 368-76 | 16.7 | 162 |
| 14 | Role of septal to posterior wall motion delay in cardiac resynchronization therapy. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 596-7 | 15.1 | 8 |
| 13 | Alpha- and beta-adrenergic receptor polymorphisms in hypertensive and normotensive offspring. <i>Journal of Cardiovascular Medicine</i> , 2006 , 7, 316-21 | 1.9 | 13 |
| 12 | Ventricular asynchrony predicts a better outcome in patients with chronic heart failure receiving cardiac resynchronization therapy. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 65-9 | 15.1 | 217 |

| | | | |
|----|---|------|-----|
| 11 | High circulating levels of endogenous ouabain in the offspring of hypertensive and normotensive individuals. <i>Journal of Hypertension</i> , 2005 , 23, 1677-81 | 1.9 | 28 |
| 10 | Association of beta-adrenergic receptor polymorphisms and progression to heart failure in patients with idiopathic dilated cardiomyopathy. <i>American Journal of Medicine</i> , 2004 , 117, 451-8 | 2.4 | 73 |
| 9 | Allelic variants of natriuretic peptide receptor genes are associated with family history of hypertension and cardiovascular phenotype. <i>Journal of Hypertension</i> , 2003 , 21, 1491-6 | 1.9 | 45 |
| 8 | QT-interval prolongation in right precordial leads: an additional electrocardiographic hallmark of Brugada syndrome. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 1632-7 | 15.1 | 77 |
| 7 | Enhanced reflex response to baroreceptor deactivation in subjects with tilt-induced syncope. <i>Journal of the American College of Cardiology</i> , 2003 , 41, 1167-73 | 15.1 | 35 |
| 6 | Comparison of the effect of valsartan and lisinopril on autonomic nervous system activity in chronic heart failure. <i>American Heart Journal</i> , 2003 , 146, E17 | 4.9 | 21 |
| 5 | Shortened head-up tilting test guided by systolic pressure reductions in neurocardiogenic syncope. <i>Circulation</i> , 2002 , 105, 146-8 | 16.7 | 25 |
| 4 | Cardiac resynchronization therapy tailored by echocardiographic evaluation of ventricular asynchrony. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 1615-22 | 15.1 | 556 |
| 3 | Usefulness of handgrip to improve ibutilide efficacy in organizing atrial electrical activity during atrial fibrillation. <i>American Journal of Cardiology</i> , 2001 , 87, 798-801, A8-9 | 3 | 1 |
| 2 | Depression but not anxiety influences the autonomic control of heart rate after myocardial infarction. <i>American Heart Journal</i> , 2001 , 141, 765-71 | 4.9 | 70 |
| 1 | Influence of gender and family history of hypertension on autonomic control of heart rate, diastolic function and brain natriuretic peptide. <i>Journal of Hypertension</i> , 2001 , 19, 143-8 | 1.9 | 27 |