Helen L Maclaughlin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2211367/publications.pdf

Version: 2024-02-01

		566801	476904
39	922	15	29
papers	citations	h-index	g-index
39	39	39	1316
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Effect of Exercise Training on Estimated GFR, Vascular Health, and Cardiorespiratory Fitness in Patients With CKD: A Pilot Randomized Controlled Trial. American Journal of Kidney Diseases, 2015, 65, 425-434.	2.1	143
2	Evidence based practice guidelines for the nutritional management of chronic kidney disease. Nutrition and Dietetics, 2006, 63, S33-S45.	0.9	100
3	Nonrandomized Trial of Weight Loss With Orlistat, Nutrition Education, Diet, and Exercise in Obese Patients With CKD: 2-Year Follow-up. American Journal of Kidney Diseases, 2010, 55, 69-76.	2.1	80
4	A structured weight management programme can achieve improved functional ability and significant weight loss in obese patients with chronic kidney disease. Nephrology Dialysis Transplantation, 2007, 23, 263-268.	0.4	56
5	<scp>B</scp> ritish Dietetic Association evidenceâ€based guidelines for the protein requirements of adults undergoing maintenance haemodialysis or peritoneal dialysis. Journal of Human Nutrition and Dietetics, 2013, 26, 315-328.	1.3	52
6	Mortality and morbidity following exercise-based renal rehabilitation in patients with chronic kidney disease: the effect of programme completion and change in exercise capacity. Nephrology Dialysis Transplantation, 2019, 34, 618-625.	0.4	46
7	Clinical practice guideline on undernutrition in chronic kidney disease. BMC Nephrology, 2019, 20, 370.	0.8	44
8	Laparoscopic Sleeve Gastrectomy is a Novel and Effective Treatment for Obesity in Patients with Chronic Kidney Disease. Obesity Surgery, 2012, 22, 119-123.	1.1	43
9	Changes in leg strength 8 and 32 h after endurance exercise. Journal of Sports Sciences, 2000, 18, 865-871.	1.0	38
10	Nutrition and Exercise Rehabilitation in Obesity hypoventilation syndrome (NERO): a pilot randomised controlled trial. Thorax, 2018, 73, 62-69.	2.7	37
11	Weight Loss, Adipokines, and Quality of Life After Sleeve Gastrectomy in Obese Patients With Stages 3-4 CKD: A Randomized Controlled Pilot Study. American Journal of Kidney Diseases, 2014, 64, 660-663.	2.1	29
12	Risk for chronic kidney disease increases with obesity: Health Survey for England 2010. Public Health Nutrition, 2015, 18, 3349-3354.	1.1	26
13	Compliance With a Structured Weight Loss Program Is Associated With Reduced Systolic Blood Pressure in Obese Patients With Chronic Kidney Disease. American Journal of Hypertension, 2012, 25, 1024-1029.	1.0	25
14	Unintentional Weight Loss Is an Independent Predictor of Mortality in a Hemodialysis Population. , 2010, 20, 414-418.		22
15	Nutrition in Kidney Disease: Core Curriculum 2022. American Journal of Kidney Diseases, 2022, 79, 437-449.	2.1	22
16	Participation in a Structured Weight Loss Program and All-Cause Mortality and Cardiovascular Morbidity in Obese Patients With Chronic Kidney Disease., 2015, 25, 472-479.		18
17	Obesity as a barrier to kidney transplantation: Time to eliminate the body weight bias?. Seminars in Dialysis, 2019, 32, 219-222.	0.7	18
18	Interventions for weight loss in people with chronic kidney disease who are overweight or obese. The Cochrane Library, 2021, 2021, CD013119.	1.5	16

#	Article	IF	CITATIONS
19	The nutrition impact symptoms (<scp>NIS</scp>) score detects malnutrition risk in patients admitted to nephrology wards. Journal of Human Nutrition and Dietetics, 2018, 31, 683-688.	1.3	14
20	Obesity and iron deficiency in chronic kidney disease: the putative role of hepcidin. Nephrology Dialysis Transplantation, 2012, 27, 50-57.	0.4	13
21	Altered Protein Composition of Subcutaneous Adipose Tissue in Chronic Kidney Disease. Kidney International Reports, 2017, 2, 1208-1218.	0.4	13
22	A new renal inpatient nutrition screening tool (Renal iNUT): a multicenter validation study. Clinical Nutrition, 2019, 38, 2297-2303.	2.3	11
23	Obesity and recovery from acute kidney injury (Ob AKI): a prospective cohort feasibility study. BMJ Open, 2019, 9, e024033.	0.8	9
24	Risk prediction for acute kidney injury in acute medical admissions in the UK. QJM - Monthly Journal of the Association of Physicians, 2019, 112, 197-205.	0.2	9
25	Dietary interventions with dietitian involvement in adults with chronic kidney disease: A systematic review. Journal of Human Nutrition and Dietetics, 2021, 34, 747-757.	1.3	9
26	Does Intragastric Balloon Treatment for Obesity in Chronic Kidney Disease Heighten Acute Kidney Injury Risk?. American Journal of Nephrology, 2016, 44, 411-418.	1.4	7
27	Interventions for weight loss in people with chronic kidney disease who are overweight or obese. The Cochrane Library, 0, , .	1.5	6
28	Rapidly progressive renal failure associated with successful pharmacotherapy for obesity. Nephrology Dialysis Transplantation, 2007, 22, 2403-2405.	0.4	4
29	Body mass index and chronic kidney disease outcomes after acute kidney injury: a prospective matched cohort study. BMC Nephrology, 2021, 22, 200.	0.8	3
30	Glycemic Response to a Renalâ€Specific Oral Nutritional Supplement in Patients With Diabetes Undergoing Hemodialysis: A Randomized Crossover Trial. Journal of Parenteral and Enteral Nutrition, 2021, 45, 267-276.	1.3	2
31	Heart Rate Variability and Long Chain n-3 Polyunsaturated Fatty Acids in Chronic Kidney Disease Patients on Haemodialysis: A Cross-Sectional Pilot Study. Nutrients, 2021, 13, 2453.	1.7	2
32	Evaluation of patient experience post structured education for diabetes self management (Dose) Tj ETQq0 0 0 rg	;BT_/Overlo	ock 10 Tf 50 2
33	Quality and validity of diet quality indices for use in Australian contexts: a systematic review. British Journal of Nutrition, 2022, 128, 2021-2045.	1.2	2
34	Standardised Outcome Reporting for the Nutrition Management of Complex Chronic Disease: A Rapid Review. Nutrients, 2021, 13, 3388.	1.7	1
35	Weight management of obese patients on the renal ward. Journal of Renal Nursing, 2010, 2, 116-121.	0.1	0
36	Obesity Does Not Influence Hepcidin and Hemojuvelin Levels in Hemodialysis Patients. Nephron Clinical Practice, 2013, 124, 159-166.	2.3	0

#	Article	IF	CITATIONS
37	Appropriate use of oral nutritional supplements in stages 4–5 chronic kidney disease. Journal of Renal Nursing, 2015, 7, 115-117.	0.1	O
38	Dialysis patients and obesity: do we know enough to guide practice?. Journal of Kidney Care, $2016, 1, 68-71$.	0.1	0
39	Heart rate variability and long chain n-3 PUFA in patients with chronic kidney disease commencing haemodialysis: a cross-sectional study. Proceedings of the Nutrition Society, 2020, 79, .	0.4	0