Shunji Mishiro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2211910/publications.pdf

Version: 2024-02-01

66315 43868 8,486 117 42 91 citations h-index g-index papers 131 131 131 3832 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Hepatitis B Core-related Antigen: An Alternative to Hepatitis B Virus DNA to Assess Treatment Eligibility in Africa. Clinical Infectious Diseases, 2020, 70, 1442-1452.	2.9	25
2	IFN-λ3 as a host immune response in acute hepatitis E virus infection. Cytokine, 2020, 125, 154816.	1.4	14
3	Genotype 5 Hepatitis E Virus Produced by a Reverse Genetics System Has the Potential for Zoonotic Infection. Hepatology Communications, 2019, 3, 160-172.	2.0	53
4	High prevalence of hepatitis B infections in Burkina Faso (1996–2017): a systematic review with meta-analysis of epidemiological studies. BMC Public Health, 2018, 18, 551.	1.2	26
5	Poor Sensitivity of Commercial Rapid Diagnostic Tests for Hepatitis B e Antigen in Senegal, West Africa. American Journal of Tropical Medicine and Hygiene, 2018, 99, 428-434.	0.6	24
6	Anti-HBc Screening of Blood Donors in Bangladesh: Relevance to Containment of HBV Propagation. Journal of Clinical and Experimental Hepatology, 2016, 6, 115-118.	0.4	11
7	A case of autochthonous hepatitis E with a rare viral genotype (HEV-3f) and intractable jaundice. Acta Hepatologica Japonica, 2016, 57, 614-616.	0.0	2
8	Investigating the origin and global dispersal history of hepatitis E virus genotype 4 using phylogeographical analysis. Liver International, 2016, 36, 31-41.	1.9	18
9	Dysgeusia in a Patient with Guillain-Barré Syndrome Associated with Acute Hepatitis E: A Case Report and Literature Review. Internal Medicine, 2015, 54, 1543-1546.	0.3	18
10	Molecular epidemiology of hepatitis E virus genotype 3f recovered from 2 patients in Tokyo/2012 and Saitama/2014. Acta Hepatologica Japonica, 2015, 56, 540-542.	0.0	4
11	Generation of hepatitis E virus-like particles of two new genotypes G5 and G6 and comparison of antigenic properties with those of known genotypes. Veterinary Microbiology, 2015, 178, 150-157.	0.8	15
12	Hepatitis E Epidemic, Biratnagar, Nepal, 2014. Emerging Infectious Diseases, 2015, 21, 711-713.	2.0	29
13	Occurrence of acute hepatitis E virus infection in the Hakodate district: A prospective study of four hospitals in Hakodate City. Acta Hepatologica Japonica, 2014, 55, 349-359.	0.0	1
14	Six cases of acute hepatitis E occurred within 18 months around Gifu city in Japan, infected with mutually-independent hepatitis E virus strains. Acta Hepatologica Japonica, 2014, 55, 713-716.	0.0	5
15	ldentification of European-type hepatitis E virus subtype 3e isolates in Japanese wild boars: Molecular tracing of HEV from swine to wild boars. Infection, Genetics and Evolution, 2013, 18, 287-298.	1.0	25
16	Epidemiological and molecular analyses of a nonâ€seasonal outbreak of acute icteric hepatitis E in Bangladesh. Journal of Medical Virology, 2013, 85, 1369-1376.	2.5	22
17	Circulating hepatitis A virus particles have a lipid-associated envelope. Acta Hepatologica Japonica, 2013, 54, 396-398.	0.0	O
18	Detection and Phylogenetic Analysis of Hepatitis E Viruses from Mongooses in Okinawa, Japan. Journal of Veterinary Medical Science, 2012, 74, 1665-1668.	0.3	33

#	Article	IF	Citations
19	New findings regarding the epidemic history and population dynamics of Japanâ€indigenous genotype 3 hepatitis E virus inferred by molecular evolution. Liver International, 2012, 32, 675-688.	1.9	23
20	A Subclone of HuH-7 with Enhanced Intracellular Hepatitis C Virus Production and Evasion of Virus Related-Cell Cycle Arrest. PLoS ONE, 2012, 7, e52697.	1.1	16
21	Interâ€genotypic recombinant hepatitis C virus strains in Japan noted by discrepancies between immunoassay and sequencing. Journal of Medical Virology, 2012, 84, 1018-1024.	2.5	15
22	Three cases of acute or fulminant hepatitis E caused by ingestion of pork meat and entrails in Hokkaido, Japan: Zoonotic foodâ€borne transmission of hepatitis E virus and public health concerns. Hepatology Research, 2012, 42, 870-878.	1.8	56
23	Two cases of fulminant hepatitis E occurred in Hakodate area 2010, suggesting infection with single source hepatitis E virus separated from small epidemic in Sapporo 2009. Acta Hepatologica Japonica, 2012, 53, 206-215.	0.0	2
24	Investigating an outbreak of acute viral hepatitis caused by hepatitis E virus variants in Karachi, South Pakistan. Journal of Medical Virology, $2011, 83, 622-629$.	2.5	24
25	Revelation of near-complete genome of hepatitis A virus that caused "Osarizawa Hepatitis 1957" from a vintage sample kept frozen for 53 years. Acta Hepatologica Japonica, 2011, 52, 376-379.	0.0	2
26	Two cases of acute hepatitis E due to Aichi/Shizuoka strain developed after intake of wild boar meat. Acta Hepatologica Japonica, 2011, 52, 524-527.	0.0	3
27	A wild boar-derived hepatitis E virus isolate presumably representing so far unidentified "genotype 5". Acta Hepatologica Japonica, 2010, 51, 536-538.	0.0	46
28	A novel 2b/1b-recombinant HCV found in a case with discrepancy between serotype and genotype assessed by conventional methods. Acta Hepatologica Japonica, 2010, 51, 319-321.	0.0	2
29	Virulent Strain of Hepatitis E Virus Genotype 3, Japan. Emerging Infectious Diseases, 2009, 15, 704-709.	2.0	45
30	Treatment of hepatitis B virus-infected patients: utility of therapeutic recommendations in developing countries. Expert Opinion on Pharmacotherapy, 2009, 10, 1605-1614.	0.9	11
31	Epidemiology of hepatitis E in Northeastern China, South Korea and Japan. Journal of Infection, 2009, 58, 232-237.	1.7	32
32	Panel discussion: Management of hepatocellular carcinoma. Acta Hepatologica Japonica, 2009, 50, 407-426.	0.0	0
33	Retrospective detection of hepatitis E virus RNA and antibodies in the sera from patients with etiology-obscure acute liver injury. Acta Hepatologica Japonica, 2009, 50, 159-162.	0.0	1
34	A case of Japanese pregnant woman who developed severe acute hepatitis E right after back from India. Acta Hepatologica Japonica, 2009, 50, 60-64.	0.0	4
35	Chronic microbial infections: Manipulation of host immunity as interventional approach. Bangladesh Liver Journal, 2009, 1, 13-19.	0.0	0
36	Hepatitis C virus JFH-1 strain infection in chimpanzees is associated with low pathogenicity and emergence of an adaptive mutation. Hepatology, 2008, 48, 732-740.	3.6	56

#	Article	IF	CITATIONS
37	A case of transfusionâ€transmitted hepatitis E caused by blood from a donor infected with hepatitis E virus via zoonotic foodâ€borne route. Transfusion, 2008, 48, 1368-1375.	0.8	261
38	T2080 Long Term Follow-Up Study: the Reversibility of CpG Island Hypermethylation of Tumor-Related Genes in Non-Cancerous Patient and Gastric Carcinoma Patient After H. pylori Eradication Therapy. Gastroenterology, 2008, 134, A-614-A-615.	0.6	0
39	Prevalence of Hepatitis E Virus IgG Antibody in Japanese Patients with Hemophilia. Intervirology, 2008, 51, 21-25.	1.2	23
40	Round-table discussion: New era for the treatment of chronic hepatitis B. Acta Hepatologica Japonica, 2008, 49, 81-100.	0.0	0
41	Epidemiology of Hepatitis B, C, and E Viruses and Human Immunodeficiency Virus Infections in Tahuna, Sangihe-Talaud Archipelago, Indonesia. Intervirology, 2007, 50, 408-411.	1.2	14
42	Full-Length Sequences of Two Hepatitis E Virus Isolates Representing an Eastern China-Indigenous Subgroup of Genotype 4. Intervirology, 2007, 50, 181-189.	1.2	6
43	Inducible nitric oxide synthase gene promoter polymorphism is associated with increased gastric mRNA expression of inducible nitric oxide synthase and increased risk of gastric carcinoma. European Journal of Gastroenterology and Hepatology, 2007, 19, 139-145.	0.8	15
44	Persistent infection of hepatitis E virus transmitted by blood transfusion in a patient with T ell lymphoma. Hepatology Research, 2007, 37, 113-120.	1.8	183
45	Prevalence of hepatitis E virus among wild boar in the Ehime area of western Japan. Hepatology Research, 2007, 37, 214-220.	1.8	48
46	An easy ELISA for detecting antibodies to hepatitis E virus irrespective of animal species. Acta Hepatologica Japonica, 2007, 48, 338-340.	0.0	4
47	Round-table discussion: Fulminant hepatitis and/or acute liver failure. Acta Hepatologica Japonica, 2007, 48, 409-428.	0.0	3
48	Demographic, epidemiological, and virological characteristics of hepatitis E virus infections in Japan based on 254 human cases collected nationwide. Acta Hepatologica Japonica, 2006, 47, 384-391.	0.0	59
49	Hepatitis E virus infection in wild mongooses of Okinawa, Japan: Demonstration of anti-HEV antibodies and a full-genome nucleotide sequencea * 1. Hepatology Research, 2006, 34, 137-140.	1.8	137
50	Comparison of clinical features of acute hepatitis caused by hepatitis E virus (HEV) genotypes 3 and 4 in Sapporo, Japan. Hepatology Research, 2006, 36, 301-307.	1.8	53
51	Molecular tracing of Japan-indigenous hepatitis E viruses. Journal of General Virology, 2006, 87, 949-954.	1.3	42
52	A case of acute hepatitis E developed in a housewife who had cooked and eaten wild boar meat a month before. Acta Hepatologica Japonica, 2006, 47, 459-464.	0.0	11
53	Serological markers of hepatitis B, C, and E viruses and human immunodeficiency virus type-1 infections in pregnant women in Bali, Indonesia. Journal of Medical Virology, 2005, 75, 499-503.	2.5	35
54	SNPs in the promoter region of the osteopontin gene as a marker predicting the efficacy of interferon-based therapies in patients with chronic hepatitis C. Journal of Gastroenterology, 2005, 40, 381-388.	2.3	64

#	Article	IF	Citations
55	Genotypes of hepatitis viruses: a foreword. Acta Hepatologica Japonica, 2005, 46, 453-453.	0.0	O
56	A domestic case of acute sporadic hepatitis E first identified in Toyama prefecture. Acta Hepatologica Japonica, 2005, 46, 647-652.	0.0	4
57	Electrochemical DNA Array for Simultaneous Genotyping of Single-Nucleotide Polymorphisms Associated with the Therapeutic Effect of Interferon. Clinical Chemistry, 2004, 50, 658-661.	1.5	12
58	Identification of Basal Promoter and Enhancer Elements in an Untranslated Region of the TT Virus Genome. Journal of Virology, 2004, 78, 10820-10824.	1.5	19
59	Transfusion-transmitted hepatitis E caused by apparently indigenous hepatitis E virus strain in Hokkaido, Japan. Transfusion, 2004, 44, 934-940.	0.8	271
60	Complete or near-complete nucleotide sequences of hepatitis E virus genome recovered from a wild boar, a deer, and four patients who ate the deer. Virology, 2004, 330, 501-505.	1.1	290
61	Consumption of uncooked deer meat as a risk factor for hepatitis E virus infection: An age- and sex-matched case-control study. Journal of Medical Virology, 2004, 74, 67-70.	2.5	122
62	Estimation of the mutation rate of hepatitis E virus based on a set of closely related 7.5-year-apart isolates from Sapporo, Japan. Hepatology Research, 2004, 29, 212-215.	1.8	28
63	Genetic polymorphims in promoter region of osteopontin gene may be a marker reflecting hepatitis activity in chronic hepatitis C patients. Biochemical and Biophysical Research Communications, 2004, 313, 1079-1085.	1.0	48
64	The dinucleotide microsatellite polymorphism of the IFNAR1 gene promoter correlates with responsiveness of hepatitis C patients to interferon. Hepatology Research, 2003, 25, 221-225.	1.8	47
65	A case report: two patients with fulminant hepatitis E in Hokkaido, Japan. Hepatology Research, 2003, 25, 213-218.	1.8	37
66	Zoonotic transmission of hepatitis E virus from deer to human beings. Lancet, The, 2003, 362, 371-373.	6.3	866
67	Full-Length Sequences of Six Hepatitis E Virus Isolates of Genotypes III and IV from Patients with Sporadic Acute or Fulminant Hepatitis in Japan. Intervirology, 2003, 46, 308-318.	1.2	67
68	Severe Hepatitis E Virus Infection after Ingestion of Uncooked Liver from a Wild Boar. Journal of Infectious Diseases, 2003, 188, 944-944.	1.9	329
69	A Genotype IV Hepatitis E Virus Strain That May Be Indigenous to Changchun, China. Intervirology, 2003, 46, 252-256.	1.2	17
70	Genetic Heterogeneity of Hepatitis E Virus Recovered from Japanese Patients with Acute Sporadic Hepatitis. Journal of Infectious Diseases, 2002, 185, 1342-1345.	1.9	96
71	Demographic, clinical, and virological characteristics of hepatocellular carcinoma in Asia: Survey of 414 patients from four countries. Journal of Medical Virology, 2002, 67, 394-400.	2.5	26
72	Clinical outcomes of hepatitis B virus (HBV) genotypes B and C in Japanese patients with chronic HBV infection American Journal of Tropical Medicine and Hygiene, 2002, 67, 151-157.	0.6	26

#	Article	IF	Citations
73	Single Nucleotide Polymorphisms of the Mannose-binding Lectin are Associated with Susceptibility to Primary Biliary Cirrhosis. Journal of Autoimmunity, 2001, 17, 251-257.	3.0	45
74	Novel Hepatitis B Virus Strain from a Chimpanzee of Central Africa <i>(Pan troglodytes) Tj ETQq0 0 0 rgBT /Ove</i>	rlock 10 T	f 50 ₁ 702 Td (tr
75	Hepatitis C virus (HCV) genotype 1b sequences from fifteen patients with hepatocellular carcinoma: the 'progression score' revisited. Hepatology Research, 2001, 20, 161-171.	1.8	15
76	Full-Genome Nucleotide Sequence of a Hepatitis E Virus Strain That May Be Indigenous to Japan. Virology, 2001, 287, 9-12.	1.1	158
77	CONFIRMATION OF MOTHER-TO-CHILD TRANSMISSION OF TT VIRUS. Pediatric Infectious Disease Journal, 2000, 19, 255-256.	1.1	4
78	Indirect evidence of TTV replication in bone marrow cells, but not in hepatocytes, of a subacute hepatitis/aplastic anemia patient. Journal of Medical Virology, 2000, 61, 165-170.	2.5	44
79	Properties of hepatitis B virus genome recovered from Vietnamese patients with fulminant hepatitis in comparison with those of acute hepatitis. Journal of Medical Virology, 2000, 61, 23-28.	2.5	39
80	Full-genome nucleotide sequence of a hepatitis C virus variant (isolate name VAT96) representing a new subtype within the genotype 2 (arbitrarily 2k). Virus Genes, 2000, 20, 183-187.	0.7	29
81	Full-Genome Sequence Analyses of Hepatitis B Virus (HBV) Strains Recovered from Chimpanzees Infected in the Wild: Implications for an Origin of HBV. Virology, 2000, 267, 58-64.	1.1	100
82	Full or Near Full Length Nucleotide Sequences of TT Virus Variants (Types SANBAN and YONBAN) and the TT Virus-Like Mini Virus. Intervirology, 2000, 43, 119-123.	1.2	75
83	Identification of a Single Nucleotide Polymorphism in the <i>MxA</i> Gene Promoter (G/T at nt –88) Correlated with the Response of Hepatitis C Patients to Interferon. Intervirology, 2000, 43, 124-127.	1.2	120
84	CYP2D6 Polymorphism and the Presence of Anti-LKM-1 in Patients with Chronic Hepatitis C. Biochemical and Biophysical Research Communications, 2000, 270, 922-926.	1.0	3
85	Indirect evidence of TTV replication in bone marrow cells, but not in hepatocytes, of a subacute hepatitis/aplastic anemia patient. , 2000, 61, 165.		1
86	Complete Circular DNA Genome of a TT Virus Variant (Isolate Name SANBAN) and 44 Partial ORF2 Sequences Implicating a Great Degree of Diversity beyond Genotypes. Virology, 1999, 260, 17-22.	1.1	122
87	Ethnic difference in the prevalence of monoclonal B-cell proliferation in patients affected by hepatitis C virus chronic liver disease. Journal of Hepatology, 1999, 30, 990-994.	1.8	29
88	Instability of the NS5A ISDR of hepatitis C virus during natural course: take-over of wild type by mutant type or vice-versa driven by immune pressure. Hepatology Research, 1998, 11, 19-25.	1.8	3
89	Association of mannose-binding lectin gene haplotype LXPA and LYPB with interferon-resistant hepatitis C virus infection in Japanese patients. Journal of Hepatology, 1998, 29, 695-700.	1.8	72
90	Topics of hepatitis virus Nihon Yuketsu Gakkai Zasshi = Journal of the Japan Society of Blood Transfusion / Nihon Yuketsu Gakkai, 1997, 43, 79-83.	0.2	0

#	Article	IF	CITATIONS
91	Very Low Incidence Rates of Community-Acquired Hepatitis C Virus Infection in Company Employees, Long-Term Inpatients, and Blood Donors in Japan. Journal of Epidemiology, 1996, 6, 198-203.	1.1	36
92	Molecular and clinical characteristics of the hepatitis C virus genotype ?2c? found in Italians in Italy and France. International Hepatology Communications, 1995, 3, 161-165.	0.7	13
93	Influence of the genotypes of hepatitis C virus on the severity of recurrent liver disease after liver transplantation. Gastroenterology, 1995, 108, 1088-1096.	0.6	296
94	Superinfection of chimpanzees carrying hepatitis C virus of genotype II/1b with that of genotype III/2a or I/1a. Hepatology, 1994, 20, 1131-1136.	3.6	139
95	Safety and efficacy of a recombinant yeast-derived pre-S2 + S-containing hepatitis B vaccine (TGP-943): phase 1, 2 and 3 clinical testing. Vaccine, 1994, 12, 1090-1096.	1.7	30
96	Genetic Heterogeneity of Hepatitis C Virus. Intervirology, 1994, 37, 68-76.	1.2	70
97	Transmission of Hepatitis C Virus from Mothers to Infants. New England Journal of Medicine, 1994, 330, 744-750.	13.9	679
98	Reactivity of Sera from Japanese Patients with Type 2 Autoimmune Hepatitis to Peptides Derived from Host Genes, Cytochrome HLD8-2 and GOR., 1994,, 229-231.		5
99	Something Perhaps Unique to the 1993 ISVHLD: Statistics and Acknowledgments. , 1994, , 785-789.		0
100	Prevalence, genotypes, and an isolate (HC-C2) of hepatitis C virus in Chinese patients with liver disease. Journal of Medical Virology, 1993, 40, 254-260.	2.5	94
101	Demonstration of Sugar Moiety on the Surface of Hepatitis C Virions Recovered from the Circulation of Infected Humans. Virology, 1993, 196, 354-357.	1.1	48
102	Imported Hepatitis C Virus Genotypes in Japanese Hemophiliacs. Journal of Infectious Diseases, 1993, 168, 249-250.	1.9	38
103	Hepatitis virus genome: a century-turning paradigm Seibutsu Butsuri Kagaku, 1993, 37, 341-343.	0.1	0
104	Full-length nucleotide sequence of a Japanese hepatitis C virus isolate (HC-J1) with high homology to USA isolates. Nucleic Acids Research, 1992, 20, 6410-6410.	6.5	47
105	HCV genotypes in China. Lancet, The, 1992, 339, 1168.	6.3	16
106	Mutations within the S Gene of Hepatitis B Virus Transmitted from Mothers to Babies Immunized with Hepatitis B Immune Globulin and Vaccine. Pediatric Research, 1992, 32, 264-268.	1.1	186
107	Anti-HCV, anti-GOR, and autoimmunity. Lancet, The, 1992, 339, 871-872.	6.3	24
108	Immune response to GOR, a marker for non-A, non-B hepatitis and its correlation with hepatitis C virus infection. Journal of Clinical Immunology, 1992, 12, 178-184.	2.0	12

#	Article	IF	CITATIONS
109	Full-length sequence of a hepatitis C virus genome having poor homology to reported isolates: Comparative study of four distinct genotypes. Virology, 1992, 188, 331-341.	1.1	603
110	Genetic drift of hepatitis C virus during an 8.2-year infection in a chimpanzee: Variability and stability. Virology, 1992, 190, 894-899.	1.1	409
111	The degree of variability in the amino terminal region of the E2/NS1 protein of hepatitis C virus correlates with responsiveness to interferon therapy in viremic patients. Hepatology, 1992, 16, 619-624.	3.6	319
112	Two distinct subtypes of hepatitis C virus defined by antibodies directed to the putative core protein. Hepatology, 1992, 16, 886-891.	3.6	98
113	Hepatitis C virus infection in medical personnel after needlestick accident. Hepatology, 1992, 16, 1109-1114.	3.6	402
114	An Autoantibody Cross-Reactive to Hepatitis C Virus Core and a Host Nuclear Antigen. Autoimmunity, 1991, 10, 269-273.	1.2	59
115	Acceleration of DNA synthesis in post-hepatectomized regenerating liver of normal rat by insulin and glucagon. Life Sciences, 1981, 29, 2609-2615.	2.0	25
116	A new reactant on the hepatitis B surface antigen. Acta Hepatologica Japonica, 1980, 21, 138-145.	0.0	0
117	An immunoactive constituent polypeptide of hepatitis B surface antigen. Acta Hepatologica Japonica, 1980, 21, 131-137.	0.0	0