

Dong-Woo Choi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/221205/publications.pdf>

Version: 2024-02-01

27
papers

344
citations

933447

10
h-index

940533

16
g-index

28
all docs

28
docs citations

28
times ranked

477
citing authors

#	ARTICLE	IF	CITATIONS
1	Associations of electronic and conventional cigarette use with periodontal disease in South Korean adults. <i>Journal of Periodontology</i> , 2020, 91, 55-64.	3.4	43
2	Association between Sleep Duration and Perceived Stress: Salaried Worker in Circumstances of High Workload. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 796.	2.6	30
3	Maternal age and risk of early neonatal mortality: a national cohort study. <i>Scientific Reports</i> , 2021, 11, 814.	3.3	28
4	Association between Smoking Behavior Patterns and Glycated Hemoglobin Levels in a General Population. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2260.	2.6	20
5	The Relationship between Sleep Duration and Perceived Stress: Findings from the 2017 Community Health Survey in Korea. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3208.	2.6	18
6	Association between depressive-symptom trajectories and cognitive function in the late middle-aged and older population: results of the Korean Longitudinal Study of Ageing. <i>Scientific Reports</i> , 2019, 9, 7807.	3.3	18
7	The effect of shifting medical coverage from National Health Insurance to Medical Aid type I and type II on health care utilization and out-of-pocket spending in South Korea. <i>BMC Health Services Research</i> , 2020, 20, 979.	2.2	17
8	The association between parental depression and adolescent's Internet addiction in South Korea. <i>Annals of General Psychiatry</i> , 2018, 17, 15.	2.7	16
9	Association between night work and dyslipidemia in South Korean men and women: a cross-sectional study. <i>Lipids in Health and Disease</i> , 2019, 18, 75.	3.0	16
10	Association between change in lifestyle and cognitive functions among elderly Koreans: findings from the Korean longitudinal study of aging (2006-2016). <i>BMC Geriatrics</i> , 2020, 20, 317.	2.7	16
11	Uric acid level and kidney function: a cross-sectional study of the Korean national health and nutrition examination survey (2016-2017). <i>Scientific Reports</i> , 2020, 10, 21672.	3.3	14
12	Association of self-reported sedentary time with insulin resistance among Korean adults without diabetes mellitus: a cross-sectional study. <i>BMC Public Health</i> , 2018, 18, 1335.	2.9	11
13	Effects of Household Income Change on Children's Problem Behavior: Findings From a Longitudinal Study. <i>Journal of Adolescent Health</i> , 2019, 65, 527-535.	2.5	10
14	Dose-response relationship between gamma-glutamyltransferase and the risk of atherosclerotic cardiovascular diseases in Korean adults. <i>Atherosclerosis</i> , 2020, 292, 152-159.	0.8	10
15	Synergistic association of high-sensitivity C-reactive protein and body mass index with insulin resistance in non-diabetic adults. <i>Scientific Reports</i> , 2020, 10, 18417.	3.3	10
16	Association between family conflict resolution methods and depressive symptoms in South Korea: a longitudinal study. <i>Archives of Women's Mental Health</i> , 2020, 23, 123-129.	2.6	9
17	The Association between Eating-Out Rate and BMI in Korea. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3186.	2.6	8
18	Effect of socioeconomic deprivation on outcomes of diabetes complications in patients with type 2 diabetes mellitus: a nationwide population-based cohort study of South Korea. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000729.	2.8	8

#	ARTICLE	IF	CITATIONS
19	The Association between Social Contacts and Depressive Symptoms among Elderly Koreans. <i>Psychiatry Investigation</i> , 2018, 15, 861-868.	1.6	8
20	Depressive symptoms in individuals with family members requiring ADL assistance. <i>Environmental Health and Preventive Medicine</i> , 2019, 24, 49.	3.4	6
21	Association between Breakfast Frequency and Atherosclerotic Cardiovascular Disease Risk: A Cross-Sectional Study of KNHANES Data, 2014â€“2016. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1853.	2.6	6
22	Association between continuity of care and type 2 diabetes development among patients with thyroid disorder. <i>Medicine (United States)</i> , 2019, 98, e18537.	1.0	6
23	Association between changes in economic activity and catastrophic health expenditure: findings from the Korea Health Panel Survey, 2014â€“2016. <i>Cost Effectiveness and Resource Allocation</i> , 2020, 18, 36.	1.5	5
24	The association between low frequency of having breakfast and dyslipidemia in South Korean men and women. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 896-904.	2.9	4
25	Association between Continuity of Care and the Onset of Thyroid Disorder among Diabetes Patients in Korea. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 233.	2.6	4
26	Weight control success and depression by gender with respect to weight control behaviors. <i>Obesity Research and Clinical Practice</i> , 2019, 13, 168-175.	1.8	2
27	Association between Food Label Unawareness and Loss of Renal Function in Diabetes: A Cross-Sectional Study in South Korea. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1945.	2.6	1