

John P Hirdes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2212381/publications.pdf>

Version: 2024-02-01

182
papers

7,453
citations

53794

45
h-index

62596

80
g-index

185
all docs

185
docs citations

185
times ranked

5987
citing authors

#	ARTICLE	IF	CITATIONS
1	Comprehensive Clinical Assessment in Community Setting: Applicability of the MDS-HC. Journal of the American Geriatrics Society, 1997, 45, 1017-1024.	2.6	476
2	Reliability of the interRAI suite of assessment instruments: a 12-country study of an integrated health information system. BMC Health Services Research, 2008, 8, 277.	2.2	464
3	The MDS-CHESS Scale: A New Measure to Predict Mortality in Institutionalized Older People. Journal of the American Geriatrics Society, 2003, 51, 96-100.	2.6	359
4	The independent contribution of driver, crash, and vehicle characteristics to driver fatalities. Accident Analysis and Prevention, 2002, 34, 717-727.	5.7	356
5	Standardizing Assessment of Elderly People in Acute Care: The interRAI Acute Care Instrument. Journal of the American Geriatrics Society, 2008, 56, 536-541.	2.6	351
6	Restriction in activity associated with fear of falling among community-based seniors using home care services. Age and Ageing, 2004, 33, 273-279.	1.6	232
7	The Aggressive Behavior Scale: A New Scale to Measure Aggression Based on the Minimum Data Set. Journal of the American Geriatrics Society, 2008, 56, 2298-2303.	2.6	186
8	Beyond the "Iron Lungs of Gerontology": Using Evidence to Shape the Future of Nursing Homes in Canada. Canadian Journal on Aging, 2011, 30, 371-390.	1.1	159
9	Sharing clinical information across care settings: the birth of an integrated assessment system. BMC Health Services Research, 2009, 9, 71.	2.2	154
10	Use of physical restraints and antipsychotic medications in nursing homes: a cross-national study. International Journal of Geriatric Psychiatry, 2009, 24, 1110-1118.	2.7	149
11	The resident assessment instrument-mental health (RAI-MH): Inter-rater reliability and convergent validity. Journal of Behavioral Health Services and Research, 2002, 29, 419-432.	1.4	146
12	New Evidence on Benzodiazepine Use and Falls: The Time Factor. Age and Ageing, 1996, 25, 273-278.	1.6	142
13	Integrated Health Information Systems Based on the RAI/MDS Series of Instruments. Healthcare Management Forum, 1999, 12, 30-40.	1.4	140
14	Home Care Quality Indicators (HCQIs) Based on the MDS-HC. Gerontologist, The, 2004, 44, 665-679.	3.9	129
15	Examining three frailty conceptualizations in their ability to predict negative outcomes for home-care clients. Age and Ageing, 2010, 39, 755-758.	1.6	128
16	Pain and Cognitive Status among Nursing Home Residents in Canada. Pain Research and Management, 2001, 6, 119-125.	1.8	127
17	Risk Factors for Falling Among Community-Based Seniors Using Home Care Services. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2002, 57, M504-M510.	3.6	101
18	The prevalence and management of current daily pain among older home care clients. Pain, 2008, 138, 208-216.	4.2	97

#	ARTICLE	IF	CITATIONS
19	Acute care inpatients with long-term delayed-discharge: evidence from a Canadian health region. <i>BMC Health Services Research</i> , 2012, 12, 172.	2.2	88
20	The Method for Assigning Priority Levels (MAPLe): A new decision-support system for allocating home care resources. <i>BMC Medicine</i> , 2008, 6, 9.	5.5	82
21	Addressing the health needs of frail elderly people: Ontario's experience with an integrated health information system. <i>Age and Ageing</i> , 2006, 35, 329-331.	1.6	78
22	Use of the interRAI CHES Scale to Predict Mortality among Persons with Neurological Conditions in Three Care Settings. <i>PLoS ONE</i> , 2014, 9, e99066.	2.5	73
23	An evaluation of data quality in Canada's Continuing Care Reporting System (CCRS): secondary analyses of Ontario data submitted between 1996 and 2011. <i>BMC Medical Informatics and Decision Making</i> , 2013, 13, 27.	3.0	72
24	Predictors of a new depression diagnosis among older adults admitted to complex continuing care: implications for the depression rating scale (DRS). <i>Age and Ageing</i> , 2007, 37, 51-56.	1.6	70
25	The interRAI Suite of Mental Health Assessment Instruments: An Integrated System for the Continuum of Care. <i>Frontiers in Psychiatry</i> , 2019, 10, 926.	2.6	70
26	The Health and Well-Being of Older Adults with Dual Sensory Impairment (DSI) in Four Countries. <i>PLoS ONE</i> , 2016, 11, e0155073.	2.5	68
27	Identification of older adults with frailty in the Emergency Department using a frailty index: results from a multinational study. <i>Age and Ageing</i> , 2018, 47, 242-248.	1.6	64
28	Risk Factors for Restriction in Activity Associated With Fear of Falling Among Seniors Within the Community. <i>Journal of Patient Safety</i> , 2010, 6, 187-191.	1.7	63
29	Screening Cognitive Performance with the Resident Assessment Instrument for Mental Health Cognitive Performance Scale. <i>Canadian Journal of Psychiatry</i> , 2010, 55, 736-740.	1.9	62
30	Risk Factors for Hip Fracture in Older Home Care Clients. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2009, 64A, 403-410.	3.6	61
31	Diagnostic data for neurological conditions in interRAI assessments in home care, nursing home and mental health care settings: a validity study. <i>BMC Health Services Research</i> , 2013, 13, 457.	2.2	60
32	Nursing-Sensitive Outcomes Data Collection in Acute Care and Long-Term-Care Settings. <i>Nursing Research</i> , 2006, 55, S75-S81.	1.7	58
33	Validation of Resource Utilization Groups Version III for Home Care (RUG-III/HC). <i>Medical Care</i> , 2008, 46, 380-387.	2.4	58
34	Adjustment of nursing home quality indicators. <i>BMC Health Services Research</i> , 2010, 10, 96.	2.2	56
35	Development of mental health quality indicators (MHQIs) for inpatient psychiatry based on the interRAI mental health assessment. <i>BMC Health Services Research</i> , 2013, 13, 15.	2.2	56
36	Evaluation of data quality of interRAI assessments in home and community care. <i>BMC Medical Informatics and Decision Making</i> , 2017, 17, 150.	3.0	55

#	ARTICLE	IF	CITATIONS
37	Geriatric Syndromes Predict Postdischarge Outcomes Among Older Emergency Department Patients: Findings From the interRAI Multinational Emergency Department Study. <i>Academic Emergency Medicine</i> , 2014, 21, 422-433.	1.8	54
38	Development and Psychometric Properties of an Assessment for Persons With Intellectual Disability?The interRAI ID. <i>Journal of Policy and Practice in Intellectual Disabilities</i> , 2007, 4, 23-29.	2.7	53
39	Using machine learning algorithms to guide rehabilitation planning for home care clients. <i>BMC Medical Informatics and Decision Making</i> , 2007, 7, 41.	3.0	52
40	Evaluating the Effect of COVID-19 Pandemic Lockdown on Long-Term Care Residents' Mental Health: A Data-Driven Approach in New Brunswick. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 187-192.	2.5	50
41	Pain among the oldest old in community and institutional settings. <i>Pain</i> , 2007, 129, 167-176.	4.2	49
42	Rehabilitation in Home Care Is Associated With Functional Improvement and Preferred Discharge. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 1038-1047.	0.9	49
43	Residents' Self-Reported Quality of Life in Long-Term Care Facilities in Canada. <i>Canadian Journal on Aging</i> , 2015, 34, 149-164.	1.1	49
44	Good News and Bad News: Depressive Symptoms Decline and Undertreatment Increases With Age in Home Care and Institutional Settings. <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 1045-1056.	1.2	48
45	Updating the Cognitive Performance Scale. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2016, 29, 47-55.	2.3	47
46	Risk Factors for Falling Among Community-Based Seniors. <i>Journal of Patient Safety</i> , 2009, 5, 61-66.	1.7	46
47	Predictors of caregiver distress among palliative home care clients in Ontario: Evidence based on the interRAI Palliative Care. <i>Palliative and Supportive Care</i> , 2012, 10, 155-163.	1.0	46
48	Relationship between restraint use, engagement in social activity, and decline in cognitive status among residents newly admitted to long-term care facilities. <i>Geriatrics and Gerontology International</i> , 2017, 17, 246-255.	1.5	43
49	HEALTH-RELATED QUALITY OF LIFE MEASURE BASED ON THE MINIMUM DATA SET. <i>International Journal of Technology Assessment in Health Care</i> , 2003, 19, 490-506.	0.5	41
50	The K-nearest neighbor algorithm predicted rehabilitation potential better than current Clinical Assessment Protocol. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 1015-1021.	5.0	39
51	Clinical Characteristics and Service Needs of Alternate-Level-of-Care Patients Waiting for Long-Term Care in Ontario Hospitals. <i>Healthcare Policy</i> , 2010, 6, 32-46.	0.6	39
52	Prevalence and Predictors of Sexual Dysfunction in Psychiatric Inpatients. <i>Psychosomatics</i> , 2007, 48, 309-318.	2.5	38
53	Convergent Validity of Minimum Data Set-Based Performance Quality Indicators in Postacute Care Settings. <i>American Journal of Medical Quality</i> , 2004, 19, 242-247.	0.5	37
54	The social and recreational characteristics of adults with intellectual disability and pica living in institutions. <i>Research in Developmental Disabilities</i> , 2009, 30, 512-520.	2.2	37

#	ARTICLE	IF	CITATIONS
55	Adverse events among Ontario home care clients associated with emergency room visit or hospitalization: a retrospective cohort study. BMC Health Services Research, 2013, 13, 227.	2.2	36
56	interRAI home care quality indicators. BMC Geriatrics, 2013, 13, 127.	2.7	35
57	Predictors of Long-Term Care Facility Residents' Self-Reported Quality of Life With Individual and Facility Characteristics in Canada. Journal of Aging and Health, 2016, 28, 503-529.	1.7	35
58	Identifying an Appropriate Case Mix Measure for Chronic Care: Evidence from an Ontario Pilot Study. Healthcare Management Forum, 1996, 9, 40-46.	1.4	33
59	Identifying mental health symptoms in children and youth in residential and in-patient care settings. Healthcare Management Forum, 2015, 28, 150-156.	1.4	33
60	Derivation and Validation of the Detection of Indicators and Vulnerabilities for Emergency Room Trips Scale for Classifying the Risk of Emergency Department Use in Frail Community-Dwelling Older Adults. Journal of the American Geriatrics Society, 2015, 63, 763-769.	2.6	33
61	Resource Intensity for Children and Youth: The Development of an Algorithm to Identify High Service Users in Children's Mental Health. Health Services Insights, 2019, 12, 117863291982793.	1.3	33
62	Risk adjustment methods for Home Care Quality Indicators (HCQIs) based on the minimum data set for home care. BMC Health Services Research, 2005, 5, 7.	2.2	31
63	K-Means Cluster Analysis of Rehabilitation Service Users in the Home Health Care System of Ontario: Examining the Heterogeneity of a Complex Geriatric Population. Archives of Physical Medicine and Rehabilitation, 2012, 93, 2198-2205.	0.9	31
64	Impact of COVID-19-Related Lockdown on Psychosocial, Cognitive, and Functional Well-Being in Adults With Down Syndrome. Frontiers in Psychiatry, 2020, 11, 578686.	2.6	30
65	Development and Psychometric Properties of a Standardized Assessment for Adults who are Deaf-Blind. Journal of Visual Impairment and Blindness, 2009, 103, 7-16.	0.7	29
66	Development of the interRAI Pressure Ulcer Risk Scale (PURS) for use in long-term care and home care settings. BMC Geriatrics, 2010, 10, 67.	2.7	29
67	Quality of care in European home care programs using the second generation interRAI Home Care Quality Indicators (HCQIs). BMC Geriatrics, 2015, 15, 148.	2.7	29
68	Risk of Suicide and Self-harm in Kids: The Development of an Algorithm to Identify High-Risk Individuals Within the Children's Mental Health System. Child Psychiatry and Human Development, 2020, 51, 913-924.	1.9	28
69	Care planning needs of palliative home care clients: Development of the interRAI palliative care assessment clinical assessment protocols (CAPs). BMC Palliative Care, 2014, 13, 58.	1.8	26
70	A longitudinal study looking at and beyond care recipient health as a predictor of long term care home admission. BMC Health Services Research, 2017, 17, 709.	2.2	26
71	Risk and protective factors associated with intentional self-harm among older community-residing home care clients in Ontario, Canada. International Journal of Geriatric Psychiatry, 2015, 30, 1032-1040.	2.7	25
72	Predicting Inpatient Aggression Using the InterRAI Risk of Harm to Others Clinical Assessment Protocol. Journal of Behavioral Health Services and Research, 2012, 39, 472-480.	1.4	23

#	ARTICLE	IF	CITATIONS
73	A Prospective Study of Falls After Benzodiazepine Use: A Comparison of New and Repeat Use. , 1997, 6, 27-35.		22
74	Hearing the Voice of the Resident in Long-Term Care Facilities—An Internationally Based Approach to Assessing Quality of Life. Journal of the American Medical Directors Association, 2018, 19, 207-215.	2.5	22
75	Prevalence and Correlates of Pica Among Adults with Intellectual Disability in Institutions. Journal of Mental Health Research in Intellectual Disabilities, 2008, 1, 176-190.	2.0	21
76	A retrospective, longitudinal study of factors associated with new antipsychotic medication use among recently admitted long-term care residents. BMC Geriatrics, 2015, 15, 128.	2.7	21
77	Predictors of emergency room visits or acute hospital admissions prior to death among hospice palliative care clients in Ontario: a retrospective cohort study. BMC Palliative Care, 2014, 13, 35.	1.8	20
78	Rehabilitation therapies for older clients of the Ontario home care system: regional variation and client-level predictors of service provision. Disability and Rehabilitation, 2015, 37, 625-631.	1.8	20
79	Reliability of standardized assessment for adults who are deafblind. Journal of Rehabilitation Research and Development, 2011, 48, 545.	1.6	19
80	Antipsychotics and dementia in Canada: a retrospective cross-sectional study of four health sectors. BMC Geriatrics, 2017, 17, 244.	2.7	19
81	The Relationship Between Aging and Disease: Geriatric Ideology and Myths of Senility. Journal of the American Geriatrics Society, 1993, 41, 1267-1271.	2.6	18
82	Nursing home resident quality of life: testing for measurement equivalence across resident, family, and staff perspectives. Quality of Life Research, 2015, 24, 2365-2374.	3.1	18
83	Very Frequent Fallers and Future Fall Injury. Journal of Aging and Health, 2016, 28, 587-599.	1.7	18
84	One Way Out? A Multistate Transition Model of Outcomes After Nursing Home Admission. Journal of the American Medical Directors Association, 2019, 20, 1425-1431.e1.	2.5	18
85	Psychometric Evaluation of the Depressive Severity Index (DSI) Among Children and Youth Using the interRAI Child and Youth Mental Health (ChYMH) Assessment Tool. Child and Youth Care Forum, 2021, 50, 611-630.	1.6	18
86	Fall Risk Classification in Community-Dwelling Older Adults Using a Smart Wrist-Worn Device and the Resident Assessment Instrument-Home Care: Prospective Observational Study. JMIR Aging, 2019, 2, e12153.	3.0	18
87	Long-Term Care Funding in Canada. Journal of Aging and Social Policy, 2002, 13, 69-81.	1.6	17
88	Potentially inappropriate management of depressive symptoms among Ontario home care clients. International Journal of Geriatric Psychiatry, 2008, 23, 650-659.	2.7	17
89	Adverse Events in Home Care: Identifying and Responding with interRAI Scales and Clinical Assessment Protocols. Canadian Journal on Aging, 2018, 37, 60-69.	1.1	17
90	Frailty Index Status of Canadian Home Care Clients Improves With Exercise Therapy and Declines in the Presence of Polypharmacy. Journal of the American Medical Directors Association, 2020, 21, 766-771.e1.	2.5	17

#	ARTICLE	IF	CITATIONS
91	Prevalence of neurological conditions across the continuum of care based on interRAI assessments. BMC Health Services Research, 2014, 14, 29.	2.2	16
92	Predicting Future Health Transitions Among Newly Admitted Nursing Home Residents With Heart Failure. Journal of the American Medical Directors Association, 2019, 20, 438-443.	2.5	16
93	A Canadian Cohort Study to Evaluate the Outcomes Associated with a Multicenter Initiative to Reduce Antipsychotic Use in Long-Term Care Homes. Journal of the American Medical Directors Association, 2020, 21, 817-822.	2.5	15
94	Using the RUGâ€”III classification system for understanding the resource intensity of persons with intellectual disability residing in nursing homes. Journal of Intellectual Disabilities, 2011, 15, 131-141.	1.4	14
95	Patterns and Determinants of Dementia Pharmacotherapy in a Population-Based Cohort of Home Care Clients. Drugs and Aging, 2013, 30, 569-585.	2.7	14
96	Predictors of frequent emergency department visits among rural older adults in Ontario using the Resident Assessment Instrument-Home Care. Australian Journal of Rural Health, 2016, 24, 115-122.	1.5	13
97	Clinical Predictors of Delayed Discharges in Inpatient Mental Health Settings Across Ontario. Administration and Policy in Mental Health and Mental Health Services Research, 2019, 46, 105-114.	2.1	13
98	Patterns of home care assessment and service provision before and during the COVID-19 pandemic in Ontario, Canada. PLoS ONE, 2022, 17, e0266160.	2.5	13
99	Stress, Social Engagement and Psychological Well-Being in Institutional Settings: Evidence Based on the Minimum Data Set 2.0. Canadian Journal on Aging, 2000, 19, 50-66.	1.1	12
100	The Relationship Between Agency Characteristics and Quality of Home Care. Home Health Care Services Quarterly, 2008, 27, 59-74.	0.7	12
101	Opinion versus practice regarding the use of rehabilitation services in home care: an investigation using machine learning algorithms. BMC Medical Informatics and Decision Making, 2015, 15, 80.	3.0	12
102	Use of control interventions in adult in-patient mental health services. Healthcare Management Forum, 2015, 28, 139-145.	1.4	12
103	Clinical predictors of protracted length of stay in Ontario Complex Continuing Care hospitals. BMC Health Services Research, 2019, 19, 218.	2.2	12
104	The Seniors Quality Leap Initiative (SQLI): An International Collaborative to Improve Quality in Long-Term Care. Journal of the American Medical Directors Association, 2020, 21, 1931-1936.	2.5	12
105	Longitudinal Trends and Risk Factors for Depressed Mood Among Canadian Adults During the First Wave of COVID-19. Frontiers in Psychiatry, 2021, 12, 666261.	2.6	12
106	Clinical, Demographic and Functional Characteristics Associated with Pharmacotherapy for Heart Failure in Older Home Care Clients. Drugs and Aging, 2011, 28, 561-573.	2.7	11
107	Psychiatric Rehospitalization. primary care companion for CNS disorders, The, 2015, 17, .	0.6	11
108	The Use of Preventive Home Visits among Frail Elderly Persons: Evidence from Three European Countries. Canadian Journal on Aging, 1994, 13, 499-509.	1.1	10

#	ARTICLE	IF	CITATIONS
109	Development of a Crosswalk from the Minimum Data Set 2.0 to the Alberta Resident Classification System. <i>Healthcare Management Forum</i> , 1997, 10, 27-34.	1.4	10
110	Predictors of Influenza Immunization Among Home Care Clients in Ontario. <i>Canadian Journal of Public Health</i> , 2006, 97, 335-339.	2.3	10
111	A longitudinal examination of rural status and suicide risk. <i>Healthcare Management Forum</i> , 2015, 28, 129-133.	1.4	10
112	Identifying Fallers among Home Care Clients with Dementia and Parkinson's Disease. <i>Canadian Journal on Aging</i> , 2016, 35, 319-331.	1.1	10
113	Clinical Profile of Persons with Multiple Sclerosis Across the Continuum of Care. <i>Canadian Journal of Neurological Sciences</i> , 2018, 45, 188-198.	0.5	10
114	Validation of a one year fracture prediction tool for absolute hip fracture risk in long term care residents. <i>BMC Geriatrics</i> , 2018, 18, 320.	2.7	10
115	An Overview of International Staff Time Measurement Validation Studies of the RUG-III Case-mix System. <i>Health Services Insights</i> , 2019, 12, 117863291982792.	1.3	10
116	Adverse events associated with hospitalization or detected through the RAI-HC assessment among Canadian home care clients. <i>Healthcare Policy</i> , 2013, 9, 76-88.	0.6	10
117	The Role of Medications in Predicting Activity Restriction Due to a Fear of Falling. <i>Journal of Aging and Health</i> , 2012, 24, 269-286.	1.7	9
118	Profile of Patients with Amyotrophic Lateral Sclerosis Across Continuum of Care. <i>Canadian Journal of Neurological Sciences</i> , 2014, 41, 246-252.	0.5	9
119	Prevalence and Correlates of Criminal Activity in Adolescents Treated in Adult Inpatient Mental Health Beds in Ontario, Canada. <i>International Journal of Forensic Mental Health</i> , 2015, 14, 33-44.	1.0	9
120	Comparing the characteristics of people living with and without HIV in long-term care and home care in Ontario, Canada. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015, 27, 1343-1353.	1.2	9
121	Access to psychiatrists by French-speaking patients in Ontario hospitals. <i>Healthcare Management Forum</i> , 2015, 28, 167-171.	1.4	9
122	Clinical Complexity and Use of Antipsychotics and Restraints in Long-Term Care Residents with Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2017, 7, 103-115.	2.8	9
123	Development and validation of an algorithm to assess risk of first-time falling among home care clients. <i>BMC Geriatrics</i> , 2019, 19, 264.	2.7	9
124	Potential quality indicators for seriously ill home care clients: a cross-sectional analysis using Resident Assessment Instrument for Home Care (RAI-HC) data for Ontario. <i>BMC Palliative Care</i> , 2019, 18, 3.	1.8	9
125	Psychometric Properties, Feasibility, and Acceptability of the Self-Reported interRAI Check-Up Assessment. <i>Journal of the American Medical Directors Association</i> , 2021, , .	2.5	9
126	The interRAI Child and Youth Suite of Mental Health Assessment Instruments: An Integrated Approach to Mental Health Service Delivery. <i>Frontiers in Psychiatry</i> , 2022, 13, 710569.	2.6	9

#	ARTICLE	IF	CITATIONS
127	Method for Assigning Priority Levels in Acute Care (MAPLe-AC) predicts outcomes of acute hospital care of older persons - a cross-national validation. BMC Medical Informatics and Decision Making, 2011, 11, 39.	3.0	8
128	Data sharing between home care professionals: a feasibility study using the RAI Home Care instrument. BMC Geriatrics, 2014, 14, 81.	2.7	8
129	Gender differences in the rate of restriction to room among Ontario forensic patients. Healthcare Management Forum, 2015, 28, 157-162.	1.4	8
130	A Cross-Sectional Study to Compare Caregiver Distress Among Korean Canadian, Chinese Canadian, and Other Canadian Home Care Clients. SAGE Open, 2015, 5, 215824401559182.	1.7	8
131	Measuring health related quality of life (HRQoL) in community and facility-based care settings with the interRAI assessment instruments: development of a crosswalk to HUI3. Quality of Life Research, 2018, 27, 1295-1309.	3.1	8
132	The Post-Acute Delayed Discharge Risk Scale: Derivation and Validation With Ontario Alternate Level of Care Patients in Ontario Complex Continuing Care Hospitals. Journal of the American Medical Directors Association, 2020, 21, 538-544.e1.	2.5	8
133	Implementation evaluation of a stepped approach to home care assessment using interRAI systems in Ontario, Canada. Health and Social Care in the Community, 2022, 30, 2341-2352.	1.6	8
134	ALC status in in-patient mental health settings. Healthcare Management Forum, 2015, 28, 146-149.	1.4	7
135	Correlates and Predictors of Changes in Dyspnea Symptoms Over Time Among Community-Dwelling Palliative Home Care Clients. Journal of Pain and Symptom Management, 2015, 50, 793-805.	1.2	7
136	Derivation and validation of the Personal Support Algorithm: an evidence-based framework to inform allocation of personal support services in home and community care. BMC Health Services Research, 2017, 17, 775.	2.2	7
137	Development and validation of a screener based on interRAI assessments to measure informal caregiver wellbeing in the community. BMC Geriatrics, 2018, 18, 310.	2.7	7
138	DIVERT-Collaboration Action Research and Evaluation (CARE) Trial Protocol: a multiprovincial pragmatic cluster randomised trial of cardiorespiratory management in home care. BMJ Open, 2019, 9, e030301.	1.9	7
139	Individuals with neurological diseases are at increased risk of fractures within 180 days of admission to long-term care in Ontario. Age and Ageing, 2015, 44, 252-257.	1.6	6
140	Validation of the interRAI Pressure Ulcer Risk Scale in Acute Care Hospitals. Journal of the American Geriatrics Society, 2016, 64, 1324-1328.	2.6	6
141	Evaluation of the Predictive Accuracy of the interRAI Falls Clinical Assessment Protocol, Scott Fall Risk Screen, and a Supplementary Falls Risk Assessment Tool Used in Residential Long-Term Care: A Retrospective Cohort Study. Canadian Journal on Aging, 2020, 39, 521-532.	1.1	6
142	Outcomes of vulnerable elderly patients undergoing elective major surgery: a prospective cohort study. Canadian Journal of Anaesthesia, 2020, 67, 847-856.	1.6	6
143	Using Machine Learning to Plan Rehabilitation for Home Care Clients: Beyond "Black-Box" Predictions. Intelligent Systems Reference Library, 2014, , 181-207.	1.2	6
144	Risk of Injury to Others: The Development of an Algorithm to Identify Children and Youth at High-Risk of Aggressive Behaviours. Frontiers in Psychiatry, 2021, 12, 750625.	2.6	6

#	ARTICLE	IF	CITATIONS
145	The Statistical Analysis of Event Histories in Longitudinal Studies of Aging. Canadian Journal on Aging, 1994, 13, 332-352.	1.1	5
146	Education and Employment Needs and Receipt of Services in Community and Inpatient Mental Health Settings. Community Mental Health Journal, 2014, 50, 637-645.	2.0	5
147	A Cross-Sectional Examination of the Association Between Dyspnea and Distress as Experienced by Palliative Home Care Clients and Their Informal Caregivers. Journal of Social Work in End-of-Life and Palliative Care, 2016, 12, 82-103.	0.6	5
148	Care Needs and Health Care Burden of Persons With Epilepsy Receiving Home Care Services. Home Health Care Management and Practice, 2019, 31, 42-50.	1.0	5
149	Spending Wisely: Home Care Reassessment Intervals and Cost in Ontario.. Journal of the American Medical Directors Association, 2020, 21, 432-434.e2.	2.5	5
150	Assessing the Health and Functional Status of Older Women with Breast Cancer Using the Minimum Data Set-Home Care (MDS-HC). Canadian Journal of Public Health, 2001, 92, 457-459.	2.3	4
151	Social Relationships and Activities Among Married Psychiatric Inpatients with Sexual Difficulties. Journal of Sex and Marital Therapy, 2011, 37, 307-322.	1.5	4
152	Profile of Persons With Epilepsy Receiving Home Care Services. Home Health Care Management and Practice, 2018, 30, 155-163.	1.0	4
153	Evaluation of a staff training programme to reimplement a comprehensive health assessment. BMJ Open Quality, 2018, 7, e000353.	1.1	4
154	Impact of the applied simulated and integrated learning approach on nursing assistants's knowledge and confidence caring for frail seniors in nursing homes. Pilot and Feasibility Studies, 2018, 4, 77.	1.2	4
155	Enhancing Knowledge and InterProfessional care for Heart Failure (EKWIP-HF) in long-term care: a pilot study. Pilot and Feasibility Studies, 2018, 4, 9.	1.2	4
156	Case-Mix Classification for Mental Health Care in Community Settings: A Scoping Review. Health Services Insights, 2019, 12, 117863291986224.	1.3	4
157	Study Protocol and Baseline Comparisons for a Pan-Canadian Initiative to Reduce Inappropriate Use of Antipsychotics in Long-Term Care Homes. SAGE Open, 2019, 9, 215824401983594.	1.7	4
158	The Role of Physicians in the Era of Big Data. Canadian Journal of Cardiology, 2020, 36, 19-21.	1.7	4
159	Assessments of Heart Failure and Frailty-Related Health Instability Provide Complementary and Useful Information for Home-Care Planning and Prognosis. Canadian Journal of Cardiology, 2021, 37, 1767-1774.	1.7	4
160	The Crying Need for Validated Consensus Frailty Measurement Standards: Will the Real Frailty Please Stand Up?. Canadian Journal of Cardiology, 2021, 37, 1702-1704.	1.7	4
161	Factors Associated With Hospital Presentation of Self-Harm Among Older Canadians in Long-Term Care: A 12-Year Cohort Study. Journal of the American Medical Directors Association, 2021, 22, 2160-2168.e18.	2.5	4
162	Prognosis does not change the landscape: palliative home care clients experience high rates of pain and nausea, regardless of prognosis. BMC Palliative Care, 2021, 20, 165.	1.8	4

#	ARTICLE	IF	CITATIONS
163	A multi-stage process to develop quality indicators for community-based palliative care using interRAI data. PLoS ONE, 2022, 17, e0266569.	2.5	4
164	Prevalence and predictors of influenza vaccination in long-term care homes: a cross-national retrospective observational study. BMJ Open, 2022, 12, e057517.	1.9	4
165	Prevalence and Predictors of Antibiotic Use in Community-Based Elderly in Ontario, Canada. Infection Control and Hospital Epidemiology, 2011, 32, 710-713.	1.8	3
166	Profile of Residents with Mental Disorders in Canadian Long-Term Care Facilities: A Cross-Sectional Study. Journal of Long-Term Care, 2021, , 154-166.	1.1	3
167	Do pre-morbid characteristics of home care clients predict delayed discharges in acute care hospitals: a retrospective cohort study in Ontario and British Columbia, Canada. BMJ Open, 2021, 11, e038484.	1.9	3
168	Using standard clinical assessments for home care to identify vulnerable populations before, during, and after disasters. Journal of Emergency Management, 2017, 15, 355-366.	0.3	3
169	Substance Use among Youth in Community and Residential Mental Health Care Facilities in Ontario, Canada. International Journal of Environmental Research and Public Health, 2022, 19, 1731.	2.6	3
170	Social engagement and distress among home care recipients during the COVID-19 pandemic in Ontario, Canada: a retrospective cohort study. Journal of the American Medical Directors Association, 2022, , .	2.5	3
171	Long-term care quality monitoring using the interRAI common clinical assessment language. , 0, , 472-506.		2
172	Predictors of Home Care Costs Among Persons With Dementia, Amyotrophic Lateral Sclerosis, and Multiple Sclerosis in Ontario. Health Services Insights, 2020, 13, 117863292090373.	1.3	2
173	Mood Disturbances Across the Continuum of Care Based on Self-Report and Clinician Rated Measures in the interRAI Suite of Assessment Instruments. Frontiers in Psychiatry, 2022, 13, 787463.	2.6	2
174	Examining the Effect of the First Wave of the COVID-19 Pandemic on Home Care Recipients'™ Instrumental Activities of Daily Living Capacity. Journal of the American Medical Directors Association, 2022, 23, 1609.e1-1609.e5.	2.5	2
175	interRAI Subjective Quality of Life Scale for Mental Health and Addiction Settings: A Self-Reported Measure Developed From a Multi-National Study. Frontiers in Psychiatry, 2021, 12, 705415.	2.6	1
176	Determinants of Non-emergency Use of Control Interventions in Older Canadian Psychiatric Inpatients: Analyzing the InterRAI Mental Health Electronic Health Records. Frontiers in Psychiatry, 2021, 12, 744341.	2.6	1
177	The Forensic Supplement to the interRAI Mental Health Assessment Instrument: Evaluation and Validation of the Problem Behavior Scale. Frontiers in Psychiatry, 2021, 12, 769034.	2.6	1
178	Long-term care for the elderly in Canada: progress towards an integrated system. , 0, , 324-356.		0
179	Predicting First Time Falls: Validating a Novel Algorithm in Long Term Care. Physical and Occupational Therapy in Geriatrics, 0, , 1-12.	0.4	0
180	An International Pilot Study of Self-Reported Quality of Life in Outpatient and Inpatient Mental Health Settings. Frontiers in Psychiatry, 2021, 12, 719994.	2.6	0

#	ARTICLE	IF	CITATIONS
181	Evidence of validity of the instrument interRAI emergency screener for psychiatry for the brazilian context. Research, Society and Development, 2021, 10, e525101321185.	0.1	0
182	Online symptoms self-assessment during COVID-19 pandemic: an analysis of a COVID-19 portal responses from Canada. Scientific Reports, 2022, 12, .	3.3	0