Dorte Herzke

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2212687/dorte-herzke-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127
papers6,738
citations39
h-index79
g-index136
ext. papers8,003
ext. citations7.6
avg, IF5.95
L-index

#	Paper	IF	Citations
127	First documentation of plastic ingestion in the arctic glaucous gull (Larus hyperboreus) <i>Science of the Total Environment</i> , 2022 , 155340	10.2	О
126	Ecosystem specific accumulation of organohalogenated compounds: A comparison between adjacent freshwater and terrestrial avian predators <i>Environmental Research</i> , 2022 , 113455	7.9	0
125	A Bad Start in Life? Maternal Transfer of Legacy and Emerging Poly- and Perfluoroalkyl Substances to Eggs in an Arctic Seabird. <i>Environmental Science & Eggs</i> in an Arctic Seabird. <i>Environmental Science & Eggs</i> in an Arctic Seabird.	10.3	5
124	Ingested plastics in northern fulmars (Fulmarus glacialis): A pathway for polybrominated diphenyl ether (PBDE) exposure?. <i>Science of the Total Environment</i> , 2021 , 778, 146313	10.2	8
123	Oceanic long-range transport of organic additives present in plastic products: an overview. <i>Environmental Sciences Europe</i> , 2021 , 33,	5	7
122	A schematic sampling protocol for contaminant monitoring in raptors. <i>Ambio</i> , 2021 , 50, 95-100	6.5	10
121	Trophic and fitness correlates of mercury and organochlorine compound residues in egg-laying Antarctic petrels. <i>Environmental Research</i> , 2021 , 193, 110518	7.9	2
120	Addressing Urgent Questions for PFAS in the 21st Century. <i>Environmental Science & Environmental Scien</i>	10.3	2
119	Moving forward in microplastic research: A Norwegian perspective. <i>Environment International</i> , 2021 , 157, 106794	12.9	4
118	Finding essentiality feasible: common questions and misinterpretations concerning the "essential-use" concept. <i>Environmental Sciences: Processes and Impacts</i> , 2021 , 23, 1079-1087	4.3	3
117	The NORMAN Association and the European Partnership for Chemicals Risk Assessment (PARC): let cooperate!. <i>Environmental Sciences Europe</i> , 2020 , 32,	5	12
116	Strategies for grouping per- and polyfluoroalkyl substances (PFAS) to protect human and environmental health. <i>Environmental Sciences: Processes and Impacts</i> , 2020 , 22, 1444-1460	4.3	51
115	Spatiotemporal Analysis of Perfluoroalkyl Substances in White-Tailed Eagle (Nestlings from Northern Norway-A Ten-Year Study. <i>Environmental Science & Description (New York)</i> , 2020, 54, 5011-5020	10.3	7
114	Contaminants, prolactin and parental care in an Arctic seabird: Contrasted associations of perfluoroalkyl substances and organochlorine compounds with egg-turning behavior. <i>General and Comparative Endocrinology</i> , 2020 , 291, 113420	3	7
113	Pelagic vs Coastal-Key Drivers of Pollutant Levels in Barents Sea Polar Bears with Contrasted Space-Use Strategies. <i>Environmental Science & Environmental Science & Environme</i>	10.3	9
112	Are Fluoropolymers Really of Low Concern for Human and Environmental Health and Separate from Other PFAS?. <i>Environmental Science & Environmental Environmental Health and Separate from Other PFAS?. <i>Environmental Science & Environmental Environmental Health and Separate Environmental Environmental Health and Separate From Other PFAS?</i>.</i>	10.3	35
111	A novel use of the leukocyte coping capacity assay to assess the immunomodulatory effects of organohalogenated contaminants in avian wildlife. <i>Environment International</i> , 2020 , 142, 105861	12.9	2

(2019-2020)

110	The high persistence of PFAS is sufficient for their management as a chemical class. <i>Environmental Sciences: Processes and Impacts</i> , 2020 , 22, 2307-2312	4.3	37
109	Exposure to PFAS is Associated with Telomere Length Dynamics and Demographic Responses of an Arctic Top Predator. <i>Environmental Science & Environmental Science & Environment</i>	10.3	16
108	An overview of the uses of per- and polyfluoroalkyl substances (PFAS). <i>Environmental Sciences: Processes and Impacts</i> , 2020 , 22, 2345-2373	4.3	146
107	Car Tire Crumb Rubber: Does Leaching Produce a Toxic Chemical Cocktail in Coastal Marine Systems?. <i>Frontiers in Environmental Science</i> , 2020 , 8,	4.8	25
106	Maternal-Child Exposures to Persistent Organic Pollutants in Dhaka, Bangladesh. <i>Exposure and Health</i> , 2020 , 12, 79-87	8.8	3
105	Integrated exposure assessment of northern goshawk (Accipiter gentilis) nestlings to legacy and emerging organic pollutants using non-destructive samples. <i>Environmental Research</i> , 2019 , 178, 108678	7.9	13
104	Individual variability in contaminants and physiological status in a resident Arctic seabird species. <i>Environmental Pollution</i> , 2019 , 249, 191-199	9.3	9
103	The concept of essential use for determining when uses of PFASs can be phased out. <i>Environmental Sciences: Processes and Impacts</i> , 2019 , 21, 1803-1815	4.3	71
102	Bird feathers as a biomonitor for environmental pollutants: Prospects and pitfalls. <i>TrAC - Trends in Analytical Chemistry</i> , 2019 , 118, 223-226	14.6	39
101	Snow buntings (Plectrophenax nivealis) as bio-indicators for exposure differences to legacy and emerging persistent organic pollutants from the Arctic terrestrial environment on Svalbard. <i>Science of the Total Environment</i> , 2019 , 667, 638-647	10.2	12
100	Potential Effect of Migration Strategy on Pollutant Occurrence in Eggs of Arctic Breeding Barnacle Geese (Branta leucopsis). <i>Environmental Science & Environmental Science & </i>	10.3	10
99	White-tailed eagle (Haliaeetus albicilla) feathers from Norway are suitable for monitoring of legacy, but not emerging contaminants. <i>Science of the Total Environment</i> , 2019 , 647, 525-533	10.2	24
98	Levels and trends of poly- and perfluoroalkyl substances in the Arctic environment (An update. <i>Emerging Contaminants</i> , 2019 , 5, 240-271	5.8	63
97	White-Tailed Eagle () Body Feathers Document Spatiotemporal Trends of Perfluoroalkyl Substances in the Northern Environment. <i>Environmental Science & Environmental Science & </i>	10.3	27
96	Seabird-Transported Contaminants Are Reflected in the Arctic Tundra, But Not in Its Soil-Dwelling Springtails (Collembola). <i>Environmental Science & Environmental Science & E</i>	10.3	4
95	Plastic litter in the European Arctic: What do we know?. <i>Emerging Contaminants</i> , 2019 , 5, 308-318	5.8	54
94	Plasma concentrations of organohalogenated contaminants in white-tailed eagle nestlings - The role of age and diet. <i>Environmental Pollution</i> , 2019 , 246, 527-534	9.3	21
93	Higher plasma oxidative damage and lower plasma antioxidant defences in an Arctic seabird exposed to longer perfluoroalkyl acids. <i>Environmental Research</i> , 2019 , 168, 278-285	7.9	33

92	What is the effect of phasing out long-chain per- and polyfluoroalkyl substances on the concentrations of perfluoroalkyl acids and their precursors in the environment? A systematic review. <i>Environmental Evidence</i> , 2018 , 7,	3.3	71
91	Persistent organic pollutants and organophosphate esters in feathers and blood plasma of adult kittiwakes (Rissa tridactyla) from Svalbard - associations with body condition and thyroid hormones. <i>Environmental Research</i> , 2018 , 164, 158-164	7.9	16
90	Organochlorines, perfluoroalkyl substances, mercury, and egg incubation temperature in an Arctic seabird: Insights from data loggers. <i>Environmental Toxicology and Chemistry</i> , 2018 , 37, 2881-2894	3.8	5
89	DNA damage in Arctic seabirds: Baseline, sensitivity to a genotoxic stressor, and association with organohalogen contaminants. <i>Environmental Toxicology and Chemistry</i> , 2018 , 37, 1084-1091	3.8	9
88	Zfich Statement on Future Actions on Per- and Polyfluoroalkyl Substances (PFASs). <i>Environmental Health Perspectives</i> , 2018 , 126, 84502	8.4	58
87	Developmental Toxicity of Perfluorooctanesulfonate (PFOS) and Its Chlorinated Polyfluoroalkyl Ether Sulfonate Alternative F-53B in the Domestic Chicken. <i>Environmental Science & Emp; Technology</i> , 2018 , 52, 12859-12867	10.3	35
86	Blood clinical-chemical parameters and feeding history in growing Japanese quail (Coturnix japonica) chicks exposed to Tris(1,3-dichloro-2-propyl) phosphate and Dechlorane Plus in ovo. <i>Toxicological and Environmental Chemistry</i> , 2017 , 99, 938-952	1.4	2
85	Contaminants and energy expenditure in an Arctic seabird: Organochlorine pesticides and perfluoroalkyl substances are associated with metabolic rate in a contrasted manner. <i>Environmental Research</i> , 2017 , 157, 118-126	7.9	31
84	Geographical Differences in Dietary Exposure to Perfluoroalkyl Acids between Manufacturing and Application Regions in China. <i>Environmental Science & Environmental Science & </i>	10.3	28
83	Dissimilar effects of organohalogenated compounds on thyroid hormones in glaucous gulls. <i>Environmental Research</i> , 2017 , 158, 350-357	7.9	21
82	Estimating human exposure to perfluoroalkyl acids via solid food and drinks: Implementation and comparison of different dietary assessment methods. <i>Environmental Research</i> , 2017 , 158, 269-276	7.9	18
81	Anti-parasite treatment and blood biochemistry in raptor nestlings. <i>Canadian Journal of Zoology</i> , 2017 , 95, 685-693	1.5	
80	Per- and polyfluoroalkyl substances in plasma and feathers of nestling birds of prey from northern Norway. <i>Environmental Research</i> , 2017 , 158, 277-285	7.9	18
79	Perfluorinated substances and telomeres in an Arctic seabird: Cross-sectional and longitudinal approaches. <i>Environmental Pollution</i> , 2017 , 230, 360-367	9.3	42
78	Contamination of ivory gulls (Pagophila eburnea) at four colonies in Svalbard in relation to their trophic behaviour. <i>Polar Biology</i> , 2017 , 40, 917-929	2	8
77	Temporal variation in circulating concentrations of organochlorine pollutants in a pelagic seabird breeding in the high Arctic. <i>Environmental Toxicology and Chemistry</i> , 2017 , 36, 442-448	3.8	13
76	Levels, Isomer Profiles, and Estimated Riverine Mass Discharges of Perfluoroalkyl Acids and Fluorinated Alternatives at the Mouths of Chinese Rivers. <i>Environmental Science & Environmental Science &</i>	10.3	138
75	Exposure to per- and polyfluoroalkyl substances through the consumption of fish from lakes affected by aqueous film-forming foam emissions - A combined epidemiological and exposure modeling approach. The SAMINOR 2 Clinical Study. <i>Environment International</i> , 2016 , 94, 272-282	12.9	25

74	Spatial and temporal trends in perfluoroalkyl substances (PFASs) in ringed seals (Pusa hispida) from Svalbard. <i>Environmental Pollution</i> , 2016 , 214, 230-238	9.3	31
73	Exposure to oxychlordane is associated with shorter telomeres in arctic breeding kittiwakes. <i>Science of the Total Environment</i> , 2016 , 563-564, 125-30	10.2	42
72	Tracking pan-continental trends in environmental contamination using sentinel raptors-what types of samples should we use?. <i>Ecotoxicology</i> , 2016 , 25, 777-801	2.9	102
71	Negligible Impact of Ingested Microplastics on Tissue Concentrations of Persistent Organic Pollutants in Northern Fulmars off Coastal Norway. <i>Environmental Science & Environmental Science & Environ</i>	10.3	157
7°	Organohalogenated contaminants in white-tailed eagle (Haliaeetus albicilla) nestlings: An assessment of relationships to immunoglobulin levels, telomeres and oxidative stress. <i>Science of the Total Environment</i> , 2016 , 539, 337-349	10.2	47
69	Persistent organic pollutant levels and the importance of source proximity in Baltic and Svalbard breeding common eiders. <i>Environmental Toxicology and Chemistry</i> , 2016 , 35, 1526-33	3.8	10
68	Antioxidant Responses in Relation to Persistent Organic Pollutants and Metals in a Low- and a High-Exposure Population of Seabirds. <i>Environmental Science & Environmental Sci</i>	10.3	9
67	DNA double-strand breaks in incubating female common eiders (Somateria mollissima): Comparison between a low and a high polluted area. <i>Environmental Research</i> , 2016 , 151, 297-303	7.9	10
66	Increased adrenal responsiveness and delayed hatching date in relation to polychlorinated biphenyl exposure in Arctic-breeding black-legged kittiwakes (Rissa tridactyla). <i>General and Comparative Endocrinology</i> , 2015 , 219, 165-72	3	19
65	Are imported consumer products an important diffuse source of PFASs to the Norwegian environment?. <i>Environmental Pollution</i> , 2015 , 198, 223-30	9.3	38
64	Perfluoroalkyl substances detected in the world's southernmost marine mammal, the Weddell seal (Leptonychotes weddellii). <i>Environmental Pollution</i> , 2015 , 197, 62-67	9.3	19
63	What is the effect of phasing out long-chain per- and polyfluoroalkyl substances on the concentrations of perfluoroalkyl acids and their precursors in the environment? A systematic review protocol. <i>Environmental Evidence</i> , 2015 , 4, 3	3.3	34
62	Perfluoroalkyl substance concentrations in a terrestrial raptor: relationships to environmental conditions and individual traits. <i>Environmental Toxicology and Chemistry</i> , 2015 , 34, 184-91	3.8	14
61	Survival rate and breeding outputs in a high Arctic seabird exposed to legacy persistent organic pollutants and mercury. <i>Environmental Pollution</i> , 2015 , 200, 1-9	9.3	55
60	Occurrence of perfluorinated alkylated substances in cereals, salt, sweets and fruit items collected in four European countries. <i>Chemosphere</i> , 2015 , 129, 179-85	8.4	36
59	Levels and trends of PBDEs and HBCDs in the global environment: status at the end of 2012. <i>Environment International</i> , 2014 , 65, 147-58	12.9	304
58	Spatial and temporal distribution of chiral pesticides in Calanus spp. from three Arctic fjords. <i>Environmental Pollution</i> , 2014 , 192, 154-61	9.3	14
57	Integument colouration in relation to persistent organic pollutants and body condition in arctic breeding black-legged kittiwakes (Rissa tridactyla). <i>Science of the Total Environment</i> , 2014 , 470-471, 248	1012 -54 ²	13

56	Effect of body condition on tissue distribution of perfluoroalkyl substances (PFASs) in Arctic fox (Vulpes lagopus). <i>Environmental Science & Environmental Science & Environm</i>	10.3	29
55	DNA double-strand breaks in relation to persistent organic pollutants in a fasting seabird. <i>Ecotoxicology and Environmental Safety</i> , 2014 , 106, 68-75	7	15
54	Enantiomer-selective and quantitative trace analysis of selected persistent organic pollutants (POP) in traditional food from western Greenland. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2014 , 77, 616-27	3.2	12
53	Endocrine and fitness correlates of long-chain perfluorinated carboxylates exposure in Arctic breeding black-legged kittiwakes. <i>Environmental Science & Environmental Science</i>	10.3	52
52	The stress of being contaminated? Adrenocortical function and reproduction in relation to persistent organic pollutants in female black legged kittiwakes. <i>Science of the Total Environment</i> , 2014 , 476-477, 553-60	10.2	29
51	Polychlorinated biphenyls (PCBs), polybrominated diphenyl ethers (PBDEs) and perfluorinated alkylated substances (PFASs) in traditional seafood items from western Greenland. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 4741-50	5.1	23
50	Perfluorinated alkylated substances in vegetables collected in four European countries; occurrence and human exposure estimations. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 7930-9	5.1	62
49	Occurrence of perfluoroalkyl substances (PFASs) in various food items of animal origin collected in four European countries. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment,</i> 2013 , 30, 1918-32	3.2	53
48	Perfluoroalkyl substances in soft tissues and tail feathers of Belgian barn owls (Tyto alba) using statistical methods for left-censored data to handle non-detects. <i>Environment International</i> , 2013 , 52, 9-16	12.9	37
47	Ecological and spatial factors drive intra- and interspecific variation in exposure of subarctic predatory bird nestlings to persistent organic pollutants. <i>Environment International</i> , 2013 , 57-58, 25-33	12.9	24
46	Antiparasite treatments reduce humoral immunity and impact oxidative status in raptor nestlings. <i>Ecology and Evolution</i> , 2013 , 3, 5157-66	2.8	19
45	Dietary exposure to selected perfluoroalkyl acids (PFAAs) in four European regions. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2013, 30, 2141-51	3.2	46
44	Plasma concentrations of organohalogenated pollutants in predatory bird nestlings: associations to growth rate and dietary tracers. <i>Environmental Toxicology and Chemistry</i> , 2013 , 32, 2520-7	3.8	24
43	Relationships between POPs and baseline corticosterone levels in black-legged kittiwakes (Rissa tridactyla) across their breeding cycle. <i>Environmental Pollution</i> , 2012 , 164, 219-26	9.3	28
42	Temporal trends and spatial differences of perfluoroalkylated substances in livers of harbor porpoise (Phocoena phocoena) populations from Northern Europe, 1991-2008. <i>Science of the Total Environment</i> , 2012 , 419, 216-24	10.2	25
41	The structure of the fire fighting foam surfactant Forafac 1157 and its biological and photolytic transformation products. <i>Chemosphere</i> , 2012 , 89, 869-75	8.4	87
40	Temporal dynamics of circulating persistent organic pollutants in a fasting seabird under different environmental conditions. <i>Environmental Science & Environmental Science &</i>	10.3	27
39	Blood plasma clinical-chemical parameters as biomarker endpoints for organohalogen contaminant exposure in Norwegian raptor nestlings. <i>Ecotoxicology and Environmental Safety</i> , 2012 , 80, 76-83	7	40

(2009-2012)

38	Perfluoroalkyl and polyfluoroalkyl substances (PFASs) in consumer products in Norway - a pilot study. <i>Chemosphere</i> , 2012 , 88, 980-7	8.4	159
37	The search for alternative aqueous film forming foams (AFFF) with a low environmental impact: physiological and transcriptomic effects of two Forafac([]) fluorosurfactants in turbot. <i>Aquatic Toxicology</i> , 2011 , 104, 168-76	5.1	36
36	Novel brominated flame retardants: a review of their analysis, environmental fate and behaviour. <i>Environment International</i> , 2011 , 37, 532-56	12.9	1030
35	A first evaluation of the usefulness of feathers of nestling predatory birds for non-destructive biomonitoring of persistent organic pollutants. <i>Environment International</i> , 2011 , 37, 622-30	12.9	67
34	Differences between Arctic and Atlantic fjord systems on bioaccumulation of persistent organic pollutants in zooplankton from Svalbard. <i>Science of the Total Environment</i> , 2011 , 409, 2783-95	10.2	40
33	Environmental pollutants in the Swedish marine ecosystem, with special emphasis on polybrominated diphenyl ethers (PBDE). <i>Chemosphere</i> , 2011 , 82, 1286-92	8.4	27
32	Influence of season, location, and feeding strategy on bioaccumulation of halogenated organic contaminants in Arctic marine zooplankton. <i>Environmental Toxicology and Chemistry</i> , 2011 , 30, 77-87	3.8	38
31	Seasonality in contaminant accumulation in Arctic marine pelagic food webs using trophic magnification factor as a measure of bioaccumulation. <i>Environmental Toxicology and Chemistry</i> , 2011 , 30, 1026-35	3.8	59
30	Temporal trends and pattern of polyfluoroalkyl compounds in Tawny Owl (Strix aluco) eggs from Norway, 1986-2009. <i>Environmental Science & Environmental Science & Environmenta</i>	10.3	54
29	Impacts of climate and feeding conditions on the annual accumulation (1986-2009) of persistent organic pollutants in a terrestrial raptor. <i>Environmental Science & Description (1986-2009)</i> and the condition of	10.3	16
28	Current Levels and Trends of Brominated Flame Retardants in the Environment. <i>Handbook of Environmental Chemistry</i> , 2010 , 123-140	0.8	3
27	Relationships between organohalogen contaminants and blood plasma clinical-chemical parameters in chicks of three raptor species from Northern Norway. <i>Ecotoxicology and Environmental Safety</i> , 2010 , 73, 7-17	7	45
26	Strongly increasing blood concentrations of lipid-soluble organochlorines in high arctic common eiders during incubation fast. <i>Chemosphere</i> , 2010 , 79, 320-5	8.4	49
25	Bioaccumulation of Brominated Flame Retardants. <i>Handbook of Environmental Chemistry</i> , 2010 , 141-185	5 0.8	3
24	Salmon farms as a source of organohalogenated contaminants in wild fish. <i>Environmental Science & Environmental Science</i>	10.3	22
23	Brominated flame retardants in the Arctic environmenttrends and new candidates. <i>Science of the Total Environment</i> , 2010 , 408, 2885-918	10.2	570
22	Fluctuating wing asymmetry and hepatic concentrations of persistent organic pollutants are associated in European shag (Phalacrocorax aristotelis) chicks. <i>Science of the Total Environment</i> , 2010 , 408, 578-85	10.2	26
21	Perfluorinated and other persistent halogenated organic compounds in European shag (Phalacrocorax aristotelis) and common eider (Somateria mollissima) from Norway: a suburban to remote pollutant gradient. <i>Science of the Total Environment</i> , 2009 , 408, 340-8	10.2	79

20	Brominated flame retardants in the European chemicals policy of REACH-Regulation and determination in materials. <i>Journal of Chromatography A</i> , 2009 , 1216, 320-33	4.5	169
19	Monitoring of raptors and their contamination levels in Norway. <i>Ambio</i> , 2008 , 37, 420-4	6.5	15
18	Perfluorinated and chlorinated pollutants as predictors of demographic parameters in an endangered seabird. <i>Environmental Pollution</i> , 2008 , 156, 417-24	9.3	42
17	Detailed analysis of polybrominated biphenyl congeners in bird eggs from Norway. <i>Environmental Pollution</i> , 2008 , 156, 1204-10	9.3	21
16	Levels and trends of HBCD and BDEs in the European and Asian environments, with some information for other BFRs. <i>Chemosphere</i> , 2008 , 73, 223-41	8.4	213
15	Perfluorinated, brominated, and chlorinated contaminants in a population of lesser black-backed gulls (Larus fuscus). <i>Environmental Toxicology and Chemistry</i> , 2008 , 27, 1383	3.8	34
14	Perfluorinated, brominated, and chlorinated contaminants in a population of lesser black-backed gulls (Larus fuscus). <i>Environmental Toxicology and Chemistry</i> , 2008 , 27, 1383-92	3.8	1
13	Natural and man-made organobromine compounds in marine biota from Central Norway. <i>Environment International</i> , 2007 , 33, 17-26	12.9	36
12	The BEEP Stavanger Workshop: Mesocosm exposures. <i>Aquatic Toxicology</i> , 2006 , 78 Suppl 1, S5-12	5.1	24
11	Levels and trends of brominated flame retardants in the European environment. <i>Chemosphere</i> , 2006 , 64, 187-208	8.4	641
10	Analytical strategies for successful enantioselective separation of atropisomeric polybrominated biphenyls 132 and 149 in environmental samples. <i>Journal of Chromatography A</i> , 2005 , 1063, 193-9	4.5	15
9	Determination of the enantiomer fraction of PBB 149 by gas chromatography/electron capture negative ionization tandem mass spectrometry in the selected reaction monitoring mode. <i>Rapid Communications in Mass Spectrometry</i> , 2005 , 19, 3719-23	2.2	10
8	Two trace analytical methods for determination of hydroxylated PCBs and other halogenated phenolic compounds in eggs from Norwegian birds of prey. <i>Analytical Chemistry</i> , 2004 , 76, 441-52	7.8	90
7	Polychlorinated camphenes (toxaphenes), polybrominated diphenylethers and other halogenated organic pollutants in glaucous gull (Larus hyperboreus) from Svalbard and BjEnya (Bear Island). <i>Environmental Pollution</i> , 2003 , 121, 293-300	9.3	64
6	BFR-governmental testing programme. <i>Environment International</i> , 2003 , 29, 781-92	12.9	47
5	Organochlorines in egg samples from Norwegian birds of prey: congener-, isomer- and enantiomer specific considerations. <i>Science of the Total Environment</i> , 2002 , 291, 59-71	10.2	62
4	Identification of toxaphene congeners in bird eggs by combining quadrupole NICI-mS and ion trap EI-MS/MS. <i>Journal of Separation Science</i> , 2002 , 25, 453-461	3.4	4
3	Kinetics and organotropy of some polyfluorinated dibenzo-p-dioxins and dibenzofurans (PFDD/PFDF) in rats. <i>Life Sciences</i> , 2002 , 71, 1475-86	6.8	11

Schadstoff-Ferntransport in die Arktis. *Environmental Sciences Europe*, **2001**, 13, 216-226

5

Per- and polyfluorinated substances in the Nordic Countries

8