

Malcolm L H Green

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/221341/malcolm-l-h-green-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83
papers

6,083
citations

32
h-index

77
g-index

86
ext. papers

6,389
ext. citations

8.8
avg, IF

5.11
L-index

#	Paper	IF	Citations
83	Comment on "Hydride, gold(i) and related derivatives of the unsaturated ditungsten anion [WCp(EPCy)(ECO)] ⁻ " by M. A. Ruiz et al., Dalton Trans., 2014, 43, 16044. <i>Dalton Transactions</i> , 2018 , 47, 6628-6629	4.3	2
82	The classification and representation of main group element compounds that feature three-center four-electron interactions. <i>Dalton Transactions</i> , 2016 , 45, 18784-18795	4.3	27
81	The Covalent Bond Classification Method and Its Application to Compounds That Feature 3-Center 2-Electron Bonds. <i>Structure and Bonding</i> , 2016 , 79-139	0.9	11
80	Exploring Pathways for Activation of Carbon Monoxide by Palladium Iminophosphines. <i>ChemPlusChem</i> , 2013 , 78, 1413-1420	2.8	
79	The occurrence and representation of three-centre two-electron bonds in covalent inorganic compounds. <i>Chemical Communications</i> , 2012 , 48, 11481-503	5.8	214
78	Sidewall functionalisation of carbon nanotubes by addition of diarylcarbene derivatives. <i>Journal of Materials Chemistry</i> , 2011 , 21, 19080		20
77	Ferromagnetism of double-walled carbon nanotubes. <i>Applied Physics Letters</i> , 2010 , 96, 242503	3.4	11
76	Edge-carboxylated graphene nanoflakes from nitric acid oxidised arc-discharge material. <i>Journal of Materials Chemistry</i> , 2010 , 20, 314-319		38
75	SOME EARLY-DAYS MEMORIES AND THEN A SMALL DIVERSION INTO BORON CHEMISTRY, AND FINALLY SOME NEW CHEMISTRY OF CARBON NANOTUBES. <i>Comments on Inorganic Chemistry</i> , 2010 , 31, 90-94	3.9	2
74	Synthesis, Structure, and Temperature-Dependent Dynamics of Neutral Palladium Allyl Complexes of Annulated Diaminocarbenes and Their Catalytic Application for C≡C and C≡N Bond Formation Reactions. <i>Organometallics</i> , 2010 , 29, 4858-4870	3.8	32
73	Synthesis and characterization of WS ₂ inorganic nanotubes with encapsulated/intercalated CsI. <i>Nano Research</i> , 2010 , 3, 170-173	10	11
72	One- and Two-Dimensional Inorganic Crystals inside Inorganic Nanotubes. <i>European Journal of Inorganic Chemistry</i> , 2010 , 2010, 4233-4243	2.3	12
71	Carbon nanocapsules: blocking materials inside carbon nanotubes. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2010 , 7, 2739-2742		9
70	Interactions between tripodal porphyrin hosts and single walled carbon nanotubes: an experimental and theoretical (DFT) account. <i>Journal of Materials Chemistry</i> , 2008 , 18, 2781		16
69	Fabrication of carbon-nanotube-reinforced glass/ceramic nanocomposites by ultrasonic in situ sol-gel processing. <i>Journal of Materials Chemistry</i> , 2008 , 18, 5344		53
68	Highly hydrophilic and stable polypeptide/single-wall carbon nanotube conjugates. <i>Journal of Materials Chemistry</i> , 2008 , 18, 1977		27
67	Electrochemical Opening of Single-Walled Carbon Nanotubes Filled with Metal Halides and with Closed Ends. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 10389-10397	3.8	46

66	The influence of edge-plane defects and oxygen-containing surface groups on the voltammetry of acid-treated, annealed and Super-annealed multiwalled carbon nanotubes. <i>Journal of Solid State Electrochemistry</i> , 2008 , 12, 1337-1348	2.6	95
65	An electrochemical comparison of manganese dioxide microparticles versus manganese dioxide nanorods: mechanistic and electrocatalytic behaviour. <i>New Journal of Chemistry</i> , 2008 , 32, 1195	3.6	40
64	Synthesis and Interconversion of Some Small Ruthenaboranes: Reaction of a Ruthenium Borohydride with Pentaborane(9) to Form Larger Ruthenaboranes. <i>Organometallics</i> , 2007 , 26, 4031-4037	2.8	6
63	Correlated transport and high resolution transmission electron microscopy investigations on inorganic-filled single-walled carbon nanotubes showing negative differential resistance. <i>Applied Physics Letters</i> , 2007 , 91, 253124	3.4	12
62	Vapour synthesis: A new technique in synthetic chemistry. <i>Journal of Applied Chemistry and Biotechnology</i> , 2007 , 25, 641-651		13
61	Methane Oxyforming for Synthesis Gas Production. <i>Catalysis Reviews - Science and Engineering</i> , 2007 , 49, 511-560	12.6	167
60	Force and energy dissipation variations in noncontact atomic force spectroscopy of composite carbon nanotube systems. <i>Physical Review B</i> , 2006 , 74,	3.3	5
59	Crystal-encapsulation-induced band-structure change in single-walled carbon nanotubes: Photoluminescence and Raman spectra. <i>Physical Review B</i> , 2006 , 74,	3.3	28
58	Green Derivatization of carbon nanotubes with Nylon 6 and L-alanine. <i>Journal of Materials Chemistry</i> , 2006 , 16, 4420-4426		30
57	Redshift and optical anisotropy of collective volume modes in multiwalled carbon nanotubes. <i>Physical Review B</i> , 2006 , 74,	3.3	10
56	Rationalizing the catalytic performance of alumina-supported Co(Ni)/Mo(W) HDS catalysts prepared by urea-matrix combustion synthesis. <i>Catalysis Letters</i> , 2006 , 111, 57-66	2.8	15
55	New group 10 complexes of the bulky iminophosphine ligands [Ph ₂ PCH ₂ C(Ph)N(2,6-R ₂ C ₆ H ₃)], where R = Me, iPr. <i>New Journal of Chemistry</i> , 2005 , 29, 385-397	3.6	13
54	Encapsulation of ReO _x Clusters within Single-Walled Carbon Nanotubes and Their in tubulo Reduction and Sintering to Re Metal. <i>Chemistry of Materials</i> , 2005 , 17, 6579-6582	9.6	57
53	Structural and Morphological Variations of Encapsulated Metal Oxides in Single Walled Carbon Nanotubes. <i>Materials Research Society Symposia Proceedings</i> , 2005 , 901, 1		
52	Characterisation of a LaI ₂ @(18,3)SWNT encapsulation composite: A 1D LaI ₂ crystal fragment, adopting the reduced structure of LaI ₃ . <i>Microscopy and Microanalysis</i> , 2003 , 9, 324-325	0.5	
51	Dimeric n-Alkyl Complexes of Rare-Earth Metals Supported by a Linked Amido-cyclopentadienyl Ligand: Evidence for η-Agostic Bonding in Bridging n-Alkyl Ligands and Its Role in Styrene Polymerization. <i>Organometallics</i> , 2003 , 22, 65-76	3.8	37
50	Synthesis and study of new binuclear compounds containing bridging (ECN)B(C ₆ F ₅) ₃ and (ENC)B(C ₆ F ₅) ₃ systems. <i>Dalton Transactions</i> , 2003 , 2550-2557	4.3	55
49	Silver(I) complex of a new imino-N-heterocyclic carbene and ligand transfer to palladium(II) and rhodium(I). <i>Dalton Transactions</i> , 2003 , 2917-2922	4.3	69

48	Monocyclopentadienyl complexes of niobium, tantalum and tungsten containing heterodifunctional P,O ligands. <i>New Journal of Chemistry</i> , 2003 , 27, 32-38	3.6	11
47	Complete characterization of an (Sb ₂ O ₃) _n /SWNT inclusion composite. <i>Physics of the Solid State</i> , 2002 , 44, 463-466	0.8	1
46	Study on the mechanism of partial oxidation of methane to synthesis gas over molybdenum carbide catalyst. <i>Physical Chemistry Chemical Physics</i> , 2002 , 4, 4549-4554	3.6	54
45	Spatially resolved EELS applied to the study of a one-dimensional solid solution of AgCl _{1-x} I _x formed within single wall carbon nanotubes. <i>AIP Conference Proceedings</i> , 2002 ,	0	2
44	Synthesis of molybdenum arene complexes containing amide-derived heterodifunctional P,O ligands. <i>Dalton Transactions RSC</i> , 2002 , 1487-1493		9
43	Cationic and neutral palladium(II) methyl complexes of di-N-heterocyclic carbenes. <i>Dalton Transactions RSC</i> , 2002 , 1386		87
42	Study on preparation of high surface area tungsten carbides and phase transition during the carburisation. <i>Physical Chemistry Chemical Physics</i> , 2002 , 4, 3522-3529	3.6	33
41	Integral atomic layer architectures of 1D crystals inserted into single walled carbon nanotubes. <i>Chemical Communications</i> , 2002 , 1319-1332	5.8	185
40	Synthesis of η^6 -arene complexes of molybdenum containing κ^2 -ketophosphine and related P,O mixed donor ligands. <i>Dalton Transactions RSC</i> , 2002 , 2491-2500		9
39	The characterization of sub-nanometer scale structures within single walled carbon nanotubes. <i>AIP Conference Proceedings</i> , 2001 ,	0	4
38	Synthesis of 1D P-block halide crystals within single walled carbon nanotubes. <i>AIP Conference Proceedings</i> , 2001 ,	0	3
37	Palladium(II) complexes with the bidentate iminophosphine ligand [Ph ₂ PCH ₂ C(Ph)N(2,6-Me ₂ C ₆ H ₃)]. <i>Dalton Transactions RSC</i> , 2001 , 3384-3395		35
36	Effect of carburising agent on the structure of molybdenum carbides. <i>Journal of Materials Chemistry</i> , 2001 , 11, 3094-3098		72
35	Electron beam induced in situ clusterisation of 1D ZrCl ₄ chains within single-walled carbon nanotubes. <i>Chemical Communications</i> , 2001 , 845-846	5.8	52
34	Complete characterisation of a Sb ₂ O ₃ /(21, β)SWNT inclusion composite. <i>Chemical Communications</i> , 2001 , 929-930	5.8	55
33	Synthesis and catalytic properties of oxalic amidinato complexes. <i>Dalton Transactions RSC</i> , 2001 , 1761-1767		40
32	Nickel(II)cis- andtrans-Dimethyl Complexes of Di-N-heterocyclic Carbenes. <i>Organometallics</i> , 2001 , 20, 2611-2615	3.8	67
31	1D P-Block Halide Crystals Confined into Single Walled Carbon Nanotubes. <i>Materials Research Society Symposia Proceedings</i> , 2000 , 633, 13151		1

30	The Crystallography of Metal Halides Formed within Single Walled Carbon Nanotubes. <i>Materials Research Society Symposia Proceedings</i> , 2000 , 633, 14311		2
29	1D lanthanide halide crystals inserted into single-walled carbon nanotubes. <i>Chemical Communications</i> , 2000 , 2427-2428	5.8	66
28	Weakly-coordinating anions stabilise the unprecedented monovalent and divalent benzene nickel cations $[(\text{C}_5\text{H}_5)\text{Ni}(\text{C}_6\text{H}_6)\text{Ni}(\text{C}_5\text{H}_5)]^{2+}$ and $[\text{Ni}(\text{C}_6\text{H}_6)_2]^{2+}$. <i>Chemical Communications</i> , 2000 , 779-780	5.8	34
27	Electrophilic addition reactions of the Lewis acids $\text{B}(\text{C}_6\text{F}_5)_2\text{R}$ [R = C ₆ F ₅ , Ph, H or Cl] with the metallocene hydrides $[\text{M}(\text{C}_5\text{H}_5)_2\text{H}_2]$ (M = Mo or W), $[\text{Re}(\text{C}_5\text{H}_5)_2\text{H}]$ and $[\text{Ta}(\text{C}_5\text{H}_5)_2\text{H}_3]$. <i>Dalton Transactions RSC</i> , 2000 , 813-820		25
26	Synthesis and reactions of (tert-butylimido)bis(η-cyclopentadienyl)niobium cations: NMR evidence for d ⁰ olefin cations $[\text{Nb}\{\text{C}_5\text{H}_5\}_2(\text{NtBu})(\text{C}_2\text{H}_4)][\text{B}(\text{C}_6\text{F}_5)_4]$ and $[\text{Nb}\{\text{C}_5\text{H}_4\text{CMe}_2(\text{C}_5\text{H}_4)\}(\text{NtBu})(\text{C}_2\text{H}_3\text{Me})][\text{B}(\text{C}_6\text{F}_5)_4]$. <i>Dalton Transactions RSC</i> , 2000 , 2952-2959		20
25	Group 6 transition metal carbonyl complexes with chalcogen-bridged diarsenic(III) ligands. <i>Dalton Transactions RSC</i> , 2000 , 3347-3355		8
24	Niobium- and tantalum-benzamidinato complexes with trimethylphosphine, imido, or η-cyclopentadienyl derivatives. <i>Dalton Transactions RSC</i> , 2000 , 967-974		22
23	Studies on ansa-zirconocenebutadiene derivatives. <i>Dalton Transactions RSC</i> , 2000 , 317-327		11
22	Niobiumη-cyclopentadienyl compounds with imido and amido ligands derived from 2,6-dimethylaniline. <i>Dalton Transactions RSC</i> , 2000 , 4555-4562		22
21	Niobium η-cyclopentadienyl compounds with imido and amido ligands derived from tert-butylamine. <i>Dalton Transactions RSC</i> , 2000 , 4044-4051		21
20	Group 5 ansa-Metallocenes: Structural and Dynamic Properties of Tetrahydroborate Complexes. <i>Organometallics</i> , 2000 , 19, 630-637	3.8	23
19	Synthesis of $[\text{Ti}(\eta\text{-}1,3,5\text{-C}_6\text{H}_3\text{iPr}_3)_2][\text{BAr}_4]$ (Ar = C ₆ H ₅ , p-C ₆ H ₄ F, 3,5-C ₆ H ₃ (CF ₃) ₂), the First Titanium(I) Derivatives. <i>Organometallics</i> , 1997 , 16, 3100-3101	3.8	20
18	Opening and Filling Carbon Nanotubes. <i>Fullerenes, Nanotubes, and Carbon Nanostructures</i> , 1997 , 5, 695-704		16
17	Immobilization of Platinated and Iodinated Oligonucleotides on Carbon Nanotubes. <i>Angewandte Chemie International Edition in English</i> , 1997 , 36, 2198-2200		102
16	Immobilisierung von platinieren und iodierten DNA-Oligomeren an Kohlenstoff-Nanoröhren. <i>Angewandte Chemie</i> , 1997 , 109, 2291-2294	3.6	12
15	Filling of Carbon Nanotubes with Silver, Gold, and Gold Chloride. <i>Chemistry of Materials</i> , 1996 , 8, 2751-2754	9.6	96
14	Rapid Synthesis of Alkali-Metal Fullerides Using a Microwave-Induced Argon Plasma. <i>Chemistry of Materials</i> , 1996 , 8, 394-400	9.6	20
13	Purification and opening of carbon nanotubes via bromination. <i>Advanced Materials</i> , 1996 , 8, 1012-1015	24	87

12	A simple chemical method of opening and filling carbon nanotubes. <i>Nature</i> , 1994 , 372, 159-162	50.4	1139
11	Thinning and opening of carbon nanotubes by oxidation using carbon dioxide. <i>Nature</i> , 1993 , 362, 520-523	50.4	483
10	High yield synthesis of propanal from methane and air. <i>Catalysis Letters</i> , 1992 , 13, 341-347	2.8	8
9	Partial oxidation of methane to synthesis gas using carbon dioxide. <i>Nature</i> , 1991 , 352, 225-226	50.4	650
8	Selective oxidation of methane to synthesis gas using transition metal catalysts. <i>Nature</i> , 1990 , 344, 319-321	50.4	508
7	Synthesis and structure of (cis)-[1-ferrocenyl-2-(4-nitrophenyl)ethylene], an organotransition metal compound with a large second-order optical nonlinearity. <i>Nature</i> , 1987 , 330, 360-362	50.4	369
6	Notizen: Some Molybdenum and Tungsten Complexes with Nitrogen Ligands. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 1968 , 23, 106-106	1	17
5	Notizen: A o-Vinyl Complex of Iron. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 1965 , 20, 598-598	1	15
4	Notizen: Some New Cyclopentadienyl Halides of Molybdenum, Tungsten and Rhenium. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 1964 , 19, 652-652	1	14
3	Some ECyclopentadienyl Complexes of Titanium(III). <i>Inorganic Syntheses</i> , 237-240		6
2	Hyrido Phosphine Arene Complexes of Molybdenum. <i>Inorganic Syntheses</i> , 54-61		2
1	Carbon-Hydrogen-Transition Metal Bonds. <i>Progress in Inorganic Chemistry</i> , 1-124		362