

Lawrence Moon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2213539/publications.pdf>

Version: 2024-02-01

59
papers

6,938
citations

201575

27
h-index

143943

57
g-index

68
all docs

68
docs citations

68
times ranked

9443
citing authors

#	ARTICLE	IF	CITATIONS
1	Neurotrophin-3 attenuates human peripheral blood T cell and monocyte activation status and cytokine production post stroke. <i>Experimental Neurology</i> , 2022, 347, 113901.	2.0	5
2	Peripherally delivered Adeno-associated viral vectors for spinal cord injury repair. <i>Experimental Neurology</i> , 2022, 348, 113945.	2.0	3
3	Refining rodent models of spinal cord injury. <i>Experimental Neurology</i> , 2020, 328, 113273.	2.0	36
4	Cbp-dependent histone acetylation mediates axon regeneration induced by environmental enrichment in rodent spinal cord injury models. <i>Science Translational Medicine</i> , 2019, 11, .	5.8	79
5	Chondroitinase ABC reduces dopaminergic nigral cell death and striatal terminal loss in a 6-hydroxydopamine partial lesion mouse model of Parkinson's disease. <i>BMC Neuroscience</i> , 2019, 20, 61.	0.8	6
6	Delayed peripheral treatment with neurotrophin-3 improves sensorimotor recovery after central nervous system injury. <i>Neural Regeneration Research</i> , 2019, 14, 1703.	1.6	5
7	Chase: in dogged pursuit of a therapy for spinal cord injury. <i>Brain</i> , 2018, 141, 941-943.	3.7	5
8	When neuroscience met clinical pathology: partitioning experimental variation to aid data interpretation in neuroscience. <i>European Journal of Neuroscience</i> , 2018, 47, 371-379.	1.2	4
9	Chromatolysis: Do injured axons regenerate poorly when ribonucleases attack rough endoplasmic reticulum, ribosomes and RNA?. <i>Developmental Neurobiology</i> , 2018, 78, 1011-1024.	1.5	31
10	Stroke recovery in rats after 24h delayed, intramuscular neurotrophin-3 infusion. <i>Annals of Neurology</i> , 2018, 85, 32-46.	2.8	25
11	RNA sequencing dataset describing transcriptional changes in cervical dorsal root ganglia after bilateral pyramidotomy and forelimb intramuscular gene therapy with an adeno-associated viral vector encoding human neurotrophin-3. <i>Data in Brief</i> , 2018, 21, 377-385.	0.5	6
12	Clarification of the basis for the selection of requirements for publication in the <i>British Journal of Pharmacology</i> . <i>British Journal of Pharmacology</i> , 2018, 175, 3633-3635.	2.7	20
13	An intriguing way to enhance rehabilitation of grasping in rats after spinal cord injury. <i>Brain</i> , 2018, 141, 1888-1899.	3.7	3
14	The Experimental Design Assistant. <i>Nature Methods</i> , 2017, 14, 1024-1025.	9.0	32
15	The IMPROVE Guidelines (Ischaemia Models: Procedural Refinements Of in Vivo Experiments). <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 3488-3517.	2.4	128
16	The Function of FGFR1 Signalling in the Spinal Cord: Therapeutic Approaches Using FGFR1 Ligands after Spinal Cord Injury. <i>Neural Plasticity</i> , 2017, 2017, 1-13.	1.0	22
17	The Experimental Design Assistant. <i>PLoS Biology</i> , 2017, 15, e2003779.	2.6	69
18	Overexpression of the Fibroblast Growth Factor Receptor 1 (FGFR1) in a Model of Spinal Cord Injury in Rats. <i>PLoS ONE</i> , 2016, 11, e0150541.	1.1	9

#	ARTICLE	IF	CITATIONS
19	Analysis of longitudinal data from animals with missing values using SPSS. <i>Nature Protocols</i> , 2016, 11, 1112-1129.	5.5	79
20	The Adaptor Protein CD2AP Is a Coordinator of Neurotrophin Signaling-Mediated Axon Arbor Plasticity. <i>Journal of Neuroscience</i> , 2016, 36, 4259-4275.	1.7	27
21	Performing Permanent Distal Middle Cerebral with Common Carotid Artery Occlusion in Aged Rats to Study Cortical Ischemia with Sustained Disability. <i>Journal of Visualized Experiments</i> , 2016, , 53106.	0.2	11
22	Trans-neuronal transduction of spinal neurons following cortical injection and anterograde axonal transport of a bicistronic AAV1 vector. <i>Gene Therapy</i> , 2016, 23, 231-236.	2.3	15
23	Delayed intramuscular human neurotrophin-3 improves recovery in adult and elderly rats after stroke. <i>Brain</i> , 2016, 139, 259-275.	3.7	50
24	Intramuscular Neurotrophin-3 normalizes low threshold spinal reflexes, reduces spasms and improves mobility after bilateral corticospinal tract injury in rats. <i>ELife</i> , 2016, 5, .	2.8	25
25	Transcriptional changes in sensory ganglia associated with primary afferent axon collateral sprouting in spared dermatome model. <i>Genomics Data</i> , 2015, 6, 249-252.	1.3	14
26	Experimental design and analysis and their reporting: new guidance for publication in <scp>BJP</scp>. <i>British Journal of Pharmacology</i> , 2015, 172, 3461-3471.	2.7	981
27	Let's be certain about sartans (and other potential new therapies for CNS injury): Figure 1. <i>Brain</i> , 2015, 138, 3136-3139.	3.7	0
28	categoryCompare, an analytical tool based on feature annotations. <i>Frontiers in Genetics</i> , 2014, 5, 98.	1.1	29
29	Lentiviral Vector-Mediated RNA Silencing in the Central Nervous System. <i>Human Gene Therapy Methods</i> , 2014, 25, 14-32.	2.1	25
30	Minimum Information about a Spinal Cord Injury Experiment: A Proposed Reporting Standard for Spinal Cord Injury Experiments. <i>Journal of Neurotrauma</i> , 2014, 31, 1354-1361.	1.7	74
31	Unilateral Pyramidotomy of the Corticospinal Tract in Rats for Assessment of Neuroplasticity-inducing Therapies. <i>Journal of Visualized Experiments</i> , 2014, , .	0.2	16
32	The Use of an Adeno-Associated Viral Vector for Efficient Bicistronic Expression of Two Genes in the Central Nervous System. <i>Methods in Molecular Biology</i> , 2014, 1162, 189-207.	0.4	5
33	Efficient gene expression from integration-deficient lentiviral vectors in the spinal cord. <i>Gene Therapy</i> , 2013, 20, 645-657.	2.3	35
34	Response to the Comment published in ATLA, on the Declaration on Openness on Animal Research. <i>ATLA Alternatives To Laboratory Animals</i> , 2013, 41, 195-196.	0.7	0
35	Therapeutics Targeting Nogo-A Hold Promise for Stroke Restoration. <i>CNS and Neurological Disorders - Drug Targets</i> , 2013, 12, 200-208.	0.8	18
36	Delayed treatment with chondroitinase ABC promotes sensorimotor recovery and plasticity after stroke in aged rats. <i>Brain</i> , 2012, 135, 1210-1223.	3.7	105

#	ARTICLE	IF	CITATIONS
37	Peripheral Nervous System Genes Expressed in Central Neurons Induce Growth on Inhibitory Substrates. PLoS ONE, 2012, 7, e38101.	1.1	22
38	Lentiviral vectors encoding short hairpin RNAs efficiently transduce and knockdown LINGO1 but induce an interferon response and cytotoxicity in central nervous system neurones. Journal of Gene Medicine, 2012, 14, 299-315.	1.4	17
39	Corticospinal tract transduction: a comparison of seven adeno-associated viral vector serotypes and a non-integrating lentiviral vector. Gene Therapy, 2012, 19, 49-60.	2.3	63
40	Optimization of a 96-Well Electroporation Assay for Postnatal Rat CNS Neurons Suitable for Cost-Effective Medium-Throughput Screening of Genes that Promote Neurite Outgrowth. Frontiers in Molecular Neuroscience, 2011, 4, 55.	1.4	12
41	Will stem cell therapies be safe and effective for treating spinal cord injuries?. British Medical Bulletin, 2011, 98, 127-142.	2.7	20
42	Sustained sensorimotor impairments after endothelin-1 induced focal cerebral ischemia (stroke) in aged rats. Experimental Neurology, 2010, 222, 13-24.	2.0	55
43	CCL2 is a key mediator of microglia activation in neuropathic pain states. European Journal of Pain, 2009, 13, 263-272.	1.4	283
44	Why we need rats: What it is like to use animals in neurobiological research in the UK?. Biochemist, 2008, 30, 30-31.	0.2	0
45	Therapeutic interventions after spinal cord injury. Nature Reviews Neuroscience, 2006, 7, 628-643.	4.9	893
46	Poly (d,l-lactic acid) macroporous guidance scaffolds seeded with Schwann cells genetically modified to secrete a bi-functional neurotrophin implanted in the completely transected adult rat thoracic spinal cord. Biomaterials, 2006, 27, 430-442.	5.7	128
47	Labeled Schwann cell transplantation: Cell loss, host Schwann cell replacement, and strategies to enhance survival. Glia, 2006, 53, 338-343.	2.5	142
48	Neuronal overexpression of tissue-type plasminogen activator does not enhance sensory axon regeneration or locomotor recovery following dorsal hemisection of adult mouse thoracic spinal cord. Journal of Neuroscience Research, 2006, 84, 1245-1254.	1.3	5
49	Motor enrichment sustains hindlimb movement recovered after spinal cord injury and glial transplantation. Restorative Neurology and Neuroscience, 2006, 24, 147-61.	0.4	20
50	From Animal Models to Humans. Journal of Neurologic Physical Therapy, 2005, 29, 55-69.	0.7	34
51	Spatial and temporal gene expression profiling of the contused rat spinal cord. Experimental Neurology, 2004, 189, 204-221.	2.0	93
52	Limited growth of severed CNS axons after treatment of adult rat brain with hyaluronidase. Journal of Neuroscience Research, 2003, 71, 23-37.	1.3	59
53	Inhibiting cell proliferation during formation of the glial scar: effects on axon regeneration in the CNS. Neuroscience, 2003, 120, 41-56.	1.1	75
54	Relationship between sprouting axons, proteoglycans and glial cells following unilateral nigrostriatal axotomy in the adult rat. Neuroscience, 2002, 109, 101-117.	1.1	90

#	ARTICLE	IF	CITATIONS
55	Chondroitinase ABC promotes functional recovery after spinal cord injury. <i>Nature</i> , 2002, 416, 636-640.	13.7	2,090
56	Reduction in CNS scar formation without concomitant increase in axon regeneration following treatment of adult rat brain with a combination of antibodies to TGF β 1 and β 2. <i>European Journal of Neuroscience</i> , 2001, 14, 1667-1677.	1.2	95
57	Regeneration of CNS axons back to their target following treatment of adult rat brain with chondroitinase ABC. <i>Nature Neuroscience</i> , 2001, 4, 465-466.	7.1	515
58	Chondroitin sulphate proteoglycans: inhibitory components of the glial scar. <i>Progress in Brain Research</i> , 2001, 132, 611-619.	0.9	167
59	Robust Regeneration of CNS Axons through a Track Depleted of CNS Glia. <i>Experimental Neurology</i> , 2000, 161, 49-66.	2.0	57