Janet Sultana

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2213610/janet-sultana-publications-by-year.pdf

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118
papers3,081
citations34
h-index52
g-index125
ext. papers3,777
ext. citations4
avg, IF5.16
L-index

#	Paper	IF	Citations
118	Overview of the EU PAS register post-authorization studies performed in Europe from September 2010 to December 2018 <i>Pharmacoepidemiology and Drug Safety</i> , 2022 ,	2.6	1
117	COVID-19 mRNA vaccine safety, immunogenicity, and effectiveness in a hospital setting: confronting the challenge <i>Internal and Emergency Medicine</i> , 2022 , 17, 325	3.7	2
116	Assessment of intravitreal anti-VEGF drugs and dexamethasone for retinal diseases in real world setting: A multi-centre prospective study from Southern Italy <i>European Journal of Ophthalmology</i> , 2022 , 11206721211073402	1.9	
115	Orphan Drug Prices and Epidemiology of Rare Diseases: A Cross-Sectional Study in Italy in the Years 2014-2019 <i>Frontiers in Medicine</i> , 2022 , 9, 820757	4.9	3
114	Italian guidelines on management of persons with multimorbidity and polypharmacy <i>Aging Clinical and Experimental Research</i> , 2022 , 1	4.8	3
113	Efficacy of Systemic Biologic Drugs in Pediatric Psoriasis: Evidence From Five Selected Randomized Clinical Trials <i>Frontiers in Pharmacology</i> , 2022 , 13, 847308	5.6	2
112	COVID-19 Vaccination in Pregnancy, Paediatrics, Immunocompromised Patients, and Persons with History of Allergy or Prior SARS-CoV-2 Infection: Overview of Current Recommendations and Preand Post-Marketing Evidence for Vaccine Efficacy and Safety. <i>Drug Safety</i> , 2021 , 44, 1247-1269	5.1	12
111	Electronic Health Record Databases 2021 , 174-191		
110	From Inception to ConcePTION: Genesis of a Network to Support Better Monitoring and Communication of Medication Safety During Pregnancy and Breastfeeding. <i>Clinical Pharmacology and Therapeutics</i> , 2021 , 111, 321	6.1	1
109	Anti-hypertensive drugs deprescribing: an updated systematic review of clinical trials. <i>BMC Family Practice</i> , 2021 , 22, 208	2.6	2
108	Large-Scale Postmarketing Surveillance of Biological Drugs for Immune-Mediated Inflammatory Diseases Through an Italian Distributed Multi-Database Healthcare Network: The VALORE Project. <i>BioDrugs</i> , 2021 , 35, 749-764	7.9	1
107	Anti-VEGF and Other Novel Therapies for Neovascular Age-Related Macular Degeneration: An Update. <i>BioDrugs</i> , 2021 , 35, 673-692	7.9	2
106	Drug safety in thalassemia: lessons from the present and directions for the future. <i>Expert Opinion on Drug Safety</i> , 2021 , 20, 937-947	4.1	O
105	Kidney Disease in Diabetic Patients: From Pathophysiology to Pharmacological Aspects with a Focus on Therapeutic Inertia. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	7
104	Incidence of Skin Cancer in Patients With Chronic Inflammatory Cutaneous Diseases on Targeted Therapies: A Systematic Review and Meta-Analysis of Observational Studies. <i>Frontiers in Oncology</i> , 2021 , 11, 687432	5.3	4
103	Association of Influenza Vaccination and Prognosis in Patients Testing Positive to SARS-CoV-2 Swab Test: A Large-Scale Italian Multi-Database Cohort Study. <i>Vaccines</i> , 2021 , 9,	5.3	1
102	Assessing intravitreal anti-VEGF drug safety using real-world data: methodological challenges in observational research. <i>Expert Opinion on Drug Safety</i> , 2021 , 1-10	4.1	1

(2019-2021)

101	Cardiovascular risk in patients receiving ranibizumab for exudative age-related macular degeneration: a nationwide self-controlled case-series study. <i>British Journal of Ophthalmology</i> , 2021 , 105, 543-548	5.5	4	
100	Direct healthcare costs of chronic kidney disease management in Italy: What cost-savings can be achieved with higher biosimilar uptake and more appropriate use of erythropoiesis-stimulating agents?. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 65-77	2.6	3	
99	Psoriasis and psoriasiform reactions secondary to immune checkpoint inhibitors. <i>Dermatologic Therapy</i> , 2021 , 34, e14830	2.2	4	
98	Are Patients with Psoriasis and Psoriatic Arthritis Undertreated? A Population-Based Study from Southern Italy. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3	
97	Global epidemiology of acromegaly: a systematic review and meta-analysis. <i>European Journal of Endocrinology</i> , 2021 , 185, 251-263	6.5	6	
96	COVID-19 Patient Management in Outpatient Setting: A Population-Based Study from Southern Italy <i>Journal of Clinical Medicine</i> , 2021 , 11,	5.1	3	
95	Real World Use of Antidiabetic Drugs in the Years 2011-2017: A Population-Based Study from Southern Italy. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2	
94	Gender differences in COPD management in a Sicilian general practice setting: a cohort study evaluating the impact of educational interventions. <i>ERJ Open Research</i> , 2020 , 6,	3.5	1	
93	Challenges for Drug Repurposing in the COVID-19 Pandemic Era. <i>Frontiers in Pharmacology</i> , 2020 , 11, 588654	5.6	41	
92	Safety profiles of biologic agents for inflammatory bowel diseases: a prospective pharmacovigilance study in Southern Italy. <i>Current Medical Research and Opinion</i> , 2020 , 36, 1457-1463	2.5	23	
91	Global epidemiology of Duchenne muscular dystrophy: an updated systematic review and meta-analysis. <i>Orphanet Journal of Rare Diseases</i> , 2020 , 15, 141	4.2	62	
90	Association Between Intravitreal Aflibercept and Serious Non-ocular Haemorrhage Compared with Intravitreal Ranibizumab: A Multicentre Observational Cohort Study. <i>Drug Safety</i> , 2020 , 43, 943-952	5.1	2	
89	How Have Intravitreal Anti-VEGF and Dexamethasone Implant Been Used in Italy? A Multiregional, Population-Based Study in the Years 2010-2016. <i>BioMed Research International</i> , 2020 , 2020, 7582763	3	1	
88	Intravitreal Anti-VEGF Drugs and Signals of Dementia and Parkinson-Like Events: Analysis of the VigiBase Database of Spontaneous Reports. <i>Frontiers in Pharmacology</i> , 2020 , 11, 315	5.6	3	
87	Healthcare Database Networks for Drug Regulatory Policies: International Workshop on the Canadian, US and Spanish Experience and Future Steps for Italy. <i>Drug Safety</i> , 2020 , 43, 1-5	5.1	7	
86	Potential effects of vaccinations on the prevention of COVID-19: rationale, clinical evidence, risks, and public health considerations. <i>Expert Review of Vaccines</i> , 2020 , 19, 919-936	5.2	30	
85	Analgesic drug use in elderly persons: A population-based study in Southern Italy. <i>PLoS ONE</i> , 2019 , 14, e0222836	3.7	6	
84	Measuring the Effectiveness of Safety Warnings on the Risk of Stroke in Older Antipsychotic Users: A Nationwide Cohort Study in Two Large Electronic Medical Records Databases in the United Kingdom and Italy. <i>Drug Safety</i> , 2019 , 42, 1471-1485	5.1	6	

83	Role of healthcare databases and registries for surveillance of orphan drugs in the real-world setting: the Italian case study. <i>Expert Opinion on Drug Safety</i> , 2019 , 18, 497-509	4.1	10
82	Antipsychotic utilization patterns among patients with schizophrenic disorder: a cross-national analysis in four countries. <i>European Journal of Clinical Pharmacology</i> , 2019 , 75, 1005-1015	2.8	8
81	Electronic Health Record Databases 2019 , 241-289		2
80	Data Mining and Other Informatics Approaches to Pharmacoepidemiology 2019 , 675-700		
79	The International Society for Pharmacoepidemiology's Comments on the Core Recommendations in the Summary of the Heads of Medicines Agencies (HMA) - EMA Joint Big Data Task Force. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1640-1641	2.6	1
78	Workshop on the Italian Pharmacovigilance System in the International Context: Critical Issues and Perspectives. <i>Drug Safety</i> , 2019 , 42, 683-687	5.1	O
77	Identifying Data Elements to Measure Frailty in a Dutch Nationwide Electronic Medical Record Database for Use in Postmarketing Safety Evaluation: An Exploratory Study. <i>Drug Safety</i> , 2019 , 42, 713-	-7 ⁵ t∮	4
76	All-cause mortality and antipsychotic use among elderly persons with high baseline cardiovascular and cerebrovascular risk: a multi-center retrospective cohort study in Italy. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2019 , 15, 179-188	5.5	4
75	The Role of European Healthcare Databases for Post-Marketing Drug Effectiveness, Safety and Value Evaluation: Where Does Italy Stand?. <i>Drug Safety</i> , 2019 , 42, 347-363	5.1	38
74	Can information on functional and cognitive status improve short-term mortality risk prediction among community-dwelling older people? A cohort study using a UK primary care database. <i>Clinical Epidemiology</i> , 2018 , 10, 31-39	5.9	11
73	Improvement in the management of chronic obstructive pulmonary disease following a clinical educational program: results from a prospective cohort study in the Sicilian general practice setting. <i>Npj Primary Care Respiratory Medicine</i> , 2018 , 28, 10	3.2	9
72	From Big Data to Smart Data for Pharmacovigilance: The Role of Healthcare Databases and Other Emerging Sources. <i>Drug Safety</i> , 2018 , 41, 143-149	5.1	37
71	Can Electronic Health Records Databases Complement Spontaneous Reporting System Databases? A Historical-Reconstruction of the Association of Rofecoxib and Acute Myocardial Infarction. <i>Frontiers in Pharmacology</i> , 2018 , 9, 594	5.6	11
70	Long-Term Intravitreal Ranibizumab as a Potential Additional Risk Factor for Neurodegeneration in Parkinson's Disease: A Case Report. <i>Frontiers in Pharmacology</i> , 2018 , 9, 608	5.6	4
69	Pattern of Use of Biosimilar and Originator Somatropin in Italy: A Population-Based Multiple Databases Study During the Years 2009-2014. <i>Frontiers in Endocrinology</i> , 2018 , 9, 95	5.7	16
68	Dementia prevalence and incidence in a federation of European Electronic Health Record databases: The European Medical Informatics Framework resource. <i>Alzheimerks and Dementia</i> , 2018 , 14, 130-139	1.2	33
67	Use of azithromycin and risk of ventricular arrhythmia. <i>Cmaj</i> , 2017 , 189, E560-E568	3.5	36
66	Overview of the Safety of Anti-VEGF Drugs: Analysis of the Italian Spontaneous Reporting System. Drug Safety, 2017 , 40, 1131-1140	5.1	13

(2015-2017)

65	Antibiotic Use in Children - A Cross-National Analysis of 6 Countries. <i>Journal of Pediatrics</i> , 2017 , 182, 239-244.e1	3.6	58	
64	Combining evidence from multiple electronic health care databases: performances of one-stage and two-stage meta-analysis in matched case-control studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1213-1219	2.6	6	
63	Biological substantiation of antipsychotic-associated pneumonia: Systematic literature review and computational analyses. <i>PLoS ONE</i> , 2017 , 12, e0187034	3.7	14	
62	Clinically Relevant Drug Interactions with Anti-Alzheimer Drugs. CNS and Neurological Disorders - Drug Targets, 2017 , 16, 501-513	2.6	8	
61	The Effect of Safety Warnings on Antipsychotic Drug Prescribing in Elderly Persons with Dementia in the United Kingdom and Italy: A Population-Based Study. <i>CNS Drugs</i> , 2016 , 30, 1097-1109	6.7	29	
60	Antipsychotic use in dementia patients in a general practice setting: a Dutch population-based study. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 403-6	5.1	2	
59	Effects of a computerized decision support system in improving pharmacological management in high-risk cardiovascular patients: A cluster-randomized open-label controlled trial. <i>Health Informatics Journal</i> , 2016 , 22, 232-47	3	6	
58	The Management of Diabetes Mellitus in Patients with Chronic Kidney Disease: A Population-Based Study in Southern Italy. <i>Clinical Drug Investigation</i> , 2016 , 36, 203-12	3.2	11	
57	Response to comment on: "antibiotic use varies substantially among adultsa cross-national study from five European Countries in the ARITMO project". <i>Infection</i> , 2016 , 44, 135-41	5.8	1	
56	Comparative Effectiveness of Biosimilar, Reference Product and Other Erythropoiesis-Stimulating Agents (ESAs) Still Covered by Patent in Chronic Kidney Disease and Cancer Patients: An Italian Population-Based Study. <i>PLoS ONE</i> , 2016 , 11, e0155805	3.7	22	
55	Prescribing pattern of antipsychotic drugs during the years 1996-2010: a population-based database study in Europe with a focus on torsadogenic drugs. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 487-97	3.8	23	
54	O2-05-02: Dementia Prevalence and Incidence in a Combination of European Electronic Health Records Databases: the EMIF-ad EHR Resource 2016 , 12, P232-P234			
53	Absorbable phosphate in medication. <i>Kidney International</i> , 2016 , 89, 721	9.9		
52	Relation of Statin Use and Mortality in Community-Dwelling Frail Older Patients With Coronary Artery Disease. <i>American Journal of Cardiology</i> , 2016 , 118, 1624-1630	3	37	
51	Antidepressant use in the elderly: the role of pharmacodynamics and pharmacokinetics in drug safety. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2015 , 11, 883-92	5.5	46	
50	Development and Validation of a Score for Adjusting Health Care Costs in General Practice. <i>Value in Health</i> , 2015 , 18, 884-95	3.3	5	
49	Trends in the prescription of antidiabetic medications from 2009 to 2012 in a general practice of Southern Italy: a population-based study. <i>Diabetes Research and Clinical Practice</i> , 2015 , 108, 157-63	7.4	35	
48	Evaluating performance of electronic healthcare records and spontaneous reporting data in drug safety signal detection. <i>International Journal of Clinical Pharmacy</i> , 2015 , 37, 94-104	2.3	20	

47	Useful Interplay Between Spontaneous ADR Reports and Electronic Healthcare Records in Signal Detection. <i>Drug Safety</i> , 2015 , 38, 1201-10	5.1	34
46	Medication is an additional source of phosphate intake in chronic kidney disease patients. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015 , 25, 959-67	4.5	12
45	The role of electronic healthcare record databases in paediatric drug safety surveillance: a retrospective cohort study. <i>British Journal of Clinical Pharmacology</i> , 2015 , 80, 304-14	3.8	21
44	Antipsychotic drug exposure and risk of pneumonia: a systematic review and meta-analysis of observational studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 812-20	2.6	41
43	Association of individual non-steroidal anti-inflammatory drugs and chronic kidney disease: a population-based case control study. <i>PLoS ONE</i> , 2015 , 10, e0122899	3.7	45
42	Indications of newer and older anti-epileptic drug use: findings from a southern Italian general practice setting from 2005-2011. <i>British Journal of Clinical Pharmacology</i> , 2015 , 79, 1010-9	3.8	26
41	Erythropoiesis-stimulating agents: dose and mortality risk. <i>Journal of Renal Nutrition</i> , 2015 , 25, 164-8	3	10
40	Drug interactions with levothyroxine therapy in patients with hypothyroidism: observational study in general practice. <i>Clinical Drug Investigation</i> , 2015 , 35, 187-95	3.2	17
39	How healthy is community-dwelling elderly population? Results from Southern Italy. <i>Translational Medicine @ UniSa</i> , 2015 , 13, 59-64	0.5	8
38	Are the safety profiles of antipsychotic drugs used in dementia the same? An updated review of observational studies. <i>Drug Safety</i> , 2014 , 37, 501-20	5.1	31
37	Effect of an educational program in primary care: the case of lipid control in cardio-cerebrovascular prevention. <i>International Journal of Immunopathology and Pharmacology</i> , 2014 , 27, 351-63	3	10
36	The burden of nephrotoxic drug prescriptions in patients with chronic kidney disease: a retrospective population-based study in Southern Italy. <i>PLoS ONE</i> , 2014 , 9, e89072	3.7	39
35	High prevalence of poor quality drug prescribing in older individuals: a nationwide report from the Italian Medicines Agency (AIFA). <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014 , 69, 430-7	6.4	68
34	Expert opinion of nephrologists about the effectiveness of low-protein diet in different stages of chronic kidney disease (CKD). <i>International Journal of Food Sciences and Nutrition</i> , 2014 , 65, 1027-32	3.7	2
33	Chronic kidney disease requiring healthcare services: a new approach to evaluate epidemiology of renal disease. <i>BioMed Research International</i> , 2014 , 2014, 268362	3	12
32	Validation study in four health-care databases: upper gastrointestinal bleeding misclassification affects precision but not magnitude of drug-related upper gastrointestinal bleeding risk. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 921-31	5.7	40
31	Changes in the prescribing pattern of antidepressant drugs in elderly patients: an Italian, nationwide, population-based study. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 469-78	2.8	25
30	Pattern of statin use in southern italian primary care: can prescription databases be used for monitoring long-term adherence to the treatment?. <i>PLoS ONE</i> , 2014 , 9, e102146	3.7	33

(2009-2013)

care. European Journal of Clinical Pharmacology, 2013 , 69, 227-36	2.8	24
Effects of L'Aquila earthquake on the prescribing pattern of antidepressant and antipsychotic drugs. <i>International Journal of Clinical Pharmacy</i> , 2013 , 35, 1053-62	2.3	9
Harmonization process for the identification of medical events in eight European healthcare databases: the experience from the EU-ADR project. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2013 , 20, 184-92	8.6	61
Epidemiology of gout and hyperuricaemia in Italy during the years 2005-2009: a nationwide population-based study. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 694-700	2.4	185
Clinical and economic burden of adverse drug reactions. <i>Journal of Pharmacology and Pharmacotherapeutics</i> , 2013 , 4, S73-7	0.2	217
Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study. <i>Drug Safety</i> , 2012 , 35, 159-71	5.1	37
Adverse drug reaction-related hospitalizations in persons aged 55 years and over: a population-based study in the Netherlands. <i>Drugs and Aging</i> , 2012 , 29, 225-232	4.7	46
Antipsychotic drug use and community-acquired pneumonia. <i>Current Infectious Disease Reports</i> , 2011 , 13, 262-8	3.9	45
Combining electronic healthcare databases in Europe to allow for large-scale drug safety monitoring: the EU-ADR Project. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 1-11	2.6	198
EU-ADR healthcare database network vs. spontaneous reporting system database: preliminary comparison of signal detection. <i>Studies in Health Technology and Informatics</i> , 2011 , 166, 25-30	0.5	32
Prescribing pattern of anti-epileptic drugs in an Italian setting of elderly outpatients: a population-based study during 2004-07. <i>British Journal of Clinical Pharmacology</i> , 2010 , 70, 514-22	3.8	38
Association of community-acquired pneumonia with antipsychotic drug use in elderly patients: a nested case-control study. <i>Annals of Internal Medicine</i> , 2010 , 152, 418-25, W139-40	8	110
Risk of ischemic stroke associated with antidepressant drug use in elderly persons. <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 252-8	1.7	42
Prescribing pattern of antipsychotic drugs in the Italian general population 2000-2005: a focus on elderly with dementia. <i>International Clinical Psychopharmacology</i> , 2010 , 25, 22-8	2.2	19
Data mining on electronic health record databases for signal detection in pharmacovigilance: which events to monitor?. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 1176-84	2.6	138
Newer and older antiepileptic drug use in Southern Italy: a population-based study during the years 2003-2005. <i>Epilepsy Research</i> , 2009 , 85, 107-13	3	33
Use of antipsychotics in elderly patients with dementia: do atypical and conventional agents have a similar safety profile?. <i>Pharmacological Research</i> , 2009 , 59, 1-12	10.2	78
The EU-ADR project: preliminary results and perspective. <i>Studies in Health Technology and Informatics</i> , 2009 , 148, 43-9	0.5	33
	Effects of L'Aquila earthquake on the prescribing pattern of antidepressant and antipsychotic drugs. International Journal of Clinical Pharmacy, 2013, 35, 1053-62 Harmonization process for the identification of medical events in eight European healthcare databases: the experience from the EU-ADR project. Journal of the American Medical Informatics Association: JAMIA, 2013, 20, 184-92 Epidemiology of gout and hyperuricaemia in Italy during the years 2005-2009: a nationwide population-based study. Annals of the Rheumatic Diseases, 2013, 72, 694-700 Clinical and economic burden of adverse drug reactions. Journal of Pharmacology and Pharmacotherapeutics, 2013, 4, 573-7 Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study. Drug Safety, 2012, 35, 159-71 Adverse drug reaction-related hospitalizations in persons aged 55 years and over: a population-based study in the Netherlands. Drugs and Aging, 2012, 29, 225-232 Antipsychotic drug use and community-acquired pneumonia. Current Infectious Disease Reports, 2011, 13, 262-8 Combining electronic healthcare databases in Europe to allow for large-scale drug safety monitoring: the EU-ADR Project. Pharmacoepidemiology and Drug Safety, 2011, 20, 1-11 EU-ADR healthcare database network vs. spontaneous reporting system database; preliminary comparison of signal detection. Studies in Health Technology and Informatics, 2011, 166, 25-30 Prescribing pattern of anti-epileptic drugs in an Italian setting of elderly outpatients: a population-based study during 2004-07. British Journal of Clinical Pharmacology, 2010, 70, 514-22 Association of community-acquired pneumonia with antipsychotic drug use in elderly patients: a nested case-control study. Annals of Internal Medicine, 2010, 152, 418-25, W139-40 Risk of ischemic stroke associated with antidepressant drug use in elderly persons. Journal of Clinical Psychopharmacology, 2010, 30, 252-8 Prescribing pattern of antisysphotic d	Effects of L'Aquila earthquake on the prescribing pattern of antidepressant and antipsychotic drugs. International Journal of Clinical Pharmacy, 2013, 35, 1053-62 Harmonization process for the identification of medical events in eight European healthcare databases: the experience from the EU-ADR project. Journal of the American Medical Informatics Association: JAMIA, 2013, 20, 184-92 Epidemiology of gout and hyperuricaemia in Italy during the years 2005-2009: a nationwide population-based study. Annals of the Rheumatic Diseases, 2013, 72, 694-700 24 Clinical and economic burden of adverse drug reactions. Journal of Pharmacology and Pharmacotherapeutics, 2013, 4, 573-7 Clinical and economic burden of adverse drug reactions. Journal of Pharmacology and Pharmacotherapeutics, 2013, 4, 573-7 Adverse drug reaction-related hospitalizations in persons aged 55 years and over: a population-based study in the Netherlands. Drugs and Aging, 2012, 29, 225-232 Antipsychotic drug use and community-acquired pneumonia. Current Infectious Disease Reports, 2011, 13, 262-8 Combining electronic healthcare databases in Europe to allow for large-scale drug safety monitoring: the EU-ADR Project. Pharmacoepidemiology and Drug Safety, 2011, 20, 1-11 EU-ADR healthcare database network vs. spontaneous reporting system database: preliminary comparison of signal detection. Studies in Health Technology and Informatics, 2011, 166, 25-30 Prescribing pattern of anti-epileptic drugs in an Italian setting of elderly outpatients: a population-based study during 2004-07. British Journal of Clinical Pharmacology, 2010, 70, 514-22 Association of community-acquired pneumonia with antipsychotic drug use in elderly patients: a nested case-control study. Annals of Internal Medicine, 2010, 152, 418-25, W139-40 Risk of ischemic stroke associated with antidepressant drug use in elderly persons. Journal of Clinical Psychopharmacology, 2010, 30, 252-8 Prescribing pattern of antipsychotic drugs in the Italian general population-based study during t

11	Prescribing pattern of anti-Parkinson drugs in Southern Italy: cross-sectional analysis in the years 2003-2005. <i>Parkinsonism and Related Disorders</i> , 2008 , 14, 420-5	3.6	25
10	Risk of stroke with typical and atypical anti-psychotics: a retrospective cohort study including unexposed subjects. <i>Journal of Psychopharmacology</i> , 2008 , 22, 39-46	4.6	74
9	Prescribing pattern of drugs in the treatment of osteoarthritis in Italian general practice: the effect of rofecoxib withdrawal. <i>Arthritis and Rheumatism</i> , 2008 , 59, 568-74		34
8	Antidepressant drugs: prevalence, incidence and indication of use in general practice of Southern Italy during the years 2003-2004. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 552-9	2.6	52
7	All-cause mortality associated with atypical and typical antipsychotics in demented outpatients. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 538-44	2.6	60
6	Interaction risk with proton pump inhibitors in general practice: significant disagreement between different drug-related information sources. <i>British Journal of Clinical Pharmacology</i> , 2006 , 62, 582-90	3.8	37
5	Antipsychotic prescribing pattern among Italian general practitioners: a population-based study during the years 1999-2002. <i>European Journal of Clinical Pharmacology</i> , 2005 , 61, 47-53	2.8	48
4	Statin-macrolide interaction risk: a population-based study throughout a general practice database. <i>European Journal of Clinical Pharmacology</i> , 2005 , 61, 615-20	2.8	29
3	Adverse drug events in emergency department population: a prospective Italian study. <i>Pharmacoepidemiology and Drug Safety</i> , 2005 , 14, 333-40	2.6	44
2	Survival of hospitalized COVID-19 patients in Northern Italy: a population-based cohort study by the ITA-COVID19 Network		8

Leveraging Routinely Collected Healthcare Data to Scale Up Drug Safety Surveillance: The EU-ADR Experience439-451