## Naresh N Thadhani

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2214721/naresh-n-thadhani-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75	1,604	15	39
papers	citations	h-index	g-index
82	1,813 ext. citations	6	4.97
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
75	Spall failure of additively manufactured two-layered CuNi bimetallic alloys. <i>Journal of Applied Physics</i> , <b>2022</b> , 131, 175901	2.5	1
74	Serum Protects Cells and Increases Intracellular Delivery of Molecules by Nanoparticle-Mediated Photoporation. <i>International Journal of Nanomedicine</i> , <b>2021</b> , 16, 3707-3724	7.3	O
73	Tailoring Optical Properties of Luminescent Semiconducting Nanocrystals through Hydrostatic, Anisotropic Static, and Dynamic Pressures. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 9772-9	97 <b>8</b> 8·4	6
72	Tailoring Optical Properties of Luminescent Semiconducting Nanocrystals through Hydrostatic, Anisotropic Static, and Dynamic Pressures. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 9856-9872	3.6	
71	Optimization of intracellular macromolecule delivery by nanoparticle-mediated photoporation. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , <b>2021</b> , 37, 102431	6	1
70	High-speed x-ray phase contrast imaging and digital image correlation analysis of microscale shock response of an additively manufactured energetic material simulant. <i>Journal of Applied Physics</i> , <b>2020</b> , 127, 235902	2.5	5
69	Unraveling the Role of Interfaces on the Spall Failure of Cu/Ta Multilayered Systems. <i>Scientific Reports</i> , <b>2020</b> , 10, 208	4.9	11
68	Challenges in Understanding the Dynamic Behavior of Heterogeneous Materials <b>2020</b> , 367-397		1
67	Rheological Considerations for Binder Development in Direct Ink Writing of Energetic Materials. <i>Propellants, Explosives, Pyrotechnics</i> , <b>2020</b> , 45, 26-35	1.7	10
66	Relationship between bio-effects and energy transduction during nanoparticle-mediated photoporation. <i>Journal of Applied Physics</i> , <b>2020</b> , 128, 173101	2.5	4
65	Response of Chiral Auxetic Composite Sandwich Panel to Fragment Simulating Projectile Impact. <i>Physica Status Solidi (B): Basic Research</i> , <b>2020</b> , 257, 1900099	1.3	6
64	Particle Strain Analysis of Epoxy-Based Composites Following Quasi-Static and Dynamic Compression. <i>Journal of Dynamic Behavior of Materials</i> , <b>2019</b> , 5, 24-38	1.8	1
63	Enabling Tailorable Optical Properties and Markedly Enhanced Stability of Perovskite Quantum Dots by Permanently Ligating with Polymer Hairs. <i>Advanced Materials</i> , <b>2019</b> , 31, e1901602	24	81
62	Mechanical Behavior and Quantitative Fractographic Characterization of Hot-Stamped Usibor 1500 Steel as a Function of Strain Rate <b>2019</b> , 107-116		1
61	Unconventional route to dual-shelled organolead halide perovskite nanocrystals with controlled dimensions, surface chemistry, and stabilities. <i>Science Advances</i> , <b>2019</b> , 5, eaax4424	14.3	82
60	Time-resolved spectral response of asymmetrical optical microcavity structures under laser-driven shock compression. <i>AIP Advances</i> , <b>2018</b> , 8, 015021	1.5	1
59	Effect of laser fluence, nanoparticle concentration and total energy input per cell on photoporation of cells. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , <b>2018</b> , 14, 1667-1677	6	7

58	Laser shock compression induced crystallization of Ce3Al metallic glass. <i>Journal of Applied Physics</i> , <b>2018</b> , 124, 035904	2.5	1
57	Photoporation Using Carbon Nanotubes for Intracellular Delivery of Molecules and Its Relationship to Photoacoustic Pressure. <i>Advanced Healthcare Materials</i> , <b>2018</b> , 7, 1701007	10.1	3
56	All-Inorganic Perovskite Nanocrystals with a Stellar Set of Stabilities and Their Use in White Light-Emitting Diodes. <i>ACS Applied Materials &amp; Samp; Interfaces</i> , <b>2018</b> , 10, 37267-37276	9.5	59
55	Role of cytoskeletal mechanics and cell membrane fluidity in the intracellular delivery of molecules mediated by laser-activated carbon nanoparticles. <i>Biotechnology and Bioengineering</i> , <b>2017</b> , 114, 2390-23	3 <del>9</del> 9	3
54	Energy Transfer Mechanisms during Molecular Delivery to Cells by Laser-Activated Carbon Nanoparticles. <i>Biophysical Journal</i> , <b>2017</b> , 112, 1258-1269	2.9	11
53	InnenrEktitelbild: Unconventional Route to Uniform Hollow Semiconducting Nanoparticles with Tailorable Dimensions, Compositions, Surface Chemistry, and Near-Infrared Absorption (Angew. Chem. 42/2017). <i>Angewandte Chemie</i> , <b>2017</b> , 129, 13331-13331	3.6	
52	Unconventional Route to Uniform Hollow Semiconducting Nanoparticles with Tailorable Dimensions, Compositions, Surface Chemistry, and Near-Infrared Absorption. <i>Angewandte Chemie</i> , <b>2017</b> , 129, 13126-13131	3.6	8
51	Unconventional Route to Uniform Hollow Semiconducting Nanoparticles with Tailorable Dimensions, Compositions, Surface Chemistry, and Near-Infrared Absorption. <i>Angewandte Chemie - International Edition</i> , <b>2017</b> , 56, 12946-12951	16.4	26
50	Exploration of CdTe quantum dots as mesoscale pressure sensors via time-resolved shock-compression photoluminescent emission spectroscopy. <i>Journal of Applied Physics</i> , <b>2016</b> , 120, 043	<del>1</del> 07	14
49	Impact Initiation of Reactive Aluminized Fluorinated Acrylic Nanocomposites. <i>Journal of Dynamic Behavior of Materials</i> , <b>2016</b> , 2, 259-271	1.8	4
48	Preparation of an AFe16N2 Magnet via a Ball Milling and Shock Compaction Approach . <i>Advanced Engineering Materials</i> , <b>2016</b> , 18, 1009-1016	3.5	25
47	Laser-excited optical emission response of CdTe quantum dot/polymer nanocomposite under shock compression. <i>Applied Physics Letters</i> , <b>2016</b> , 108, 011908	3.4	14
46	Spectral response of multilayer optical structures to dynamic mechanical loading. <i>Applied Physics Letters</i> , <b>2015</b> , 106, 201906	3.4	5
45	Efficient intracellular delivery of molecules with high cell viability using nanosecond-pulsed laser-activated carbon nanoparticles. <i>ACS Nano</i> , <b>2014</b> , 8, 2889-99	16.7	39
44	Numerical simulation of shock initiation of Ni/Al multilayered composites. <i>Journal of Applied Physics</i> , <b>2014</b> , 115, 023515	2.5	14
43	Microstructural Effects on the Shock Compression Response of Cold-Rolled Ni/Al Multilayers. <i>Materials Research Society Symposia Proceedings</i> , <b>2013</b> , 1521, 1		2
42	Microstructure-based Simulations of the High-Strain-Rate Response of Heterogeneous Ti/Al/B Reactive Powder Mixtures. <i>Materials Research Society Symposia Proceedings</i> , <b>2013</b> , 1521, 1		1
41	Configurational effects on shock wave propagation in Ni-Al multilayer composites. <i>Journal of Applied Physics</i> , <b>2012</b> , 111, 073527	2.5	34

40	A survey of railgun research at the Georgia Institute of Technology (USA) <b>2012</b> ,		4
39	Mesoscale simulations of particle reinforced epoxy-based composites 2012,		1
38	Fabrication of ND-FE-B/ALPHA-FE nanocomposite magnets by shock compaction and heat treatment of mechanically milled powders <b>2012</b> ,		1
37	Dynamic deformation and fragmentation response of maraging steel linear cellular alloy 2012,		4
36	Observation of a minimum reaction initiation threshold in ball-milled Ni+Al under high-rate mechanical loading. <i>Journal of Applied Physics</i> , <b>2011</b> , 109, 066108	2.5	21
35	The dynamic behavior of materials: An introduction. <i>Jom</i> , <b>2010</b> , 62, 14-15	2.1	7
34	Mechanical properties of bulk metallic glasses. <i>Progress in Materials Science</i> , <b>2010</b> , 55, 759-839	42.2	621
33	The shock-densification behavior of three distinct Ni+Al powder mixtures. <i>Applied Physics Letters</i> , <b>2008</b> , 92, 111903	3.4	23
32	Equation of state and high pressure properties of a fluorinated terpolymer: THV 500. <i>Journal of Applied Physics</i> , <b>2008</b> , 104, 113525	2.5	14
31	SHOCK COMPACTION OF Gd-DOPED CERIA CERAMICS. <i>International Journal of Modern Physics B</i> , <b>2008</b> , 22, 1686-1691	1.1	3
30	High-strain-rate dynamic mechanical behavior of a bulk metallic glass composite. <i>Journal of Materials Research</i> , <b>2008</b> , 23, 998-1008	2.5	5
29	DYNAMIC COMPRESSION OF A ZIRCONIUM-BASED BULK METALLIC GLASS CONFINED BY A 316 STAINLESS STEEL SLEEVE <b>2008</b> ,		1
28	Dynamic Mechanical Behavior Characterization of Epoxy-Cast Al + Fe2O3 Thermite Mixture Composites. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , <b>2007</b> , 38, 2697-2715	2.3	14
27	Elastic/plastic/cracking indentation behavior of hard materials. <i>International Journal of Refractory Metals and Hard Materials</i> , <b>2006</b> , 24, 11-16	4.1	12
26	Underwater Explosive Shock Consolidation of Nanocomposite Pr2Fe14B/α-Fe Magnetic Powders. <i>Materials Transactions</i> , <b>2005</b> , 46, 372-375	1.3	9
25	Predictive kinetics-based model for shock-activated reaction synthesis of Ti3SiC2. <i>Journal of Materials Research</i> , <b>2005</b> , 20, 1476-1484	2.5	1
24	Dynamic Impact Characterization of Al+Fe2O3+30% Epoxy Composites Using Time Synchronized High-Speed Camera and VISAR Measurements. <i>Materials Research Society Symposia Proceedings</i> , <b>2005</b> , 896, 1		О
23	High-Strain-Rate Dynamic Mechanical Properties of a W-Reinforced Zr-Based Bulk Metallic Glass Composite. <i>Materials Research Society Symposia Proceedings</i> , <b>2005</b> , 903, 1		

22	Role of Constituent Configuration on Shock-Induced Reactions in a Ni+Al Powder Mixture. <i>Materials Research Society Symposia Proceedings</i> , <b>2005</b> , 896, 41		7
21	Investigation of shock-induced reaction behavior of as-blended and ball-milled Ni+Ti powder mixtures using time-resolved stress measurements. <i>Journal of Applied Physics</i> , <b>2004</b> , 96, 2000-2009	2.5	39
20	Elastic/plastic deformation behavior in a continuous ball indentation test. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2004</b> , 371, 251-255	5.3	11
19	Quantitative characterization of the microstructure of two-phase TiB2+Al2O3 ceramics using mean integral curvature. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , <b>2003</b> , 34, 2671-2678	2.3	2
18	Investigation of Bhock-induced and Bhock-assisted themical reactions in Mo + 2Si powder mixtures. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , <b>2003</b> , 34, 15-23	2.3	13
17	Time-resolved measurements of the shock-compression response of Mo+2Si elemental powder mixtures. <i>Journal of Applied Physics</i> , <b>2003</b> , 94, 1575-1583	2.5	30
16	Novel Synthesis Techniques <b>2002</b> , 723-748		
15	Effect of Shock-Activation on Post-shock Reaction Synthesis of Ternary Ceramics. <i>AIP Conference Proceedings</i> , <b>2002</b> ,	O	6
14	Investigation of Shock-Induced Chemical Reactions in Ni-Ti Powder Mixtures Using Instrumented Experiments. <i>AIP Conference Proceedings</i> , <b>2002</b> ,	O	2
13	Dynamic high-strain-rate mechanical behavior of microstructurally biased two-phase TIB2+AL2O3 ceramics. <i>Journal of Applied Physics</i> , <b>2002</b> , 91, 1921-1927	2.5	9
12	Shock-compression of CN precursors for possible synthesis of EC3N4. Carbon, 2001, 39, 1175-1181	10.4	20
11	Synthesis and characterization of nanocrystalline NiTi shape-memory alloy by shock-compression <b>2001</b> , 297-304		1
10	Shock compression of Mo-Si powder mixtures using recovery and instrumented experiments. <i>AIP Conference Proceedings</i> , <b>2000</b> ,	O	1
9	Shock-assisted synthesis of Ti5Si3 intermetallic compound. <i>Journal of Materials Processing Technology</i> , <b>1999</b> , 85, 74-78	5.3	4
8	Influence of Dynamic Densification on Microstructure and Properties of Reaction Synthesized TiC Ceramic. <i>Journal of Materials Synthesis and Processing</i> , <b>1999</b> , 7, 49-61		2
7	Shock-enhanced alpha to beta phase transformation in Si3N4 powders. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>1998</b> , 256, 289-300	5.3	6
6	Enhanced solid-state reaction kinetics of shock-compressed titanium and carbon powder mixtures. Journal of Materials Research, <b>1998</b> , 13, 3160-3173	2.5	1
5	REACTION SYNTHESIS MECHANISM IN DYNAMICALLY DENSIFIED TI + C POWDER COMPACTS. <i>Scripta Materialia</i> , <b>1997</b> , 37, 1979-1985	5.6	15

4	Reaction sintering of shock-compressed 11 + C powder mixtures. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , <b>1996</b> , 27, 1749-1759	2.3	12
3	Reaction synthesis of high-temperature silicides. <i>Materials Science &amp; Discourse A: Structural Materials: Properties, Microstructure and Processing</i> , <b>1995</b> , 192-193, 604-611	5.3	43
2	Shock-induced chemical reactions and synthesis of materials. <i>Progress in Materials Science</i> , <b>1993</b> , 37, 11	7 <sub>z</sub> p <u>226</u>	158
1	Microstructure Quantification and Multiresolution Mechanical Characterization of Ti-Based Bulk Metallic Glass-Matrix Composites. <i>Jom</i> ,1	2.1	О