## Hee-sung Chae

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2215267/publications.pdf

Version: 2024-02-01

78	1,832	25	39
papers	citations	h-index	g-index
85	85	85	2602
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Anti-inflammatory mechanisms of resveratrol in activated HMC-1 cells: Pivotal roles of NF-κB and MAPK. Pharmacological Research, 2009, 59, 330-337.	3.1	128
2	Antibacterial Activity of Methyl Gallate Isolated from Galla Rhois or Carvacrol Combined with Nalidixic Acid Against Nalidixic Acid Resistant Bacteria. Molecules, 2009, 14, 1773-1780.	1.7	83
3	Antibacterial Activity of <i>Ecklonia cava</i> Against Methicillin-Resistant <i>Staphylococcus aureus</i> and <i>Salmonella</i> spp Foodborne Pathogens and Disease, 2010, 7, 435-441.	0.8	82
4	α-Mangostin Regulates Hepatic Steatosis and Obesity through SirT1-AMPK and PPARγ Pathways in High-Fat Diet-Induced Obese Mice. Journal of Agricultural and Food Chemistry, 2015, 63, 8399-8406.	2.4	68
5	In Vitro and In Vivo Antibacterial Activity of <i>Punica granatum </i> Peel Ethanol Extract against <i>Salmonella </i> . Evidence-based Complementary and Alternative Medicine, 2011, 2011, 1-8.	0.5	65
6	Synergistic effects of the combination of galangin with gentamicin against methicillin-resistant Staphylococcus aureus. Journal of Microbiology, 2008, 46, 283-288.	1.3	64
7	Inhibition of LPS-Induced iNOS, COX-2 and Inflammatory Mediator Expression by Paeonol through the MAPKs Inactivation in RAW 264.7 Cells. The American Journal of Chinese Medicine, 2009, 37, 181-194.	1.5	63
8	Molecular Targets of Genistein and Its Related Flavonoids to Exert Anticancer Effects. International Journal of Molecular Sciences, 2019, 20, 2420.	1.8	60
9	Ethyl acetate extract from Angelica Dahuricae Radix inhibits lipopolysaccharide-induced production of nitric oxide, prostaglandin E2 and tumor necrosis factor-α via mitogen-activated protein kinases and nuclear factor-ÎB in macrophages. Pharmacological Research, 2007, 55, 263-270.	3.1	51
10	Anti-Inflammatory Effect of Resveratrol by Inhibition of IL-8 Production in LPS-Induced THP-1 Cells. The American Journal of Chinese Medicine, 2009, 37, 1203-1214.	1.5	48
11	α-Mangostin ameliorates dextran sulfate sodium-induced colitis through inhibition of NF-κB and MAPK pathways. International Immunopharmacology, 2017, 49, 212-221.	1.7	43
12	Mume Fructus Water Extract Inhibits Pro-Inflammatory Mediators in Lipopolysaccharide-Stimulated Macrophages. Journal of Medicinal Food, 2007, 10, 460-466.	0.8	42
13	Isoliquiritigenin ameliorates dextran sulfate sodium-induced colitis through the inhibition of MAPK pathway. International Immunopharmacology, 2016, 31, 223-232.	1.7	41
14	Chemical Constituents with Proprotein Convertase Subtilisin/Kexin Type 9 mRNA Expression Inhibitory Activity from Dried Immature <i>Morus alba</i> Fruits. Journal of Agricultural and Food Chemistry, 2017, 65, 5316-5321.	2.4	40
15	Anti-Nociceptive and Anti-Inflammatory Effects of Angelicae Dahuricae Radix Through Inhibition of the Expression of Inducible Nitric Oxide Synthase and NO Production. The American Journal of Chinese Medicine, 2008, 36, 913-928.	1.5	37
16	Mangosteen xanthones, $\hat{l}$ ±-and $\hat{l}$ 3-mangostins, inhibit allergic mediators in bone marrow-derived mast cell. Food Chemistry, 2012, 134, 397-400.	4.2	36
17	Prenylated Flavonoids from the Roots and Rhizomes of <i>Sophora tonkinensis</i> and Their Effects on the Expression of Inflammatory Mediators and Proprotein Convertase Subtilisin/Kexin Type 9. Journal of Natural Products, 2019, 82, 309-317.	1,5	34
18	In Vitro Activity of Methyl Gallate Isolated from Galla Rhois Alone and in Combination with Ciprofloxacin Against Clinical Isolates of Salmonella. Journal of Microbiology and Biotechnology, 2008, 18, 1848-1852.	0.9	33

#	Article	IF	Citations
19	Flavonoids and arylbenzofurans from the rhizomes and roots of Sophora tonkinensis with IL-6 production inhibitory activity. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 5644-5647.	1.0	32
20	ent-pimara-8(14), 15-dien-19-oic acid isolated from the roots of Aralia cordata inhibits induction of inflammatory mediators by blocking NF-κB activation and mitogen-activated protein kinase pathways. European Journal of Pharmacology, 2008, 601, 179-185.	1.7	31
21	Methyl Gallate Inhibits the Production of Interleukin-6 and Nitric Oxide via Down-Regulation of Extracellular-Signal Regulated Protein Kinase in RAW 264.7 Cells. The American Journal of Chinese Medicine, 2010, 38, 973-983.	1.5	30
22	Mangosteen Extract Attenuates the Metabolic Disorders of High-Fat-Fed Mice by Activating AMPK. Journal of Medicinal Food, 2016, 19, 148-154.	0.8	30
23	Anti-Inflammatory and Anti-Allergic Effect of Agaricus blazei Extract in Bone Marrow-Derived Mast Cells. The American Journal of Chinese Medicine, 2012, 40, 1073-1084.	1.5	27
24	Lignans from the fruits of Schisandra chinensis (Turcz.) Baill inhibit proprotein convertase subtilisin/kexin type 9 expression. Phytochemistry, 2017, 136, 119-124.	1.4	27
25	Anti-inflammatory properties of a triterpenoidal glycoside fromMomordica cochinchinensisin LPS-stimulated macrophages. Immunopharmacology and Immunotoxicology, 2013, 35, 8-14.	1.1	26
26	Alkaloids from aerial parts of Houttuynia cordata and their anti-inflammatory activity. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 2807-2811.	1.0	26
27	New Aromatic Compounds from the Fruiting Body of <i>Sparassis crispa</i> (Wulf.) and Their Inhibitory Activities on Proprotein Convertase Subtilisin/Kexin Type 9 mRNA Expression. Journal of Agricultural and Food Chemistry, 2017, 65, 6152-6157.	2.4	26
28	Sauchinone controls hepatic cholesterol homeostasis by the negative regulation of PCSK9 transcriptional network. Scientific Reports, 2018, 8, 6737.	1.6	26
29	Xanthones with pancreatic lipase inhibitory activity from the pericarps of <i>Garcinia mangostana</i> L. (Guttiferae). European Journal of Lipid Science and Technology, 2016, 118, 1416-1421.	1.0	25
30	In Vivo Gastroprotective Effect along with Pharmacokinetics, Tissue Distribution and Metabolism of Isoliquiritigenin in Mice. Planta Medica, 2015, 81, 586-593.	0.7	24
31	Antibacterial effect of Dryopteris crassirhizoma against methicillin-resistant Staphylococcus aureus. Fìtoterapìâ, 2007, 78, 430-433.	1.1	23
32	Anti-allergic effect of lambertianic acid from <i>Thuja orientalis</i> in mouse bone marrow-derived mast cells. Immunopharmacology and Immunotoxicology, 2012, 34, 250-255.	1.1	23
33	SKI3301, a purified herbal extract from Sophora tonkinensis, inhibited airway inflammation and bronchospasm in allergic asthma animal models in vivo. Journal of Ethnopharmacology, 2017, 206, 298-305.	2.0	23
34	Discovery of Flavonoids from Scutellaria baicalensis with Inhibitory Activity Against PCSK 9 Expression: Isolation, Synthesis and Their Biological Evaluation. Molecules, 2018, 23, 504.	1.7	20
35	Atractylodin Inhibits Interleukin-6 by Blocking NPM-ALK Activation and MAPKs in HMC-1. Molecules, 2016, 21, 1169.	1.7	19
36	Antibacterial Activity of Hylomecon hylomeconoides Against Methicillin-Resistant Staphylococcus aureus. Applied Biochemistry and Biotechnology, 2010, 160, 2467-2474.	1.4	18

#	Article	IF	Citations
37	Mangosteen Extract Prevents Dextran Sulfate Sodium-Induced Colitis in Mice by Suppressing NF- <i><math>\hat{l}^2</math></i> B Activation and Inflammation. Journal of Medicinal Food, 2017, 20, 727-733.	0.8	16
38	A stilbene dimer and flavonoids from the aerial parts of Chromolaena odorata with proprotein convertase subtilisin/kexin type 9 expression inhibitory activity. Bioorganic Chemistry, 2020, 99, 103869.	2.0	16
39	Effects of the Schisandra Fructus Water Extract on Cytokine Release from a Human Mast Cell Line. Journal of Medicinal Food, 2006, 9, 480-486.	0.8	15
40	Anti-Inflammatory Effects of 6,8-Diprenyl-7,4′-dihydroxyflavanone from Sophora tonkinensis on Lipopolysaccharide-Stimulated RAW 264.7 Cells. Molecules, 2016, 21, 1049.	1.7	15
41	Flavonoids from Symplocos racemosa. Molecules, 2015, 20, 358-365.	1.7	14
42	Lonicera japonica extract increases metformin distribution in the liver without change of systemic exposed metformin in rats. Journal of Ethnopharmacology, 2019, 238, 111892.	2.0	14
43	Sesquiterpenoids from the Aerial Parts of <i>Salvia plebeia</i> with Inhibitory Activities on Proprotein Convertase Subtilisin/Kexin Type 9 Expression. Journal of Natural Products, 2021, 84, 220-229.	1.5	14
44	Gomisin N has anti-allergic effect and inhibits inflammatory cytokine expression in mouse bone marrow-derived mast cells. Immunopharmacology and Immunotoxicology, 2011, 33, 709-713.	1.1	13
45	Korean red ginseng extract enhances paclitaxel distribution to mammary tumors and its oral bioavailability by P-glycoprotein inhibition. Xenobiotica, 2017, 47, 450-459.	0.5	13
46	Anti-inflammatory Constituents from the Roots of Saposhnikovia divaricata. Bulletin of the Korean Chemical Society, 2011, 32, 2132-2134.	1.0	13
47	Maackiapterocarpan B from <i>Sophora tonkinensis</i> Suppresses Inflammatory Mediators <i>via</i> Nuclear Factor-IB and Mitogen-Activated Protein Kinase Pathways. Biological and Pharmaceutical Bulletin, 2016, 39, 259-266.	0.6	12
48	Bisamides from the Twigs of Aglaia perviridis Collected in Vietnam. Bulletin of the Korean Chemical Society, 2010, 31, 2665-2667.	1.0	12
49	5-Hydroxytryptophan Acts on the Mitogen-Activated Protein Kinase Extracellular-Signal Regulated Protein Kinase Pathway to Modulate Cyclooxygenase-2 and Inducible Nitric Oxide Synthase Expression in RAW 264.7 Cells. Biological and Pharmaceutical Bulletin, 2009, 32, 553-557.	0.6	11
50	Multidrug and toxin extrusion protein 1-mediated interaction of metformin and Scutellariae radix in rats. Xenobiotica, 2017, 47, 998-1007.	0.5	11
51	Two new lathyrane-type diterpenoid glycosides with IL-6 production inhibitory activity from the roots of Euphorbia kansui. Bioorganic and Medicinal Chemistry Letters, 2018, 28, 1207-1210.	1.0	11
52	Identification of neolignans with PCSK9 downregulatory and LDLR upregulatory activities from Penthorum chinense and the potential in cholesterol uptake by transcriptional regulation of LDLR via SREBP2. Journal of Ethnopharmacology, 2021, 278, 114265.	2.0	11
53	Anti-inflammatory Diterpene from Thyrsanthera suborbicularis. Chemical and Pharmaceutical Bulletin, 2011, 59, 382-384.	0.6	10
54	Anti-adipogenic Constituents from <i>Dioscorea opposita</i> in 3T3-L1 Cells. Biological and Pharmaceutical Bulletin, 2014, 37, 1683-1688.	0.6	10

#	Article	IF	CITATIONS
55	Transcriptome Analysis Illuminates a Hub Role of <i>SREBP2</i> in Cholesterol Metabolism by α-Mangostin. ACS Omega, 2020, 5, 31126-31136.	1.6	10
56	Anti-allergic Flavones from <i>Arthraxon hispidus</i> . Chemical and Pharmaceutical Bulletin, 2013, 61, 920-926.	0.6	9
57	A Citrus Flavonoid, 6-Demethoxytangeretin, Suppresses Production and Gene Expression of Interleukin-6 in Human Mast Cell-1 <i>via</i> Anaplastic Lymphoma Kinase and Mitogen-Activated Protein Kinase Pathways. Biological and Pharmaceutical Bulletin, 2014, 37, 871-876.	0.6	8
58	Sinensetin Inhibits Interleukin-6 in Human Mast Cell - 1 Via Signal Transducers and Activators of the Transcription 3 (STAT3) and Nuclear Factor Kappa B (NF- $\hat{\mathbb{P}}$ B) Pathways. Natural Product Sciences, 2017, 23, 1.	0.2	8
59	YDJC Induces Epithelial-Mesenchymal Transition via Escaping from Interaction with CDC16 through Ubiquitination of PP2A. Journal of Oncology, 2019, 2019, 1-15.	0.6	8
60	Dereplication-Guided Isolation of New Phenylpropanoid-Substituted Diglycosides from Cistanche salsa and Their Inhibitory Activity on NO Production in Macrophage. Molecules, 2017, 22, 1138.	1.7	7
61	Combined MS/MS-NMR Annotation Guided Discovery of Iris lactea var. chinensis Seed as a Source of Viral Neuraminidase Inhibitory Polyphenols. Molecules, 2020, 25, 3383.	1.7	7
62	Anti-allergic effect of a chloroform-soluble extract of <i>Cinnamomum cambodianum </i> in bone marrow-derived mast cells. Immunopharmacology and Immunotoxicology, 2012, 34, 639-644.	1.1	6
63	Furylhydroquinones and miscellaneous compounds from the roots of <i>Lithospermum erythrorhizon</i> and their anti-inflammatory effect in HaCaT cells. Natural Product Research, 2019, 33, 1691-1698.	1.0	6
64	Isolation of polyacetylenes with proprotein convertase/kexin type 9 downregulating activity and two new sesquiterpenes from the aerial parts of Aster koraiensis. Tetrahedron Letters, 2020, 61, 151957.	0.7	6
65	Selaginellin Derivatives from <i>Selaginella tamariscina</i> and Their Upregulating Effects on Low-Density Lipoprotein Receptor Expression. Journal of Natural Products, 2021, 84, 857-864.	1.5	6
66	Effect of Atractylodes Rhizoma Alba, Houttuyniae Herba, Lonicerae Flos, Agrobacterium Rhizogenes and Coptidis Rhizoma Extracts Combined with Metformin on the Antioxidant and Adipocyte Differentiate Inhibition. Journal of Korean Medicine for Obesity Research, 2015, 15, 24-32.	0.7	6
67	Euphorbia supina inhibits inflammatory mediators in mouse bone marrow-derived mast cells and macrophages. International Immunopharmacology, 2015, 29, 966-973.	1.7	5
68	Ginseng berry extract enhances metformin efficacy against obesity and hepatic steatosis in mice fed high-fat diet through increase of metformin uptake in liver. Journal of Functional Foods, 2019, 62, 103551.	1.6	5
69	Synthesis of Moracin C and Its Derivatives with a 2-arylbenzofuran Motif and Evaluation of Their PCSK9 Inhibitory Effects in HepG2 Cells. Molecules, 2021, 26, 1327.	1.7	4
70	A Multitarget Approach to Evaluate the Efficacy of AquilariaÂsinensis Flower Extract against Metabolic Syndrome. Molecules, 2022, 27, 629.	1.7	4
71	Dilignans with a Chromanol Motif Discovered by Molecular Networking from the Stem Barks of Magnolia obovata and Their Proprotein Convertase Subtilisin/Kexin Type 9 Expression Inhibitory Activity. Biomolecules, 2021, 11, 463.	1.8	3
72	Screening of Herbal Medicines for Synergistic Effects of Metformin and Herbal Extracts Combination in RAW 264.7 Cells. Journal of Korean Medicine for Obesity Research, 2014, 14, 13-23.	0.7	3

#	Article	IF	CITATIONS
73	Spiroketones and a Biphenyl Analog from Stems and Leaves of Larrea nitida and Their Inhibitory Activity against IL-6 Production. Molecules, 2018, 23, 302.	1.7	2
74	Standardized Extract of Atractylodis Rhizoma Alba and Fructus Schisandrae Ameliorates Coughing and Increases Expectoration of Phlegm. Molecules, 2020, 25, 3064.	1.7	2
75	Prenylated Flavonoid Glycosides with PCSK9 mRNA Expression Inhibitory Activity from the Aerial Parts of Epimedium koreanum. Molecules, 2021, 26, 3590.	1.7	2
76	Effect of treatment period with LC478, a disubstituted adamantayl derivative, on P-glycoprotein inhibition: its application to increase docetaxel absorption in rats. Xenobiotica, 2020, 50, 863-874.	0.5	1
77	Acylated saponins and flavonoid glycosides from the fruits of Stewartia koreana. Phytochemistry, 2022, 193, 112980.	1.4	1
78	Chemical Constituents from the Roots and Rhizomes of <i>Sophora tonkinensis</i> and Their Effects on Proprotein Convertase Substilisin/Kexin Type 9 Expression. ACS Omega, 2022, 7, 20952-20958.	1.6	1