Narcis Cardoner

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2218772/narcis-cardoner-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

160
papers5,742
citations39
h-index73
g-index196
ext. papers6,974
ext. citations4.5
avg, IF5.24
L-index

#	Paper	IF	Citations
160	Representation and Outcomes of Individuals With Schizophrenia Seen in Everyday Practice Who Are Ineligible for Randomized Clinical Trials <i>JAMA Psychiatry</i> , 2022 ,	14.5	5
159	Barriers, facilitators, and proposals for improvement in the implementation of a collaborative care program for depression: a qualitative study of primary care physicians and nurses <i>BMC Health Services Research</i> , 2022 , 22, 446	2.9	2
158	Randomized clinical trial of integral cognitive remediation program for major depression (INCREM) <i>Journal of Affective Disorders</i> , 2022 , 310, 189-197	6.6	O
157	Obsessive-compulsive symptoms in anxiety and depressive disorders: Influence of recent and/or traumatic life events. <i>Revista De Psiquiatr Y Salud Mental (English Edition)</i> , 2021 , 14, 218-226	0.2	
156	Focusing on Comorbidity-A Novel Meta-Analytic Approach and Protocol to Disentangle the Specific Neuroanatomy of Co-occurring Mental Disorders <i>Frontiers in Psychiatry</i> , 2021 , 12, 807839	5	1
155	Adherence to Desvenlafaxine Versus Usual Care and Its Impact on Health Outcomes: A Comparative Real-world Clinical Study. <i>Clinical Drug Investigation</i> , 2021 , 41, 1055-1066	3.2	
154	Childhood adversity modulation of central autonomic network components during cognitive regulation of emotion in major depressive disorder and borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 318, 111394	2.9	
153	Can routine Primary Care Records Help in Detecting Suicide Risk? A Population-Based Case-Control Study in Barcelona. <i>Archives of Suicide Research</i> , 2021 , 1-15	2.3	0
152	Higher order theory of mind in patients with bipolar disorder and schizophrenia/schizoaffective disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	1
151	A multimetric systematic review of fMRI findings in patients with MDD receiving ECT. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 108, 110178	5.5	11
150	Development and experimental validation of a dataset of 360°-videos for facilitating school-based bullying prevention programs. <i>Computers and Education</i> , 2021 , 161, 104065	9.5	4
149	Influence of the BDNF Val66Met polymorphism on weight loss after bariatric surgery: a 24-month follow-up. <i>Surgery for Obesity and Related Diseases</i> , 2021 , 17, 185-192	3	O
148	Effectiveness of enhancing cognitive reserve in children, adolescents and young adults at genetic risk for psychosis: Study protocol for a randomized controlled trial. <i>Revista De Psiquiatr Y Salud Mental</i> , 2021 ,	2.7	6
147	Discontinuation of maintenance electroconvulsive therapy: Lessons learned from the COVID-19 pandemic. <i>Revista De Psiquiatr Y Salud Mental</i> , 2021 ,	2.7	0
146	Group and sex differences in social cognition in bipolar disorder, schizophrenia/schizoaffective disorder and healthy people. <i>Comprehensive Psychiatry</i> , 2021 , 109, 152258	7-3	3
145	Differences between the child and adult brain in the local functional structure of the cerebral cortex. <i>NeuroImage</i> , 2021 , 237, 118150	7.9	0
144	Neural correlates of fear conditioning and fear extinction and its association with cognitive-behavioral therapy outcome in adults with obsessive-compulsive disorder. <i>Behaviour Research and Therapy</i> , 2021 , 144, 103927	5.2	1

(2020-2021)

143	Is processing speed a valid neurocognitive endophenotype in bipolar disorder? Evidence from a longitudinal, family study. <i>Journal of Psychiatric Research</i> , 2021 , 141, 241-247	5.2	О
142	The Neurobiological Basis of Cognitive Side Effects of Electroconvulsive Therapy: A Systematic Review. <i>Brain Sciences</i> , 2021 , 11,	3.4	1
141	Tracking temporal response dynamics in the ventral striatum during social feedback in anorexia nervosa: A functional magnetic resonance imaging exploratory study. <i>International Journal of Eating Disorders</i> , 2021 , 54, 1881-1886	6.3	
140	Telomere length in patients with obesity submitted to bariatric surgery: A systematic review. <i>European Eating Disorders Review</i> , 2021 , 29, 842-853	5.3	2
139	Cortical and subcortical brain structure in generalized anxiety disorder: findings from 28 research sites in the ENIGMA-Anxiety Working Group. <i>Translational Psychiatry</i> , 2021 , 11, 502	8.6	4
138	Structural brain correlates in major depression, anxiety disorders and post-traumatic stress disorder: A voxel-based morphometry meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 129, 269-281	9	2
137	Biomarkers of response to rapid-acting antidepressants. <i>European Neuropsychopharmacology</i> , 2021 , 53, 101-103	1.2	
136	An fMRI study of cognitive reappraisal in major depressive disorder and borderline personality disorder. <i>European Psychiatry</i> , 2021 , 64, e56	6	O
135	Dealing with heterogeneity of cognitive dysfunction in acute depression: a clustering approach. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	3
134	Response to the letter to the editor: FKBP5 polymorphism rs1360780 and weight loss after bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , 2020 , 16, 974-975	3	2
133	Is cognitive dysfunction involved in difficult-to-treat depression? Characterizing resistance from a cognitive perspective. <i>European Psychiatry</i> , 2020 , 63, e74	6	5
132	Mega-analysis methods in ENIGMA: The experience of the generalized anxiety disorder working group. <i>Human Brain Mapping</i> , 2020 ,	5.9	19
131	Prefrontal-amygdala connectivity in trait anxiety and generalized anxiety disorder: Testing the boundaries between healthy and pathological worries. <i>Journal of Affective Disorders</i> , 2020 , 267, 211-219	9 ^{6.6}	8
130	Obsessive-compulsive symptoms in anxiety and depressive disorders: Influence of recent and/or traumatic life events. <i>Revista De Psiquiatr Y Salud Mental</i> , 2020 , 14, 218-218	2.7	Ο
129	Clinical outcome after discontinuation of maintenance Electroconvulsive Therapy. A retrospective follow-up study. <i>Revista De Psiquiatr Y Salud Mental</i> , 2020 , 13, 5-10	2.7	6
128	Clinical outcome after discontinuation of maintenance electroconvulsive therapy. A retrospective follow-up study. <i>Revista De Psiquiatr Y Salud Mental (English Edition)</i> , 2020 , 13, 5-10	0.2	1
127	Role of the FKBP5 polymorphism rs1360780, age, sex, and type of surgery in weight loss after bariatric surgery: a follow-up study. <i>Surgery for Obesity and Related Diseases</i> , 2020 , 16, 581-589	3	8
126	International Consortium on the Genetics of Electroconvulsive Therapy and Severe Depressive Disorders (Gen-ECT-ic). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 921-932	5.1	8

125	Catalonia Suicide Risk Code Epidemiology (CSRC-Epi) study: protocol for a population-representative nested case-control study of suicide attempts in Catalonia, Spain. <i>BMJ Open</i> , 2020 , 10, e037365	3	2
124	ENIGMA-anxiety working group: Rationale for and organization of large-scale neuroimaging studies of anxiety disorders. <i>Human Brain Mapping</i> , 2020 ,	5.9	14
123	Longitudinal changes in telomere length in a cohort of obese patients submitted to bariatric surgery: a 2-year follow-up. <i>Surgery for Obesity and Related Diseases</i> , 2020 , 16, 1794-1801	3	1
122	Differential patterns of brain activation between hoarding disorder and obsessive-compulsive disorder during executive performance. <i>Psychological Medicine</i> , 2020 , 50, 666-673	6.9	6
121	Is glutamate associated with fear extinction and cognitive behavior therapy outcome in OCD? A pilot study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 1003-1014	5.1	4
120	Brain Changes Induced by Electroconvulsive Therapy Are Broadly Distributed. <i>Biological Psychiatry</i> , 2020 , 87, 451-461	7.9	32
119	Smartphone-based self-monitoring in bipolar disorder: evaluation of usability and feasibility of two systems. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 1	5.4	24
118	Cognitive failures in healthy middle-aged Spanish adults: A cross-sectional study describing magnitude categories of subjective cognitive deficits. <i>European Journal of Psychiatry</i> , 2019 , 33, 135-147	1 1	
117	Testing the efficacy of INtegral Cognitive REMediation (INCREM) in major depressive disorder: study protocol for a randomized clinical trial. <i>BMC Psychiatry</i> , 2019 , 19, 135	4.2	4
116	Childhood maltreatment and risk for suicide attempts in major depression: a sex-specific approach. Hgre Utbildning, 2019 , 10, 1603557	5	19
115	Amygdalar hyperactivation in response to safety signal in anxiety trait and generalised anxiety disorder. <i>European Neuropsychopharmacology</i> , 2019 , 29, S196-S197	1.2	
114	An examination of orbitofrontal sulcogyral morphology in obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2019 , 286, 18-23	2.9	4
113	Mapping Alterations of the Functional Structure of the Cerebral Cortex in Obsessive-Compulsive Disorder. <i>Cerebral Cortex</i> , 2019 , 29, 4753-4762	5.1	8
112	Amygdala where art thou?. Neuroscience and Biobehavioral Reviews, 2019, 102, 430-431	9	8
111	Ventromedial prefrontal cortex glutamate is associated with fear extinction recall and cognitive behavior therapy outcome in OCD. <i>European Neuropsychopharmacology</i> , 2019 , 29, S510-S511	1.2	
110	Common and distinct neural correlates of fear extinction and cognitive reappraisal: A meta-analysis of fMRI studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 104, 102-115	9	35
109	P.558 A randomized clinical trial of mindfulness-based cognitive therapy as an augmentation strategy for obsessive-compulsive disorder: preliminary findings. <i>European Neuropsychopharmacology</i> , 2019 , 29, S392-S393	1.2	
108	The contribution of brain imaging to the understanding of psychopathy. <i>Psychological Medicine</i> , 2019 , 49, 20-31	6.9	20

107	Brain Volumetric Correlates of Right Unilateral Versus Bitemporal Electroconvulsive Therapy for Treatment-Resistant Depression. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2019 , 31, 152-15	8 .7	11
106	Discrepancy between objective and subjective cognition in major depressive disorder. <i>European Neuropsychopharmacology</i> , 2019 , 29, 46-56	1.2	37
105	Cognitive predictors of illness course at 12 months after first-episode of depression. <i>European Neuropsychopharmacology</i> , 2018 , 28, 529-537	1.2	16
104	Early improvement as a predictor of final remission in major depressive disorder: New insights in electroconvulsive therapy. <i>Journal of Affective Disorders</i> , 2018 , 235, 169-175	6.6	9
103	Fear extinction in the human brain: A meta-analysis of fMRI studies in healthy participants. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 88, 16-25	9	112
102	Self and other body perception in anorexia nervosa: The role of posterior DMN nodes. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 210-224	3.8	13
101	Altered functional connectivity of the subthalamus and the bed nucleus of the stria terminalis in obsessive-compulsive disorder. <i>Psychological Medicine</i> , 2018 , 48, 919-928	6.9	10
100	Ventromedial prefrontal cortex activity and pathological worry in generalised anxiety disorder. <i>British Journal of Psychiatry</i> , 2018 , 213, 437-443	5.4	18
99	Gender Differences in Social Cognition: A Cross-Sectional Pilot Study of Recently Diagnosed Patients with Schizophrenia and Healthy Subjects. <i>Canadian Journal of Psychiatry</i> , 2018 , 63, 538-546	4.8	22
98	Social context modulates cognitive markers in Obsessive-Compulsive Disorder. <i>Social Neuroscience</i> , 2018 , 13, 579-593	2	3
97	The Clinical Alliance and Research in Electroconvulsive Therapy Network: An Australian Initiative for Improving Service Delivery of Electroconvulsive Therapy. <i>Journal of ECT</i> , 2018 , 34, 7-13	2	23
96	F27. Subcortical Volumes in Social Anxiety Disorder: Preliminary Results From Enigma-Anxiety. <i>Biological Psychiatry</i> , 2018 , 83, S247-S248	7.9	10
95	Common and distinct patterns of grey-matter volume alteration in major depression and bipolar disorder: evidence from voxel-based meta-analysis. <i>Molecular Psychiatry</i> , 2017 , 22, 1455-1463	15.1	284
94	Brain volumetric and metabolic correlates of electroconvulsive therapy for treatment-resistant depression: a longitudinal neuroimaging study. <i>Translational Psychiatry</i> , 2017 , 7, e1023	8.6	62
93	Human ventromedial prefrontal cortex and the positive affective processing of safety signals. <i>NeuroImage</i> , 2017 , 152, 12-18	7.9	40
92	Optimised multielectrode TDCS modulates corticolimbic networks: a functional MRI study. <i>European Neuropsychopharmacology</i> , 2017 , 27, S77	1.2	
91	Development and assessment of an active strategy for the implementation of a collaborative care approach for depression in primary care (the INDII project). <i>BMC Health Services Research</i> , 2017 , 17, 821	2.9	2
90	Basolateral amygdala-ventromedial prefrontal cortex connectivity predicts cognitive behavioural therapy outcome in adults with obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> 2017 42 378-385	4.5	27

89	Cognitive dysfunction in depression. Is it well detected?. European Psychiatry, 2017, 41, S325-S325	6	
88	Neuropersonaltrainer-mh: A New Computerized Platform for the Cognitive Remediation in Schizophrenia and Bipolar Disorders. <i>European Psychiatry</i> , 2017 , 41, S23-S23	6	
87	Efficacy of an active implementation process of a computerized CPG of major depression disorder in primary care. <i>European Psychiatry</i> , 2017 , 41, S545-S545	6	2
86	Predictors of functioning in major depression. <i>European Psychiatry</i> , 2017 , 41, S325-S325	6	
85	Brain alterations in low-frequency fluctuations across multiple bands in obsessive compulsive disorder. <i>Brain Imaging and Behavior</i> , 2017 , 11, 1690-1706	4.1	15
84	Cognitive performance and 12-month clinical outcome in first-episode of depression. <i>European Neuropsychopharmacology</i> , 2017 , 27, S795-S796	1.2	
83	Altered functional connectivity of the subthalamus and the bed nucleus of the stria terminalis in obsessive-compulsive disorder. <i>European Neuropsychopharmacology</i> , 2017 , 27, S990-S991	1.2	
82	The prefrontal-amygdala circuit in trait anxiety and generalized anxiety disorder. Testing the boundaries between healthy and pathological worries. <i>European Neuropsychopharmacology</i> , 2017 , 27, S997-S998	1.2	
81	Neural signatures of human fear conditioning: an updated and extended meta-analysis of fMRI studies. <i>Molecular Psychiatry</i> , 2016 , 21, 500-8	15.1	275
80	Structural alterations of the pyramidal pathway in schizoid and schizotypal cluster A personality disorders. <i>International Journal of Psychophysiology</i> , 2016 , 110, 163-170	2.9	6
79	Cognicili en remisili. <i>Psiquiatria Biologica</i> , 2016 , 23, 46-52	0.2	
78	Specificity proteins 1 and 4, hippocampal volume and first-episode psychosis. <i>British Journal of Psychiatry</i> , 2016 , 208, 591-2	5.4	2
77	Removing and reimplanting deep brain stimulation therapy devices in resistant OCD (when the		
	patient does not respond): case report. <i>BMC Psychiatry</i> , 2016 , 16, 26	4.2	9
76		3.8	10
76 75	patient does not respond): case report. <i>BMC Psychiatry</i> , 2016 , 16, 26 Brain structural correlates of obsessive-compulsive disorder with and without preceding stressful		
	patient does not respond): case report. <i>BMC Psychiatry</i> , 2016 , 16, 26 Brain structural correlates of obsessive-compulsive disorder with and without preceding stressful life events. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 366-77 Modulatory effects of psychopathy on Wisconsin Card Sorting Test performance in male offenders	3.8	10
75	patient does not respond): case report. <i>BMC Psychiatry</i> , 2016 , 16, 26 Brain structural correlates of obsessive-compulsive disorder with and without preceding stressful life events. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 366-77 Modulatory effects of psychopathy on Wisconsin Card Sorting Test performance in male offenders with Antisocial Personality Disorder. <i>Psychiatry Research</i> , 2016 , 235, 43-8 Modulation of Limbic and Prefrontal Connectivity by Electroconvulsive Therapy in	3.8 9.9	10

(2014-2016)

71	Structural brain alterations in major depression and anxiety disorders: overlapping and distinct affected networks evidenced by voxel-based meta-analysis. <i>European Neuropsychopharmacology</i> , 2016 , 26, S320-S321	1.2	1
70	Neural correlates of moral sensitivity as a candidate endophenotype for obsessive-compulsive disorder. <i>European Neuropsychopharmacology</i> , 2016 , 26, S607-S608	1.2	
69	Inter-individual variability in emotion regulation: Pathways to obsessive-compulsive symptoms. Journal of Obsessive-Compulsive and Related Disorders, 2016 , 11, 105-112	1.7	11
68	Dynamic functional connectivity reveals altered variability in functional connectivity among patients with major depressive disorder. <i>Human Brain Mapping</i> , 2016 , 37, 2918-30	5.9	104
67	Predictive value of familiality, stressful life events and gender on the course of obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , 2015 , 185, 129-34	6.6	21
66	Electroconvulsive therapy practice in Catalonia: a survey study comparing data from 1993 and 2010. <i>Journal of ECT</i> , 2015 , 31, 43-9	2	5
65	P.1.i.055 Generalized anxiety disorder is characterised by a non-discriminative response of the ventromedial prefrontal cortex during fear learning. <i>European Neuropsychopharmacology</i> , 2015 , 25, S33	s1 -5 332	2
64	Functional Connectivity Bias in the Prefrontal Cortex of Psychopaths. <i>Biological Psychiatry</i> , 2015 , 78, 647-55	7.9	63
63	Multicenter Voxel-Based Morphometry Mega-Analysis of Structural Brain Scans in Obsessive-Compulsive Disorder. <i>Focus (American Psychiatric Publishing)</i> , 2015 , 13, 204-212	1.1	0
62	A neural mediator of human anxiety sensitivity. <i>Human Brain Mapping</i> , 2015 , 36, 3950-8	5.9	26
61	Brain structural correlates of sensory phenomena in patients with obsessive-compulsive disorder. Journal of Psychiatry and Neuroscience, 2015 , 40, 232-40	4.5	36
60	Abnormal Social Reward Responses in Anorexia Nervosa: An fMRI Study. <i>PLoS ONE</i> , 2015 , 10, e0133539	3.7	38
59	Acute bilateral ECT in a depressed patient with a hip-aztreonam-spacer and subsequent maintenance ECT after prosthesis collocation. <i>International Psychogeriatrics</i> , 2014 , 1-4	3.4	1
58	Prevalence and heritability of obsessive-compulsive spectrum and anxiety disorder symptoms: A survey of the Australian Twin Registry. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 314-25	3.5	25
57	P.4.b.017 Functional connectivity of basolateral and centromedial amygdala in obsessivellompulsive disorder. <i>European Neuropsychopharmacology</i> , 2014 , 24, S596-S597	1.2	
56	Brain structural imaging correlates of olfactory dysfunction in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 225-33	5.1	9
55	Amygdala activation and symptom dimensions in obsessive-compulsive disorder. <i>British Journal of Psychiatry</i> , 2014 , 204, 61-8	5.4	61
54	Disruption of brain white matter microstructure in women with anorexia nervosa. <i>Journal of Psychiatry and Neuroscience</i> , 2014 , 39, 367-75	4.5	51

53	Disrupted neural processing of emotional faces in psychopathy. <i>Social Cognitive and Affective Neuroscience</i> , 2014 , 9, 505-12	4	47
52	Multicenter voxel-based morphometry mega-analysis of structural brain scans in obsessive-compulsive disorder. <i>American Journal of Psychiatry</i> , 2014 , 171, 340-9	11.9	183
51	Brain regions related to fear extinction in obsessive-compulsive disorder and its relation to exposure therapy outcome: a morphometric study. <i>Psychological Medicine</i> , 2014 , 44, 845-56	6.9	39
50	Discovering brain regions relevant to obsessive-compulsive disorder identification through bagging and transduction. <i>Medical Image Analysis</i> , 2014 , 18, 435-48	15.4	27
49	Physiological and brain activity after a combined cognitive behavioral treatment plus video game therapy for emotional regulation in bulimia nervosa: a case report. <i>Journal of Medical Internet Research</i> , 2014 , 16, e183	7.6	12
48	Neural correlates of obsessive-compulsive related dysfunctional beliefs. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 47, 25-32	5.5	16
47	Structural covariance of the neostriatum with regional gray matter volumes. <i>Brain Structure and Function</i> , 2013 , 218, 697-709	4	28
46	P.1.i.014 Alterations of white matter microstructure in anorexia nervosa. <i>European Neuropsychopharmacology</i> , 2013 , 23, S270-S271	1.2	
45	The interaction between Comt and Bdnf variants influences obsessive-compulsive-related dysfunctional beliefs. <i>Journal of Anxiety Disorders</i> , 2013 , 27, 321-7	10.9	16
44	Brain corticostriatal systems and the major clinical symptom dimensions of obsessive-compulsive disorder. <i>Biological Psychiatry</i> , 2013 , 73, 321-8	7.9	174
43	Identifying brain imaging correlates of clinical response to repetitive transcranial magnetic stimulation (rTMS) in major depression. <i>Brain Stimulation</i> , 2013 , 6, 54-61	5.1	36
42	Val66Met BDNF genotypes in melancholic depression: effects on brain structure and treatment outcome. <i>Depression and Anxiety</i> , 2013 , 30, 225-33	8.4	36
41	Brain structural alterations in obsessive-compulsive disorder patients with autogenous and reactive obsessions. <i>PLoS ONE</i> , 2013 , 8, e75273	3.7	23
40	Neural response to the observable self in social anxiety disorder. <i>Psychological Medicine</i> , 2013 , 43, 721-	- 36 .9	40
39	Breakdown in the brain network subserving moral judgment in criminal psychopathy. <i>Social Cognitive and Affective Neuroscience</i> , 2012 , 7, 917-23	4	94
38	A new meta-analytic method for neuroimaging studies that combines reported peak coordinates and statistical parametric maps. <i>European Psychiatry</i> , 2012 , 27, 605-11	6	396
37	Effectiveness and pattern of use of continuation and maintenance electroconvulsive therapy. <i>Revista De Psiquiatr Y Salud Mental</i> , 2012 , 5, 241-53	2.7	15
36	Effectiveness and pattern of use of continuation and maintenance electroconvulsive therapy. Revista De Psiquiatra Y Salud Mental (English Edition), 2012, 5, 241-253	0.2	

(2008-2012)

Voxel Selection in MRI through Bagging and Conformal Analysis: Application to Detection of Obsessive Compulsive Disorder 2012 ,		2
Cerebrospinal fluid space alterations in melancholic depression. <i>PLoS ONE</i> , 2012 , 7, e38299	3.7	9
Long-term treatment strategies in major depression: a 2-year prospective naturalistic follow-up after successful electroconvulsive therapy. <i>Journal of ECT</i> , 2012 , 28, 92-7	2	14
Neural correlates of moral sensitivity in obsessive-compulsive disorder. <i>Archives of General Psychiatry</i> , 2012 , 69, 741-9		48
Identification of OCD-Relevant Brain Areas through Multivariate Feature Selection. <i>Lecture Notes in Computer Science</i> , 2012 , 60-67	0.9	
Cross-sectional and longitudinal assessment of structural brain alterations in melancholic depression. <i>Biological Psychiatry</i> , 2011 , 69, 318-25	7.9	115
Enhanced brain responsiveness during active emotional face processing in obsessive compulsive disorder. <i>World Journal of Biological Psychiatry</i> , 2011 , 12, 349-63	3.8	46
Variations in the shape of the frontobasal brain region in obsessive-compulsive disorder. <i>Human Brain Mapping</i> , 2011 , 32, 1100-8	5.9	12
Meta-analysis of gray matter abnormalities in autism spectrum disorder: should Asperger disorder be subsumed under a broader umbrella of autistic spectrum disorder?. <i>Archives of General Psychiatry</i> , 2011 , 68, 409-18		150
Task-induced deactivation from rest extends beyond the default mode brain network. <i>PLoS ONE</i> , 2011 , 6, e22964	3.7	61
Effects of duloxetine treatment on brain response to painful stimulation in major depressive disorder. <i>Neuropsychopharmacology</i> , 2010 , 35, 2305-17	8.7	52
Climatic relationships with specific clinical subtypes of depression. <i>Psychiatry Research</i> , 2010 , 175, 217	-29 .9	20
Optimizing Electroconvulsive Therapy in Non-Suspected Pseudocholinesterase Deficiency: Laryngeal Mask Use and Neuromuscular Selection. <i>Psychosomatics</i> , 2010 , 51, 537-538	2.6	3
Dynamic assessment of the right lateral frontal cortex response to painful stimulation. <i>NeuroImage</i> , 2010 , 50, 1177-87	7.9	26
Influence of the fusiform gyrus on amygdala response to emotional faces in the non-clinical range of social anxiety. <i>Psychological Medicine</i> , 2009 , 39, 1177-87	6.9	52
Altered corticostriatal functional connectivity in obsessive-compulsive disorder. <i>Archives of General Psychiatry</i> , 2009 , 66, 1189-200		438
Mapping brain response to pain in fibromyalgia patients using temporal analysis of FMRI. <i>PLoS ONE</i> , 2009 , 4, e5224	3.7	99
Personality dimensions in obsessive-compulsive disorder: relation to clinical variables. <i>Psychiatry Research</i> , 2008 , 157, 159-68	9.9	45
	Cerebrospinal fluid space alterations in melancholic depression. <i>PLoS ONE</i> , 2012 , 7, e38299 Long-term treatment strategies in major depression: a 2-year prospective naturalistic follow-up after successful electroconvulsive therapy. <i>Journal of ECT</i> , 2012 , 28, 92-7 Neural correlates of moral sensitivity in obsessive-compulsive disorder. <i>Archives of General Psychiatry</i> , 2012 , 69, 741-9 Identification of OCD-Relevant Brain Areas through Multivariate Feature Selection. <i>Lecture Notes in Computer Science</i> , 2012 , 60-67 Cross-sectional and longitudinal assessment of structural brain alterations in melancholic depression. <i>Biological Psychiatry</i> , 2011 , 69, 318-25 Enhanced brain responsiveness during active emotional face processing in obsessive compulsive disorder. <i>World Journal of Biological Psychiatry</i> , 2011 , 12, 349-63 Variations in the shape of the frontobasal brain region in obsessive-compulsive disorder. <i>Human Brain Mapping</i> , 2011 , 32, 1100-8 Meta-analysis of gray matter abnormalities in autism spectrum disorder: should Asperger disorder be subsumed under a broader umbrella of autistic spectrum disorder?. <i>Archives of General Psychiatry</i> , 2011 , 68, 409-18 Task-induced deactivation from rest extends beyond the default mode brain network. <i>PLoS ONE</i> , 2011 , 6, e22964 Effects of duloxetine treatment on brain response to painful stimulation in major depressive disorder. <i>Neuropsychopharmacology</i> , 2010 , 35, 2305-17 Climatic relationships with specific clinical subtypes of depression. <i>Psychiatry Research</i> , 2010 , 175, 217 Optimizing Electroconvulsive Therapy in Non-Suspected Pseudocholinesterase Deficiency: Laryngeal Mask Use and Neuromuscular Selection. <i>Psychosomatics</i> , 2010 , 51, 537-538 Dynamic assessment of the right lateral frontal cortex response to painful stimulation. <i>NeuroImage</i> , 2010 , 50, 1177-87 Influence of the fusiform gyrus on amygdala response to emotional faces in the non-clinical range of social anxiety. <i>Psychological Medicine</i> , 2009 , 39, 1177-87 Altered c	Cerebrospinal fluid space alterations in melancholic depression. PLoS ONE, 2012, 7, e38299 3.7 Long-term treatment strategies in major depression: a 2-year prospective naturalistic follow-up after successful electroconvulsive therapy. Journal of ECT, 2012, 28, 92-7 Neural correlates of moral sensitivity in obsessive-compulsive disorder. Archives of General Psychiatry, 2012, 69, 741-9 Identification of OCD-Relevant Brain Areas through Multivariate Feature Selection. Lecture Notes in Computer Science, 2012, 69-67 Cross-sectional and longitudinal assessment of structural brain alterations in melancholic depression. Biological Psychiatry, 2011, 69, 318-25 Enhanced brain responsiveness during active emotional face processing in obsessive compulsive disorder. World Journal of Biological Psychiatry, 2011, 12, 349-63 Variations in the shape of the frontobasal brain region in obsessive-compulsive disorder. Human Brain Mapping, 2011, 32, 1100-8 Meta-analysis of gray matter abnormalities in autism spectrum disorder: should Asperger disorder be subsumed under a broader umbrella of autistic spectrum disorder? Archives of General Psychiatry, 2011, 68, 409-18 Task-induced deactivation from rest extends beyond the default mode brain network. PLoS ONE, 2011, 6, e22964 Effects of duloxetine treatment on brain response to painful stimulation in major depressive disorder. Neuropsychopharmacology, 2010, 35, 2305-17 Climatic relationships with specific clinical subtypes of depression. Psychiatry Research, 2010, 175, 217-29.9 Optimizing Electroconvulsive Therapy in Non-Suspected Pseudocholinesterase Deficiency: Laryngeal Mask Use and Neuromuscular Selection. Psychosomatics, 2010, 51, 537-538 2.6 Dynamic assessment of the right lateral frontal cortex response to painful stimulation. NeuroImage, 79 Influence of the fusiform gyrus on amygdala response to emotional faces in the non-clinical range of social anxiety. Psychological Medicine, 2009, 39, 1177-87 Altered corticostriatal functional connectivity in obsessive-compul

17	Clinical implications of insight assessment in obsessive-compulsive disorder. <i>Comprehensive Psychiatry</i> , 2008 , 49, 305-12	7.3	65
16	Consistency and functional specialization in the default mode brain network. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 9781-6	11.5	269
15	Identifying patients with obsessive-compulsive disorder using whole-brain anatomy. <i>NeuroImage</i> , 2007 , 35, 1028-37	7.9	74
14	Brain structural correlates of depressive comorbidity in obsessive-compulsive disorder. <i>NeuroImage</i> , 2007 , 38, 413-21	7.9	50
13	Resonancia magnEica funcional de la respuesta cerebral al dolor en pacientes con diagnEtico de fibromialgia. <i>Psiquiatria Biologica</i> , 2006 , 13, 39-46	0.2	4
12	Mapping structural brain alterations in obsessive-compulsive disorder. <i>Archives of General Psychiatry</i> , 2004 , 61, 720-30		331
11	Delayed myelination in children with developmental delay detected by volumetric MRI. <i>NeuroImage</i> , 2004 , 22, 897-903	7.9	42
10	Alexithymia correlates with the size of the right anterior cingulate. <i>Psychosomatic Medicine</i> , 2004 , 66, 132-40	3.7	90
9	Auditory event-related potentials in 50 melancholic patients: increased N100, N200 and P300 latencies and diminished P300 amplitude. <i>Journal of Affective Disorders</i> , 2003 , 74, 293-7	6.6	61
8	Enlargement of brain cerebrospinal fluid spaces as a predictor of poor clinical outcome in melancholia. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 691-7	4.6	9
7	CSF spaces of the Sylvian fissure region in severe melancholic depression. <i>NeuroImage</i> , 2002 , 15, 103-6	7.9	22
6	Anatomical variability of the anterior cingulate gyrus and basic dimensions of human personality. <i>NeuroImage</i> , 2002 , 15, 847-55	7.9	144
5	The Lateral Asymmetry of the Human Brain Studied by Volumetric Magnetic Resonance Imaging. <i>NeuroImage</i> , 2002 , 17, 670-679	7.9	85
4	The lateral asymmetry of the human brain studied by volumetric magnetic resonance imaging. <i>Neurolmage</i> , 2002 , 17, 670-9	7.9	30
3	Right prefrontal repetitive transcranial magnetic stimulation in obsessive-compulsive disorder: a double-blind, placebo-controlled study. <i>American Journal of Psychiatry</i> , 2001 , 158, 1143-5	11.9	154
2	Beck Depression Inventory factors related to demyelinating lesions of the left arcuate fasciculus region. <i>Psychiatry Research - Neuroimaging</i> , 2000 , 99, 151-9	2.9	44
1	Functional magnetic resonance imaging study of frontal lobe activation during word generation in obsessive-compulsive disorder. <i>Biological Psychiatry</i> , 1999 , 45, 891-7	7.9	52