

Roger W Innes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2219277/publications.pdf>

Version: 2024-02-01

93
papers

10,162
citations

44069

48
h-index

42399

92
g-index

108
all docs

108
docs citations

108
times ranked

8736
citing authors

#	ARTICLE	IF	CITATIONS
1	Arabidopsis apoplastic fluid contains sRNA- and circular RNA-protein complexes that are located outside extracellular vesicles. <i>Plant Cell</i> , 2022, 34, 1863-1881.	6.6	67
2	Exciting times in plant biotic interactions. <i>Plant Cell</i> , 2022, 34, 1421-1424.	6.6	3
3	The development of extracellular vesicle markers for the fungal phytopathogen <i>Colletotrichum higginsianum</i> . <i>Journal of Extracellular Vesicles</i> , 2022, 11, e12216.	12.2	8
4	Molecular mechanisms underlying host-induced gene silencing. <i>Plant Cell</i> , 2022, 34, 3183-3199.	6.6	17
5	Broadening the impact of plant science through innovative, integrative, and inclusive outreach. <i>Plant Direct</i> , 2021, 5, e00316.	1.9	14
6	A better mousetrap to guard against anthracnose disease in bean. <i>Journal of Experimental Botany</i> , 2021, 72, 3487-3488.	4.8	0
7	Engineering healthy crops: molecular strategies for enhancing the plant immune system. <i>Current Opinion in Biotechnology</i> , 2021, 70, 151-157.	6.6	10
8	<i>Arabidopsis</i> EDR1 Protein Kinase Regulates the Association of EDS1 and PAD4 to Inhibit Cell Death. <i>Molecular Plant-Microbe Interactions</i> , 2020, 33, 693-703.	2.6	17
9	Loss of the Acetyltransferase NAA50 Induces Endoplasmic Reticulum Stress and Immune Responses and Suppresses Growth. <i>Plant Physiology</i> , 2020, 183, 1838-1854.	4.8	16
10	Growing pains: addressing the pitfalls of plant extracellular vesicle research. <i>New Phytologist</i> , 2020, 228, 1505-1510.	7.3	46
11	Optimizing the PBS1 Decoy System to Confer Resistance to Potyvirus Infection in <i>Arabidopsis</i> and Soybean. <i>Molecular Plant-Microbe Interactions</i> , 2020, 33, 932-944.	2.6	38
12	RPS5-Mediated Disease Resistance: Fundamental Insights and Translational Applications. <i>Annual Review of Phytopathology</i> , 2020, 58, 139-160.	7.8	28
13	AvrRpm1 Functions as an ADP-Ribosyl Transferase to Modify NOI-domain Containing Proteins, Including <i>Arabidopsis</i> and Soybean RPM1-interacting Protein 4. <i>Plant Cell</i> , 2019, 31, tpc.00020.2019.	6.6	45
14	Engineering a Decoy Substrate in Soybean to Enable Recognition of the Soybean Mosaic Virus NIa Protease. <i>Molecular Plant-Microbe Interactions</i> , 2019, 32, 760-769.	2.6	48
15	Plant Extracellular Vesicles Contain Diverse Small RNA Species and Are Enriched in 10- to 17-Nucleotide Tiny-RNAs. <i>Plant Cell</i> , 2019, 31, 315-324.	6.6	171
16	Highlights of the mini-symposium on extracellular vesicles in inter-organismal communication, held in Munich, Germany, August 2018. <i>Journal of Extracellular Vesicles</i> , 2019, 8, 1590116.	12.2	16
17	A <i>Phytophthora</i> Effector Suppresses Trans-Kingdom RNAi to Promote Disease Susceptibility. <i>Cell Host and Microbe</i> , 2019, 25, 153-165.e5.	11.0	173
18	Convergent Evolution of Effector Protease Recognition by <i>Arabidopsis</i> and Barley. <i>Molecular Plant-Microbe Interactions</i> , 2019, 32, 550-565.	2.6	47

#	ARTICLE	IF	CITATIONS
19	Extracellular vesicles as key mediators of plant-microbe interactions. <i>Current Opinion in Plant Biology</i> , 2018, 44, 16-22.	7.1	156
20	A Confounding Effect of Bacterial Titer in a Type III Delivery-Based Assay of Eukaryotic Effector Function. <i>Molecular Plant-Microbe Interactions</i> , 2018, 31, 1115-1116.	2.6	1
21	The Positives and Negatives of NPR: A Unifying Model for Salicylic Acid Signaling in Plants. <i>Cell</i> , 2018, 173, 1314-1315.	28.9	42
22	Common Bean Subtelomeres Are Hot Spots of Recombination and Favor Resistance Gene Evolution. <i>Frontiers in Plant Science</i> , 2018, 9, 1185.	3.6	54
23	Extracellular Vesicles Isolated from the Leaf Apoplast Carry Stress-Response Proteins. <i>Plant Physiology</i> , 2017, 173, 728-741.	4.8	400
24	Isolation and Quantification of Plant Extracellular Vesicles. <i>Bio-protocol</i> , 2017, 7, e2533.	0.4	24
25	Molecular Soybean-Pathogen Interactions. <i>Annual Review of Phytopathology</i> , 2016, 54, 443-468.	7.8	67
26	Using decoys to expand the recognition specificity of a plant disease resistance protein. <i>Science</i> , 2016, 351, 684-687.	12.6	176
27	Broadly Conserved Fungal Effector BEC1019 Suppresses Host Cell Death and Enhances Pathogen Virulence in Powdery Mildew of Barley (<i>Hordeum vulgare</i> L.) (Retracted). <i>Molecular Plant-Microbe Interactions</i> , 2015, 28, 968-983.	2.6	33
28	<i>Pseudomonas syringae</i> Effector AvrPphB Suppresses AvrB-Induced Activation of RPM1 but Not AvrRpm1-Induced Activation. <i>Molecular Plant-Microbe Interactions</i> , 2015, 28, 727-735.	2.6	48
29	The RING E3 Ligase KEEP ON GOING Modulates JASMONATE ZIM-DOMAIN12 Stability. <i>Plant Physiology</i> , 2015, 169, 1405-1417.	4.8	76
30	Exploiting Combinatorial Interactions to Expand NLR Specificity. <i>Cell Host and Microbe</i> , 2015, 18, 265-267.	11.0	6
31	Recognition of the Protein Kinase AVRPPHB SUSCEPTIBLE1 by the Disease Resistance Protein RESISTANCE TO PSEUDOMONAS SYRINGAE5 Is Dependent on S-Acylation and an Exposed Loop in AVRPPHB SUSCEPTIBLE1. <i>Plant Physiology</i> , 2014, 164, 340-351.	4.8	108
32	Evolutionary Relationship of Disease Resistance Genes in Soybean and Arabidopsis Specific for the <i>Pseudomonas syringae</i> Effectors AvrB and AvrRpm1. <i>Plant Physiology</i> , 2014, 166, 235-251.	4.8	36
33	The <i>Arabidopsis</i> EDR1 Protein Kinase Negatively Regulates the ATL1 E3 Ubiquitin Ligase to Suppress Cell Death. <i>Plant Cell</i> , 2014, 26, 4532-4546.	6.6	52
34	The long-term maintenance of a resistance polymorphism through diffuse interactions. <i>Nature</i> , 2014, 512, 436-440.	27.8	182
35	XVI Congress on Molecular Plant-Microbe Interactions Meeting Report. <i>Molecular Plant-Microbe Interactions</i> , 2014, 27, S1-S5.	2.6	1
36	Determining the GmRIN4 Requirements of the Soybean Disease Resistance Proteins Rpg1b and Rpg1r Using a <i>Nicotiana glutinosa</i> -Based Agroinfiltration System. <i>PLoS ONE</i> , 2014, 9, e108159.	2.5	21

#	ARTICLE	IF	CITATIONS
37	In vitro Detection of S-acylation on Recombinant Proteins via the Biotin-Switch Technique. Bio-protocol, 2014, 4, .	0.4	1
38	Recent Advances in Plant NLR Structure, Function, Localization, and Signaling. Frontiers in Immunology, 2013, 4, 348.	4.8	156
39	The KEEP ON GOING Protein of <i>Arabidopsis</i> Regulates Intracellular Protein Trafficking and Is Degraded during Fungal Infection. Plant Cell, 2012, 24, 4717-4730.	6.6	85
40	Structure-Function Analysis of the Coiled-Coil and Leucine-Rich Repeat Domains of the RPS5 Disease Resistance Protein. Plant Physiology, 2012, 158, 1819-1832.	4.8	209
41	Evolution of a Complex Disease Resistance Gene Cluster in Diploid <i>Phaseolus</i> and Tetraploid <i>Glycine</i> . Plant Physiology, 2012, 159, 336-354.	4.8	76
42	Activation of a plant nucleotide binding-leucine rich repeat disease resistance protein by a modified self protein. Cellular Microbiology, 2012, 14, 1071-1084.	2.1	77
43	Activation of Plant Nod-like Receptors: How Indirect Can It Be?. Cell Host and Microbe, 2011, 9, 87-89.	11.0	6
44	Negative regulation of defence signalling pathways by the EDR1 protein kinase. Molecular Plant Pathology, 2011, 12, 746-758.	4.2	30
45	The KEEP ON GOING Protein of <i>Arabidopsis</i> Recruits the ENHANCED DISEASE RESISTANCE1 Protein to Trans-Golgi Network/Early Endosome Vesicles. Plant Physiology, 2011, 155, 1827-1838.	4.8	96
46	Synergistic Activation of Defense Responses in <i>Arabidopsis</i> by Simultaneous Loss of the GSL5 Callose Synthase and the EDR1 Protein Kinase. Molecular Plant-Microbe Interactions, 2010, 23, 578-584.	2.6	27
47	Specific resistances against <i>Pseudomonas syringae</i> effectors AvrB and AvrRpm1 have evolved differently in common bean (<i>Phaseolus vulgaris</i>), soybean (<i>Glycine max</i>), and <i>Arabidopsis thaliana</i> . New Phytologist, 2010, 187, 941-956.	7.3	50
48	<i>Pseudomonas syringae</i> Effector Protein AvrB Perturbs <i>Arabidopsis</i> Hormone Signaling by Activating MAP Kinase 4. Cell Host and Microbe, 2010, 7, 164-175.	11.0	178
49	Differential Accumulation of Retroelements and Diversification of NB-LRR Disease Resistance Genes in Duplicated Regions following Polyploidy in the Ancestor of Soybean. Plant Physiology, 2008, 148, 1740-1759.	4.8	140
50	Powdery Mildew Resistance Conferred by Loss of the ENHANCED DISEASE RESISTANCE1 Protein Kinase Is Suppressed by a Missense Mutation in <i>KEEP ON GOING</i> , a Regulator of Abscisic Acid Signaling. Plant Physiology, 2008, 148, 1510-1522.	4.8	68
51	Replication of Nonautonomous Retroelements in Soybean Appears to Be Both Recent and Common. Plant Physiology, 2008, 148, 1760-1771.	4.8	57
52	Mutations in LACS2, a Long-Chain Acyl-Coenzyme A Synthetase, Enhance Susceptibility to Avirulent <i>Pseudomonas syringae</i> But Confer Resistance to <i>Botrytis cinerea</i> in <i>Arabidopsis</i> . Plant Physiology, 2007, 144, 1093-1103.	4.8	120
53	The GH3 Acyl Adenylase Family Member PBS3 Regulates Salicylic Acid-Dependent Defense Responses in <i>Arabidopsis</i> . Plant Physiology, 2007, 144, 1144-1156.	4.8	192
54	Indirect activation of a plant nucleotide binding site-leucine-rich repeat protein by a bacterial protease. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 2531-2536.	7.1	365

#	ARTICLE	IF	CITATIONS
55	AvrB mutants lose both virulence and avirulence activities on soybean and Arabidopsis. <i>Molecular Microbiology</i> , 2006, 60, 951-962.	2.5	33
56	A mutation in the GTP hydrolysis site of Arabidopsis dynamin-related protein 1E confers enhanced cell death in response to powdery mildew infection. <i>Plant Journal</i> , 2006, 47, 75-84.	5.7	73
57	Plant NBS-LRR proteins in pathogen sensing and host defense. <i>Nature Immunology</i> , 2006, 7, 1243-1249.	14.5	621
58	Diversification of Non-TIR Class NB-LRR Genes in Relation to Whole-Genome Duplication Events in Arabidopsis. <i>Molecular Plant-Microbe Interactions</i> , 2005, 18, 103-109.	2.6	24
59	Regulation of plant defense responses in Arabidopsis by EDR2, a PH and START domain-containing protein. <i>Plant Journal</i> , 2005, 44, 245-257.	5.7	96
60	Regulation of Plant Disease Resistance, Stress Responses, Cell Death, and Ethylene Signaling in Arabidopsis by the EDR1 Protein Kinase. <i>Plant Physiology</i> , 2005, 138, 1018-1026.	4.8	140
61	Convergent Evolution of Disease Resistance Gene Specificity in Two Flowering Plant Families[W]. <i>Plant Cell</i> , 2004, 16, 309-318.	6.6	131
62	Guarding the Goods. New Insights into the Central Alarm System of Plants: Figure 1.. <i>Plant Physiology</i> , 2004, 135, 695-701.	4.8	63
63	The crystal structure of Pseudomonas avirulence protein AvrPphB: A papain-like fold with a distinct substrate-binding site. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 302-307.	7.1	113
64	The Pseudomonas syringaetype III effector AvrRpt2 functions downstream or independently of SA to promote virulence on Arabidopsis thaliana. <i>Plant Journal</i> , 2004, 37, 494-504.	5.7	57
65	Decoding genetics and molecular biology: Sharing the movies in our heads. <i>New Directions for Teaching and Learning</i> , 2004, 2004, 23-32.	0.4	6
66	New effects of type III effectors. <i>Molecular Microbiology</i> , 2003, 50, 363-365.	2.5	20
67	Cleavage of Arabidopsis PBS1 by a Bacterial Type III Effector. <i>Science</i> , 2003, 301, 1230-1233.	12.6	504
68	Resistance Rodeo: Rounding up the Full Complement of Arabidopsis NBS-LRR Genes. <i>Plant Cell</i> , 2003, 15, 806-807.	6.6	7
69	Genetic and Physical Localization of the Soybean Rpg1-b Disease Resistance Gene Reveals a Complex Locus Containing Several Tightly Linked Families of NBS-LRR Genes. <i>Molecular Plant-Microbe Interactions</i> , 2003, 16, 817-826.	2.6	77
70	RAR1 and NDR1 Contribute Quantitatively to Disease Resistance in Arabidopsis, and Their Relative Contributions Are Dependent on the R Gene Assayed. <i>Plant Cell</i> , 2002, 14, 1005-1015.	6.6	218
71	A Yersinia Effector and a Pseudomonas Avirulence Protein Define a Family of Cysteine Proteases Functioning in Bacterial Pathogenesis. <i>Cell</i> , 2002, 109, 575-588.	28.9	417
72	Mitogen-activated protein kinase cascades in plants: a new nomenclature. <i>Trends in Plant Science</i> , 2002, 7, 301-308.	8.8	1,080

#	ARTICLE	IF	CITATIONS
73	Overexpression of a kinase-deficient form of the EDR1 gene enhances powdery mildew resistance and ethylene-induced senescence in Arabidopsis. <i>Plant Journal</i> , 2002, 32, 975-983.	5.7	72
74	Mapping out the roles of MAP kinases in plant defense. <i>Trends in Plant Science</i> , 2001, 6, 392-394.	8.8	54
75	Targeting the targets of Type III effector proteins secreted by phytopathogenic bacteria. <i>Molecular Plant Pathology</i> , 2001, 2, 109-115.	4.2	16
76	The Arabidopsis PBS1 resistance gene encodes a member of a novel protein kinase subfamily. <i>Plant Journal</i> , 2001, 26, 101-112.	5.7	214
77	A New Ac-Like Transposon of Arabidopsis Is Associated With a Deletion of the RPS5 Disease Resistance Gene. <i>Genetics</i> , 1999, 151, 1581-1589.	2.9	52
78	Identification of Three Putative Signal Transduction Genes Involved in R Gene-Specified Disease Resistance in Arabidopsis. <i>Genetics</i> , 1999, 152, 401-412.	2.9	173
79	Genetic dissection of R gene signal transduction pathways. <i>Current Opinion in Plant Biology</i> , 1998, 1, 299-304.	7.1	54
80	A Mutation within the Leucine-Rich Repeat Domain of the Arabidopsis Disease Resistance Gene RPS5 Partially Suppresses Multiple Bacterial and Downy Mildew Resistance Genes. <i>Plant Cell</i> , 1998, 10, 1439-1452.	6.6	309
81	An Arabidopsis Mutant with Enhanced Resistance to Powdery Mildew. <i>Plant Cell</i> , 1998, 10, 947-956.	6.6	299
82	An Arabidopsis Mutant with Enhanced Resistance to Powdery Mildew. <i>Plant Cell</i> , 1998, 10, 947.	6.6	25
83	A Mutation within the Leucine-Rich Repeat Domain of the Arabidopsis Disease Resistance Gene RPS5 Partially Suppresses Multiple Bacterial and Downy Mildew Resistance Genes. <i>Plant Cell</i> , 1998, 10, 1439.	6.6	24
84	Plant-Pathogen Interactions: Unexpected Findings on Signal Input and Output. <i>Plant Cell</i> , 1996, 8, 133.	6.6	0
85	Plant-parasite interactions: has the gene-for-gene model become outdated?. <i>Trends in Microbiology</i> , 1995, 3, 483-485.	7.7	15
86	A Disease Resistance Gene in Arabidopsis with Specificity for Two Different Pathogen Avirulence Genes. <i>Plant Cell</i> , 1994, 6, 927.	6.6	44
87	Identification of a disease resistance locus in Arabidopsis that is functionally homologous to the RPG1 locus of soybean. <i>Plant Journal</i> , 1993, 4, 813-820.	5.7	92
88	RPS2, an Arabidopsis Disease Resistance Locus Specifying Recognition of <i>Pseudomonas syringae</i> Strains Expressing the Avirulence Gene <i>avrRpt2</i> . <i>Plant Cell</i> , 1993, 5, 865.	6.6	5
89	Arabidopsis as a Model System for Studying Plant Disease Resistance Mechanisms. <i>Annals of the New York Academy of Sciences</i> , 1991, 646, 228-230.	3.8	0
90	Identification of <i>Pseudomonas syringae</i> Pathogens of Arabidopsis and a Bacterial Locus Determining Avirulence on Both Arabidopsis and Soybean. <i>Plant Cell</i> , 1991, 3, 49.	6.6	137

#	ARTICLE	IF	CITATIONS
91	Flavones induce expression of nodulation genes in Rhizobium. Nature, 1986, 323, 632-635.	27.8	498
92	Flavones Induce Expression of the Nodulation Genes in Rhizobium. , 1986, , 115-121.		6
93	Plant factors induce expression of nodulation and host-range genes in Rhizobium trifolii. Molecular Genetics and Genomics, 1985, 201, 426-432.	2.4	132