

Jan Willem Van Groenigen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2220705/jan-willem-van-groenigen-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115
papers

8,360
citations

47
h-index

90
g-index

120
ext. papers

9,879
ext. citations

6
avg, IF

6.16
L-index

#	Paper	IF	Citations
115	Photosynthetic limits on carbon sequestration in croplands. <i>Geoderma</i> , 2022 , 416, 115810	6.7	5
114	Is the climate change mitigation effect of enhanced silicate weathering governed by biological processes?. <i>Global Change Biology</i> , 2021 ,	11.4	1
113	Manipulating plant community composition to steer efficient N-cycling in intensively managed grasslands. <i>Journal of Applied Ecology</i> , 2021 , 58, 167-180	5.8	7
112	Plant traits of grass and legume species for flood resilience and N ₂ O mitigation. <i>Functional Ecology</i> , 2021 , 35, 2205	5.6	1
111	Plant community flood resilience in intensively managed grasslands and the role of the plant economic spectrum. <i>Journal of Applied Ecology</i> , 2020 , 57, 1524-1534	5.8	4
110	Long-term nitrogen loading alleviates phosphorus limitation in terrestrial ecosystems. <i>Global Change Biology</i> , 2020 , 26, 5077-5086	11.4	41
109	Mitigation of greenhouse gas emissions and reduced irrigation water use in rice production through water-saving irrigation scheduling, reduced tillage and fertiliser application strategies. <i>Science of the Total Environment</i> , 2020 , 739, 140215	10.2	17
108	Reducing greenhouse gas emissions and grain arsenic and lead levels without compromising yield in organically produced rice. <i>Agriculture, Ecosystems and Environment</i> , 2020 , 295, 106922	5.7	7
107	Can the presence of plantain (<i>Plantago lanceolata</i> L.) improve nitrogen cycling of dairy grassland systems on peat soils?. <i>New Zealand Journal of Agricultural Research</i> , 2020 , 63, 106-122	1.9	12
106	Towards a global-scale soil climate mitigation strategy. <i>Nature Communications</i> , 2020 , 11, 5427	17.4	87
105	Towards optimal use of phosphorus fertiliser. <i>Scientific Reports</i> , 2020 , 10, 17804	4.9	5
104	Soil fauna diversity increases CO ₂ but suppresses N ₂ O emissions from soil. <i>Global Change Biology</i> , 2020 , 26, 1886-1898	11.4	6
103	Can flooding-induced greenhouse gas emissions be mitigated by trait-based plant species choice?. <i>Science of the Total Environment</i> , 2020 , 727, 138476	10.2	3
102	Plant trait-based approaches to improve nitrogen cycling in agroecosystems. <i>Journal of Applied Ecology</i> , 2019 , 56, 2454-2466	5.8	18
101	Large variations in readily-available phosphorus in casts of eight earthworm species are linked to cast properties. <i>Soil Biology and Biochemistry</i> , 2019 , 138, 107583	7.5	14
100	How fertile are earthworm casts? A meta-analysis. <i>Geoderma</i> , 2019 , 338, 525-535	6.7	75
99	Greenhouse gas emissions along a peat swamp forest degradation gradient in the Peruvian Amazon: soil moisture and palm roots effects. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2019 , 24, 625-643	3.9	15

98	What root traits determine grass resistance to phosphorus deficiency in production grassland?. <i>Journal of Plant Nutrition and Soil Science</i> , 2018 , 181, 323-335	2.3	9
97	Soil quality DA critical review. <i>Soil Biology and Biochemistry</i> , 2018 , 120, 105-125	7.5	801
96	What plant functional traits can reduce nitrous oxide emissions from intensively managed grasslands?. <i>Global Change Biology</i> , 2018 , 24, e248-e258	11.4	46
95	The effective mitigation of greenhouse gas emissions from rice paddies without compromising yield by early-season drainage. <i>Science of the Total Environment</i> , 2018 , 612, 1329-1339	10.2	47
94	Initial biochar effects on plant productivity derive from N fertilization. <i>Plant and Soil</i> , 2017 , 415, 435-448	4.2	19
93	Sequestering Soil Organic Carbon: A Nitrogen Dilemma. <i>Environmental Science & Technology</i> , 2017 , 51, 4738-4739	10.3	131
92	Exploring the pathways of earthworm-induced phosphorus availability. <i>Geoderma</i> , 2017 , 303, 99-109	6.7	17
91	Biochar boosts tropical but not temperate crop yields. <i>Environmental Research Letters</i> , 2017 , 12, 053001	6.2	306
90	Response to the Letter to the Editor Regarding Our Viewpoint "Sequestering Soil Organic Carbon: A Nitrogen Dilemma". <i>Environmental Science & Technology</i> , 2017 , 51, 11503-11504	10.3	6
89	Can earthworms simultaneously enhance decomposition and stabilization of plant residue carbon?. <i>Soil Biology and Biochemistry</i> , 2017 , 105, 12-24	7.5	65
88	Exploring the relationship between soil mesofauna, soil structure and N ₂ O emissions. <i>Soil Biology and Biochemistry</i> , 2016 , 96, 55-64	7.5	24
87	The way forward in biochar research: targeting trade-offs between the potential wins. <i>GCB Bioenergy</i> , 2015 , 7, 1-13	5.6	177
86	Reduced greenhouse gas mitigation potential of no-tillage soils through earthworm activity. <i>Scientific Reports</i> , 2015 , 5, 13787	4.9	21
85	The soil N cycle: new insights and key challenges. <i>Soil</i> , 2015 , 1, 235-256	5.8	116
84	Biochar application does not improve the soil hydrological function of a sandy soil. <i>Geoderma</i> , 2015 , 251-252, 47-54	6.7	184
83	Use of the nitrification inhibitor dicyandiamide (DCD) does not mitigate N ₂ O emission from bovine urine patches under Oxisol in Northwest Brazil. <i>Nutrient Cycling in Agroecosystems</i> , 2015 , 101, 83-92	3.3	21
82	Earthworms increase plant production: a meta-analysis. <i>Scientific Reports</i> , 2014 , 4, 6365	4.9	237
81	Liebig's law of the minimum applied to a greenhouse gas: alleviation of P-limitation reduces soil N ₂ O emission. <i>Plant and Soil</i> , 2014 , 374, 539-548	4.2	33

80	Tracking C and N dynamics and stabilization in soil amended with wheat residue and its corresponding bioethanol by-product: a 13C/15N study. <i>GCB Bioenergy</i> , 2014 , 6, 499-508	5.6	5
79	Do earthworms affect phosphorus availability to grass? A pot experiment. <i>Soil Biology and Biochemistry</i> , 2014 , 79, 34-42	7.5	27
78	Biochars produced from individual grassland species differ in their effect on plant growth. <i>Basic and Applied Ecology</i> , 2014 , 15, 18-25	3.2	8
77	Soil amendment with biochar increases the competitive ability of legumes via increased potassium availability. <i>Agriculture, Ecosystems and Environment</i> , 2014 , 191, 92-98	5.7	90
76	Management of irrigation frequency and nitrogen fertilization to mitigate GHG and NO emissions from drip-fertigated crops. <i>Science of the Total Environment</i> , 2014 , 490, 880-8	10.2	82
75	Temperature and moisture affect methane and nitrous oxide emission from bovine manure patches in tropical conditions. <i>Soil Biology and Biochemistry</i> , 2014 , 76, 242-248	7.5	40
74	Soil Bulk Density and Moisture Content Influence Relative Gas Diffusivity and the Reduction of Nitrogen-15 Nitrous Oxide. <i>Vadose Zone Journal</i> , 2014 , 13, vzt2014.07.0089	2.7	18
73	Plant species identity surpasses species richness as a key driver of N ₂ O emissions from grassland. <i>Global Change Biology</i> , 2014 , 20, 265-75	11.4	79
72	Soil biochar amendment in a nature restoration area: effects on plant productivity and community composition 2014 , 24, 1167-77		38
71	Biochar application rate affects biological nitrogen fixation in red clover conditional on potassium availability. <i>Agriculture, Ecosystems and Environment</i> , 2014 , 191, 83-91	5.7	116
70	Nitrate leaching and apparent recovery of urine-N in grassland on sandy soils in the Netherlands. <i>Njas - Wageningen Journal of Life Sciences</i> , 2014 , 70-71, 25-32	7	4
69	Interactions between microbial-feeding and predatory soil fauna trigger N ₂ O emissions. <i>Soil Biology and Biochemistry</i> , 2014 , 70, 256-262	7.5	23
68	Role of maize stover incorporation on nitrogen oxide emissions in a non-irrigated Mediterranean barley field. <i>Plant and Soil</i> , 2013 , 364, 357-371	4.2	62
67	Diet effects on urine composition of cattle and N ₂ O emissions. <i>Animal</i> , 2013 , 7 Suppl 2, 292-302	3.1	199
66	A simple and effective method to keep earthworms confined to open-top mesocosms. <i>Applied Soil Ecology</i> , 2013 , 64, 190-193	5	17
65	Earthworms can increase nitrous oxide emissions from managed grassland: A field study. <i>Agriculture, Ecosystems and Environment</i> , 2013 , 174, 40-48	5.7	19
64	Greenhouse-gas emissions from soils increased by earthworms. <i>Nature Climate Change</i> , 2013 , 3, 187-194	21.4	247
63	Soil invertebrate fauna affect N ₂ O emissions from soil. <i>Global Change Biology</i> , 2013 , 19, 2814-25	11.4	36

62	Global trends and uncertainties in terrestrial denitrification and N ₂ O emissions. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2013 , 368, 20130112	5.8	166
61	Bioenergy from cattle manure? Implications of anaerobic digestion and subsequent pyrolysis for carbon and nitrogen dynamics in soil. <i>GCB Bioenergy</i> , 2012 , 4, 751-760	5.6	44
60	Application technique affects the potential of mineral concentrates from livestock manure to replace inorganic nitrogen fertilizer. <i>Soil Use and Management</i> , 2012 , 28, 468-477	3.1	13
59	A Novel Method for Quantifying Nitrous Oxide Reduction in Soil. <i>Vadose Zone Journal</i> , 2012 , 11, vzt2011-0107	1.7	5
58	A novel method to determine buffer strip effectiveness on deep soils. <i>Journal of Environmental Quality</i> , 2012 , 41, 334-47	3.4	13
57	Residue incorporation depth is a controlling factor of earthworm-induced nitrous oxide emissions. <i>Global Change Biology</i> , 2012 , 18, 1141-1151	11.4	24
56	Source determination of nitrous oxide based on nitrogen and oxygen isotope tracing dealing with oxygen exchange. <i>Methods in Enzymology</i> , 2011 , 496, 139-60	1.7	24
55	Earthworm-induced N ₂ O emissions in a sandy soil with surface-applied crop residues. <i>Pedobiologia</i> , 2011 , 54, S103-S111	1.7	10
54	Simulation of Daily Nitrous Oxide Emissions from Managed Peat Soils. <i>Vadose Zone Journal</i> , 2011 , 10, 156-168	2.7	11
53	Earthworm-induced N mineralization in fertilized grassland increases both N ₂ O emission and crop-N uptake. <i>European Journal of Soil Science</i> , 2011 , 62, 152-161	3.4	54
52	Nitrifier denitrification as a distinct and significant source of nitrous oxide from soil. <i>Soil Biology and Biochemistry</i> , 2011 , 43, 174-178	7.5	299
51	Nitrogen losses from two grassland soils with different fungal biomass. <i>Soil Biology and Biochemistry</i> , 2011 , 43, 997-1005	7.5	77
50	Oxygen exchange with water alters the oxygen isotopic signature of nitrate in soil ecosystems. <i>Soil Biology and Biochemistry</i> , 2011 , 43, 1180-1185	7.5	62
49	Residues of bioenergy production chains as soil amendments: immediate and temporal phytotoxicity. <i>Journal of Hazardous Materials</i> , 2011 , 186, 2017-25	12.8	108
48	Association of earthworm-denitrifier interactions with increased emission of nitrous oxide from soil mesocosms amended with crop residue. <i>Applied and Environmental Microbiology</i> , 2011 , 77, 4097-104	4.8	40
47	Towards an agronomic assessment of N ₂ O emissions: a case study for arable crops. <i>European Journal of Soil Science</i> , 2010 , 61, 903-913	3.4	522
46	Nitrifier denitrification can be a source of N ₂ O from soil: a revised approach to the dual-isotope labelling method. <i>European Journal of Soil Science</i> , 2010 , 61, 759-772	3.4	115
45	Isotopic analysis of dissolved organic nitrogen in soils. <i>Analytical Chemistry</i> , 2010 , 82, 7814-20	7.8	8

44	Nitrous oxide and carbon dioxide emissions during initial decomposition of animal by-products applied as fertilisers to soils. <i>Geoderma</i> , 2010 , 157, 235-242	6.7	41
43	Bioenergy by-products as soil amendments? Implications for carbon sequestration and greenhouse gas emissions. <i>GCB Bioenergy</i> , 2010 , 2, no-no	5.6	25
42	Emissions of N ₂ O from fertilized and grazed grassland on organic soil in relation to groundwater level. <i>Nutrient Cycling in Agroecosystems</i> , 2010 , 86, 331-340	3.3	38
41	Interactions between residue placement and earthworm ecological strategy affect aggregate turnover and N ₂ O dynamics in agricultural soil. <i>Soil Biology and Biochemistry</i> , 2010 , 42, 618-625	7.5	58
40	Oxygen exchange between nitrogen oxides and H ₂ O can occur during nitrifier pathways. <i>Soil Biology and Biochemistry</i> , 2009 , 41, 1632-1641	7.5	60
39	The 18O signature of biogenic nitrous oxide is determined by O exchange with water. <i>Rapid Communications in Mass Spectrometry</i> , 2009 , 23, 104-8	2.2	64
38	Dissolved organic nitrogen: an overlooked pathway of nitrogen loss from agricultural systems?. <i>Journal of Environmental Quality</i> , 2009 , 38, 393-401	3.4	154
37	Pig slurry treatment modifies slurry composition, N ₂ O, and CO ₂ emissions after soil incorporation. <i>Soil Biology and Biochemistry</i> , 2008 , 40, 1999-2006	7.5	90
36	Mitigation strategies for greenhouse gas emissions from animal production systems: synergy between measuring and modelling at different scales. <i>Australian Journal of Experimental Agriculture</i> , 2008 , 48, 46		18
35	Gaseous Nitrogen Emissions from Livestock Farming Systems 2008 , 395-441		10
34	Nitrous oxide emissions from multiple combined applications of fertiliser and cattle slurry to grassland. <i>Plant and Soil</i> , 2008 , 310, 89-101	4.2	48
33	Oxygen exchange between (de)nitrification intermediates and H ₂ O and its implications for source determination of NO ₃ ⁻ and N ₂ O: a review. <i>Rapid Communications in Mass Spectrometry</i> , 2007 , 21, 3569-78	2.2	105
32	Do earthworms increase N ₂ O emissions in ploughed grassland?. <i>Soil Biology and Biochemistry</i> , 2007 , 39, 632-640	7.5	47
31	Earthworm activity as a determinant for N ₂ O emission from crop residue. <i>Soil Biology and Biochemistry</i> , 2007 , 39, 2058-2069	7.5	72
30	Increased hippuric acid content of urine can reduce soil N ₂ O fluxes. <i>Soil Biology and Biochemistry</i> , 2006 , 38, 1021-1027	7.5	66
29	What artificial urine composition is adequate for simulating soil N ₂ O fluxes and mineral N dynamics?. <i>Soil Biology and Biochemistry</i> , 2006 , 38, 1757-1763	7.5	46
28	Inhibition of denitrification and N ₂ O emission by urine-derived benzoic and hippuric acid. <i>Soil Biology and Biochemistry</i> , 2006 , 38, 2499-2502	7.5	24
27	Chapter 14 Designing Spatial Coverage Samples Using the k-means Clustering Algorithm. <i>Developments in Soil Science</i> , 2006 , 31, 183-192	1.3	19

26	Mitigating N ₂ O emissions from urine patches in pastures. <i>International Congress Series</i> , 2006 , 1293, 347-350	5
25	Earthworm species composition affects the soil bacterial community and net nitrogen mineralization. <i>Pedobiologia</i> , 2006 , 50, 243-256	1.7 96
24	Nitrous oxide emission from urine-treated soil as influenced by urine composition and soil physical conditions. <i>Soil Biology and Biochemistry</i> , 2005 , 37, 463-473	7.5 131
23	Decomposition of ¹⁴ C-labeled roots in a pasture soil exposed to 10 years of elevated CO ₂ . <i>Soil Biology and Biochemistry</i> , 2005 , 37, 497-506	7.5 35
22	Subsoil ¹⁵ N-N ₂ O Concentrations in a Sandy Soil Profile After Application of ¹⁵ N-fertilizer. <i>Nutrient Cycling in Agroecosystems</i> , 2005 , 72, 13-25	3.3 44
21	Trends in Global Nitrous Oxide Emissions from Animal Production Systems. <i>Nutrient Cycling in Agroecosystems</i> , 2005 , 72, 51-65	3.3 242
20	Seasonal variation in N ₂ O emissions from urine patches: Effects of urine concentration, soil compaction and dung. <i>Plant and Soil</i> , 2005 , 273, 15-27	4.2 112
19	Vertical gradients of delta ¹⁵ N and delta ¹⁸ O in soil atmospheric N ₂ O--temporal dynamics in a sandy soil. <i>Rapid Communications in Mass Spectrometry</i> , 2005 , 19, 1289-95	2.2 55
18	A novel dual-isotope labelling method for distinguishing between soil sources of N ₂ O. <i>Rapid Communications in Mass Spectrometry</i> , 2005 , 19, 3298-306	2.2 148
17	Isotopic evidence for changes in residue decomposition and N-cycling in winter flooded rice fields by foraging waterfowl. <i>Agriculture, Ecosystems and Environment</i> , 2004 , 102, 41-47	5.7 6
16	Nitrous oxide emissions from silage maize fields under different mineral nitrogen fertilizer and slurry applications. <i>Plant and Soil</i> , 2004 , 263, 101-111	4.2 129
15	NIR and DRIFT-MIR spectrometry of soils for predicting soil and crop parameters in a flooded field. <i>Plant and Soil</i> , 2003 , 250, 155-165	4.2 77
14	Effects of foraging waterfowl in winter flooded rice fields on weed stress and residue decomposition. <i>Agriculture, Ecosystems and Environment</i> , 2003 , 95, 289-296	5.7 40
13	Tracing ¹⁵ N through landscapes: potential uses and precautions. <i>Journal of Hydrology</i> , 2003 , 272, 175-190	172
12	Assessment and field-scale mapping of soil quality properties of a saline-sodic soil. <i>Geoderma</i> , 2003 , 114, 231-259	6.7 105
11	Relationships Between Soil Nitrogen Availability Indices, Yield, and Nitrogen Accumulation of Wheat. <i>Soil Science Society of America Journal</i> , 2002 , 66, 1549-1561	2.5 41
10	Short-Range Spatial Variability of Nitrogen Fixation by Field-Grown Chickpea. <i>Soil Science Society of America Journal</i> , 2001 , 65, 1717-1722	2.5 22
9	Temporal Stability of Spatial Patterns of Nitrous Oxide Fluxes from Sloping Grassland. <i>Journal of Environmental Quality</i> , 2000 , 29, 1397-1407	3.4 44

8	The influence of variogram parameters on optimal sampling schemes for mapping by kriging. <i>Geoderma</i> , 2000 , 97, 223-236	6.7	83
7	Soil Sampling Strategies for Precision Agriculture Research under Sahelian Conditions. <i>Soil Science Society of America Journal</i> , 2000 , 64, 1674-1680	2.5	23
6	Constrained optimisation of soil sampling for minimisation of the kriging variance. <i>Geoderma</i> , 1999 , 87, 239-259	6.7	225
5	Space-time statistics for environmental and agricultural related phenomena. <i>Environmental and Ecological Statistics</i> , 1998 , 5, 155-172	2.2	21
4	Integrating spatial statistics and remote sensing. <i>International Journal of Remote Sensing</i> , 1998 , 19, 1793-1814	3.1	37
3	Constrained Optimization of Spatial Sampling using Continuous Simulated Annealing. <i>Journal of Environmental Quality</i> , 1998 , 27, 1078-1086	3.4	163
2	Optimization of environmental sampling using interactive GIS. <i>Soil and Tillage Research</i> , 1997 , 10, 83-97		14
1	Interactive GIS for environmental risk assessment. <i>International Journal of Geographical Information Science</i> , 1995 , 9, 509-525	4.1	14