Frank Hauke

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2221042/frank-hauke-publications-by-year.pdf

Version: 2024-04-03

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80 7,018 155 43 h-index g-index citations papers 5.98 172 7,799 9.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
155	Carbon Nano-onions: Potassium Intercalation and Reductive Covalent Functionalization. <i>Journal of the American Chemical Society</i> , 2021 , 143, 18997-19007	16.4	O
154	Controlling the Formation of Sodium/Black Phosphorus IntercalationCompounds Towards High Sodium Content. <i>Batteries and Supercaps</i> , 2021 , 4, 1304-1309	5.6	1
153	Covalent 2D Patterning, Local Electronic Structure and Polarization Switching of Graphene at the Nanometer Level. <i>Chemistry - A European Journal</i> , 2021 , 27, 8709-8713	4.8	2
152	Hypervalent Iodine Compounds as Versatile Reagents for Extremely Efficient and Reversible Patterning of Graphene with Nanoscale Precision. <i>Advanced Materials</i> , 2021 , 33, e2101653	24	3
151	A straightforward reductive approach for the deoxygenation, activation and functionalization of ultrashort single-walled carbon nanotubes. <i>Carbon</i> , 2021 , 171, 768-776	10.4	2
150	Interface Amorphization of Two-Dimensional Black Phosphorus upon Treatment with Diazonium Salts. <i>Chemistry - A European Journal</i> , 2021 , 27, 3361-3366	4.8	9
149	A general concept for highly efficient covalent laser patterning of graphene based on silver carboxylates. <i>Chemical Communications</i> , 2021 , 57, 4654-4657	5.8	1
148	Evolution of Graphene Patterning: From Dimension Regulation to Molecular Engineering. <i>Advanced Materials</i> , 2021 , 33, e2104060	24	4
147	Molecular embroidering of graphene. <i>Nature Communications</i> , 2021 , 12, 552	17.4	9
146	Organic Field Effect Transistors: Noncovalent Functionalization and Passivation of Black Phosphorus with Optimized Perylene Diimides for Hybrid Field Effect Transistors (Adv. Mater. Interfaces 23/2020). <i>Advanced Materials Interfaces</i> , 2020 , 7, 2070131	4.6	
145	Tuning Conductivity and Spin Dynamics in Few-Layer Graphene via In Situ Potassium Exposure. <i>Physica Status Solidi (B): Basic Research</i> , 2020 , 257, 2000368	1.3	1
144	Ultralong Spin Lifetime in Light Alkali Atom Doped Graphene. ACS Nano, 2020, 14, 7492-7501	16.7	6
143	Spatially Resolved Bottom-Side Fluorination of Graphene by Two-Dimensional Substrate Patterning. <i>Angewandte Chemie</i> , 2020 , 132, 6766-6771	3.6	7
142	Spatially Resolved Bottom-Side Fluorination of Graphene by Two-Dimensional Substrate Patterning. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 6700-6705	16.4	15
141	Production and processing of graphene and related materials. 2D Materials, 2020, 7, 022001	5.9	179
140	Few-layer Black Phosphorous Catalyzes Radical Additions to Alkenes Faster than Low-valence Metals. <i>ChemCatChem</i> , 2020 , 12, 2226-2232	5.2	6
139	Mechanical cleaning of graphene using in situ electron microscopy. <i>Nature Communications</i> , 2020 , 11, 1743	17.4	19

138	Fractal-seaweeds type functionalization of graphene. Carbon, 2020, 158, 435-448	10.4	9
137	Understanding the Electron-Doping Mechanism in Potassium-Intercalated Single-Walled Carbon Nanotubes. <i>Journal of the American Chemical Society</i> , 2020 , 142, 2327-2337	16.4	10
136	Highly Efficient and Reversible Covalent Patterning of Graphene: 2D-Management of Chemical Information. <i>Angewandte Chemie</i> , 2020 , 132, 5651-5655	3.6	6
135	Highly Efficient and Reversible Covalent Patterning of Graphene: 2D-Management of Chemical Information. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 5602-5606	16.4	23
134	Noncovalent Functionalization and Passivation of Black Phosphorus with Optimized Perylene Diimides for Hybrid Field Effect Transistors. <i>Advanced Materials Interfaces</i> , 2020 , 7, 2001290	4.6	10
133	Recent Advances in Graphene Patterning. ChemPlusChem, 2020, 85, 1655-1668	2.8	16
132	Quantifying the Covalent Functionalization of Black Phosphorus. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 20230-20234	16.4	12
131	Quantifizierung der kovalenten Funktionalisierung von schwarzem Phosphor. <i>Angewandte Chemie</i> , 2020 , 132, 20406-20411	3.6	2
130	Covalently Doped Graphene Superlattices: Spatially Resolved Supratopic- and Janus-Binding. Journal of the American Chemical Society, 2020 , 142, 16016-16022	16.4	13
129	Kovalente 2D-Strukturierung von Graphen durch rümlich aufgel\(\bar{b}\)tes Laserschreiben/Lesen/L\(\bar{b}\)chen. <i>Angewandte Chemie</i> , 2020 , 132, 23529-23534	3.6	1
128	Covalent 2D-Engineering of Graphene by Spatially Resolved Laser Writing/Reading/Erasing. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 23329-23334	16.4	12
127	Direct Laser Writing on Graphene with Unprecedented Efficiency of Covalent Two-Dimensional Functionalization. <i>Journal of the American Chemical Society</i> , 2020 , 142, 21926-21931	16.4	7
126	Monolayer black phosphorus by sequential wet-chemical surface oxidation. RSC Advances, 2019, 9, 3570)-3 ,5 76	22
125	Liquid phase exfoliation of carbonate-intercalated layered double hydroxides. <i>Chemical Communications</i> , 2019 , 55, 3315-3318	5.8	30
124	Gitterffnung durch reduktive kovalente Volumen-Funktionalisierung von schwarzem Phosphor. <i>Angewandte Chemie</i> , 2019 , 131, 5820-5826	3.6	10
123	Lattice Opening upon Bulk Reductive Covalent Functionalization of Black Phosphorus. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 5763-5768	16.4	42
122	Reductive diazotation of carbon nanotubes: an experimental and theoretical selectivity study. <i>Chemical Science</i> , 2019 , 10, 706-717	9.4	3
121	Covalent Inter-Synthetic-Carbon-Allotrope Hybrids. <i>Accounts of Chemical Research</i> , 2019 , 52, 2037-2045	24.3	12

12 0	Covalent Inter-Carbon-Allotrope Architectures Consisting of the Endohedral Fullerene Sc3N@C80 and Single-Walled Carbon Nanotubes. <i>Angewandte Chemie</i> , 2019 , 131, 8142-8146	3.6	7
119	Covalent Inter-Carbon-Allotrope Architectures Consisting of the Endohedral Fullerene Sc N@C and Single-Walled Carbon Nanotubes. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 8058-8062	16.4	13
118	Few layer 2D pnictogens catalyze the alkylation of soft nucleophiles with esters. <i>Nature Communications</i> , 2019 , 10, 509	17.4	45
117	Interface Molecular Engineering for Laminated Monolithic Perovskite/Silicon Tandem Solar Cells with 80.4% Fill Factor. <i>Advanced Functional Materials</i> , 2019 , 29, 1901476	15.6	27
116	A Straightforward Approach to Multifunctional Graphene. Chemistry - A European Journal, 2019, 25, 132	2148813	22/3
115	Controlling the Degree of Functionalization: In-Depth Quantification and Side-Product Analysis of Diazonium Chemistry on SWCNTs. <i>Chemistry - A European Journal</i> , 2019 , 25, 12761-12768	4.8	11
114	Characterizing the maximum number of layers in chemically exfoliated graphene. <i>Scientific Reports</i> , 2019 , 9, 19480	4.9	9
113	Modular Covalent Graphene Functionalization with C60 and the Endohedral Fullerene Sc3N@C80: A Facile Entry to Synthetic-Carbon-Allotrope Hybrids. <i>Angewandte Chemie</i> , 2019 , 131, 826-830	3.6	2
112	Exohedral Addition Chemistry of the Fullerenide Anions C and C. <i>Chemistry - A European Journal</i> , 2019 , 25, 5186-5201	4.8	9
111	Modular Covalent Graphene Functionalization with C and the Endohedral Fullerene Sc N@C: A Facile Entry to Synthetic-Carbon-Allotrope Hybrids. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 816-820	16.4	11
110	Fundamental Insights into the Reductive Covalent Cross-Linking of Single-Walled Carbon Nanotubes. <i>Journal of the American Chemical Society</i> , 2018 , 140, 3352-3360	16.4	30
109	Isomerically Pure Star-Shaped Triphenylene-Perylene Hybrids Involving Highly Extended EConjugation. <i>Chemistry - A European Journal</i> , 2018 , 24, 4671-4679	4.8	6
108	Zweidimensionale Chemie jenseits von Graphen: das aufstrebende Gebiet der Funktionalisierung von Molybd\(\text{B}\)disulfid und schwarzem Phosphor. Angewandte Chemie, 2018, 130, 4421-4437	3.6	20
107	Post-Graphene 2D Chemistry: The Emerging Field of Molybdenum Disulfide and Black Phosphorus Functionalization. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 4338-4354	16.4	156
106	Oxo-Functionalized Graphene: A Versatile Precursor for Alkylated Graphene Sheets by Reductive Functionalization. <i>Chemistry - A European Journal</i> , 2018 , 24, 13348-13354	4.8	13
105	Electronic Properties of Air-Sensitive Nanomaterials Probed with Microwave Impedance Measurements. <i>Physica Status Solidi (B): Basic Research</i> , 2018 , 255, 1800250	1.3	1
104	Effect of TCNQ Layer Cover on Oxidation Dynamics of Black Phosphorus. <i>Physica Status Solidi - Rapid Research Letters</i> , 2018 , 12, 1800179	2.5	2
103	Selective reduction of SWCNTs Itoncepts and insights. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 3937-3	9 / 1.72	8

102	Perylene-based non-covalent functionalization of 2D materials. FlatChem, 2017, 1, 89-103	5.1	39
101	Precise determination of graphene functionalization by in situ Raman spectroscopy. <i>Nature Communications</i> , 2017 , 8, 15192	17.4	105
100	Degree of functionalisation dependence of individual Raman intensities in covalent graphene derivatives. <i>Scientific Reports</i> , 2017 , 7, 45165	4.9	37
99	Unifying Principles of the Reductive Covalent Graphene Functionalization. <i>Journal of the American Chemical Society</i> , 2017 , 139, 5175-5182	16.4	48
98	Exploring the Formation of Black Phosphorus Intercalation Compounds with Alkali Metals. <i>Angewandte Chemie</i> , 2017 , 129, 15469-15475	3.6	12
97	Exploring the Formation of Black Phosphorus Intercalation Compounds with Alkali Metals. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 15267-15273	16.4	53
96	Noncovalent Functionalization and Charge Transfer in Antimonene. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 14389-14394	16.4	68
95	Noncovalent Functionalization and Charge Transfer in Antimonene. <i>Angewandte Chemie</i> , 2017 , 129, 14	158.1614	5 8 .6
94	Reductive Functionalization of Graphenides With Nickel(II) Porphyrin Diazonium Compounds. <i>Physica Status Solidi - Rapid Research Letters</i> , 2017 , 11, 1700306	2.5	2
93	Direct Covalent Coupling of Porphyrins to Graphene. <i>Journal of the American Chemical Society</i> , 2017 , 139, 11760-11765	16.4	54
92	Highly Regioselective Alkylation of Hexabenzocoronenes: Fundamental Insights into the Covalent Chemistry of Graphene. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 12184-12190	16.4	25
91	Electronic and Magnetic Properties of Black Phosphorus. <i>Physica Status Solidi (B): Basic Research</i> , 2017 , 254, 1700232	1.3	14
90	Highly Regioselective Alkylation of Hexabenzocoronenes: Fundamental Insights into the Covalent Chemistry of Graphene. <i>Angewandte Chemie</i> , 2017 , 129, 12352-12358	3.6	14
89	Fundamental Insights into the Degradation and Stabilization of Thin Layer Black Phosphorus. Journal of the American Chemical Society, 2017 , 139, 10432-10440	16.4	181
88	Diameter dependence of the defect-induced Raman modes in functionalized carbon nanotubes. <i>Carbon</i> , 2017 , 112, 1-7	10.4	21
87	Few-Layer Antimonene by Liquid-Phase Exfoliation. <i>Angewandte Chemie</i> , 2016 , 128, 14557-14561	3.6	53
86	Few-Layer Antimonene by Liquid-Phase Exfoliation. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 14345-14349	16.4	299
85	Substrate-Modulated Reductive Graphene Functionalization. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 14858-14862	16.4	20

84	Noncovalent Functionalization of Black Phosphorus. <i>Angewandte Chemie</i> , 2016 , 128, 14777-14782	3.6	59
83	Noncovalent Functionalization of Black Phosphorus. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 14557-14562	16.4	172
82	Solvent-driven electron trapping and mass transport in reduced graphites to access perfect graphene. <i>Nature Communications</i> , 2016 , 7, 12411	17.4	45
81	Topology-Driven Reductive Silylation of Synthetic Carbon Allotropes. <i>Journal of the American Chemical Society</i> , 2016 , 138, 15642-15647	16.4	8
80	Substratmodulierte reduktive Graphenfunktionalisierung. <i>Angewandte Chemie</i> , 2016 , 128, 15080-15084	13.6	8
79	Mono- and Ditopic Bisfunctionalization of Graphene. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 5861-4	16.4	48
78	Basic Insights into Tunable Graphene Hydrogenation. <i>Journal of the American Chemical Society</i> , 2016 , 138, 1647-52	16.4	43
77	Alkoxide-intercalated NiFe-layered double hydroxides magnetic nanosheets as efficient water oxidation electrocatalysts. <i>Inorganic Chemistry Frontiers</i> , 2016 , 3, 478-487	6.8	48
76	Mono- und ditope Bisfunktionalisierung von Graphen. <i>Angewandte Chemie</i> , 2016 , 128, 5956-5960	3.6	23
75	Highly Integrated OrganicIhorganic Hybrid Architectures by Noncovalent Exfoliation of Graphite and Assembly with Zinc Oxide Nanoparticles. <i>Advanced Materials Interfaces</i> , 2016 , 3, 1600365	4.6	7
74	Basal-Plane Functionalization of Chemically Exfoliated Molybdenum Disulfide by Diazonium Salts. <i>ACS Nano</i> , 2015 , 9, 6018-30	16.7	232
73	Polyhydrogenated Graphene: Excited State Dynamics in Photo- and Electroactive Two-Dimensional Domains. <i>Journal of the American Chemical Society</i> , 2015 , 137, 13079-86	16.4	24
72	Naphthalenebisimides as photofunctional surfactants for SWCNTs - towards water-soluble electron donor-acceptor hybrids. <i>Chemical Science</i> , 2015 , 6, 6886-6895	9.4	13
71	Liquid exfoliation of solvent-stabilized few-layer black phosphorus for applications beyond electronics. <i>Nature Communications</i> , 2015 , 6, 8563	17.4	764
70	Transport, magnetic and vibrational properties of chemically exfoliated few-layer graphene. <i>Physica Status Solidi (B): Basic Research</i> , 2015 , 252, 2438-2443	1.3	4
69	A supramolecular approach for the facile solubilization and separation of covalently functionalized single-walled carbon nanotubes. <i>Chemistry - A European Journal</i> , 2014 , 20, 2537-41	4.8	15
68	Brominated single walled carbon nanotubes as versatile precursors for covalent sidewall functionalization. <i>Chemical Communications</i> , 2014 , 50, 6582-4	5.8	22
67	Novel EDTA-ligands containing an integral perylene bisimide (PBI) core as an optical reporter unit. Organic and Biomolecular Chemistry, 2014, 12, 7045-58	3.9	42

(2011-2014)

66	Novel (B)-iodane-based functionalization of synthetic carbon allotropes (SCAs)-common concepts and quantification of the degree of addition. <i>Chemistry - A European Journal</i> , 2014 , 20, 16644-51	4.8	48
65	Reductive arylation of graphene: Insights into a reversible carbon allotrope functionalization reaction. <i>Physica Status Solidi (B): Basic Research</i> , 2014 , 251, 2536-2540	1.3	27
64	Mapping charge transport by electroluminescence in chirality-selected carbon nanotube networks. <i>ACS Nano</i> , 2013 , 7, 7428-35	16.7	53
63	New basic insight into reductive functionalization sequences of single walled carbon nanotubes (SWCNTs). <i>Journal of the American Chemical Society</i> , 2013 , 135, 18385-95	16.4	63
62	Region-selective self-assembly of functionalized carbon allotropes from solution. <i>ACS Nano</i> , 2013 , 7, 11427-34	16.7	20
61	Tuning the adsorption of perylene-based surfactants on the surface of single-walled carbon nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2013 , 250, 2592-2598	1.3	10
60	Screening of the chemical reactivity of three different graphite sources using the formation of reductively alkylated graphene as a model reaction. <i>Chemical Communications</i> , 2013 , 49, 10811-3	5.8	29
59	On the way to graphane-pronounced fluorescence of polyhydrogenated graphene. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 754-7	16.4	97
58	Auf dem Weg zu Graphan lausgepräte Fluoreszenz von polyhydriertem Graphen. <i>Angewandte Chemie</i> , 2013 , 125, 782-786	3.6	21
57	Wet chemical functionalization of graphene. Accounts of Chemical Research, 2013, 46, 87-96	24.3	188
56	Scanning-Raman-microscopy for the statistical analysis of covalently functionalized graphene. <i>ACS Nano</i> , 2013 , 7, 5472-82	16.7	118
55	Raman bands of nano-graphene flakes on carbon nanotubes after oxidation. <i>Physica Status Solidi</i> (B): Basic Research, 2013 , 250, 2687-2691	1.3	4
54	Statistische Raman-Spektroskopie Leine Methode zur Charakterisierung von kovalent funktionalisierten einwandigen Kohlenstoffnanor Eren. <i>Angewandte Chemie</i> , 2012 , 124, 11897-11900	3.6	10
53	Statistical Raman spectroscopy: an method for the characterization of covalently functionalized single-walled carbon nanotubes. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 11727-30	16.4	41
52	Effect of Polymer Molecular Weight and Solution Parameters on Selective Dispersion of Single-Walled Carbon Nanotubes. <i>ACS Macro Letters</i> , 2012 , 1, 815-819	6.6	79
51	Functionalization of graphene by electrophilic alkylation of reduced graphite. <i>Chemical Communications</i> , 2012 , 48, 5025-7	5.8	62
50	Interfacing strong electron acceptors with single wall carbon nanotubes. <i>Journal of the American Chemical Society</i> , 2011 , 133, 4580-6	16.4	40
49	Selective polycarboxylation of semiconducting single-walled carbon nanotubes by reductive sidewall functionalization. <i>Journal of the American Chemical Society</i> , 2011 , 133, 19459-73	16.4	54

48	Covalent bulk functionalization of graphene. <i>Nature Chemistry</i> , 2011 , 3, 279-86	17.6	525
47	Carbon nanotube sidewall functionalization with carbonyl compoundsmodified Birch conditions vs the organometallic reduction approach. <i>Journal of the American Chemical Society</i> , 2011 , 133, 7985-95	16.4	63
46	Perylene-based nanotweezers: enrichment of larger-diameter single-walled carbon nanotubes. <i>Chemistry - an Asian Journal</i> , 2011 , 6, 438-44	4.5	26
45	The potential of perylene bisimide derivatives for the solubilization of carbon nanotubes and graphene. <i>Advanced Materials</i> , 2011 , 23, 2588-601	24	90
44	Density gradient ultracentrifugation on carbon nanotubes according to structural integrity as a foundation for an absolute purity evaluation. <i>ChemPhysChem</i> , 2011 , 12, 2576-80	3.2	11
43	Counterion effect on the aggregation of anionic perylene dyes and the influence on carbon nanotube dispersion efficiencies. <i>Journal of Materials Chemistry</i> , 2011 , 21, 3554		14
42	Exfoliation of hexa-peri-hexabenzocoronene in water. Chemical Communications, 2010, 46, 9194-6	5.8	14
41	Electronic properties of propylamine-functionalized single-walled carbon nanotubes. <i>ChemPhysChem</i> , 2010 , 11, 2444-8	3.2	8
40	A universal ultracentrifuge spectrometer visualizes CNT-intercalant-surfactant complexes. <i>ChemPhysChem</i> , 2010 , 11, 3224-7	3.2	15
39	A Novel Diameter-Selective Functionalization of SWCNTs with Lithium Alkynylides. <i>European Journal of Organic Chemistry</i> , 2010 , 2010, 1494-1501	3.2	29
38	Nanotube surfactant design: the versatility of water-soluble perylene bisimides. <i>Advanced Materials</i> , 2010 , 22, 788-802	24	128
37	Non-covalent chemistry of graphene: electronic communication with dendronized perylene bisimides. <i>Advanced Materials</i> , 2010 , 22, 5483-7	24	109
36	Dispersion of HiPco and CoMoCAT single-walled nanotubes (SWNTs) by water soluble pyrene derivativesdepletion of small diameter SWNTs. <i>Chemistry - A European Journal</i> , 2010 , 16, 3314-7	4.8	37
35	Determination of the surfactant density on SWCNTs by analytical ultracentrifugation. <i>Chemistry - A European Journal</i> , 2010 , 16, 13176-84	4.8	28
34	Enhanced adsorption affinity of anionic perylene-based surfactants towards smaller-diameter SWCNTs. <i>Chemistry - A European Journal</i> , 2010 , 16, 13185-92	4.8	22
33	Reduktive Retro-Funktionalisierung einwandiger Kohlenstoffnanorfiren. <i>Angewandte Chemie</i> , 2010 , 122, 3394-3397	3.6	4
32	Reductive retrofunctionalization of single-walled carbon nanotubes. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 3322-5	16.4	40
31	Resonant Raman scattering on carbon nanotubes covalently functionalized with lithium decyne. <i>Physica Status Solidi (B): Basic Research</i> , 2010 , 247, 2863-2866	1.3	2

(2005-2010)

30	Optical visualization of carbon nanotubes-a unifying linkage between microscopic and spectroscopic characterization techniques. <i>Small</i> , 2010 , 6, 1968-73	11	13
29	Soluble Graphene: Generation of Aqueous Graphene Solutions Aided by a Perylenebisimide-Based Bolaamphiphile. <i>Advanced Materials</i> , 2009 , 21, 4265-4269	24	189
28	Manipulating single-wall carbon nanotubes by chemical doping and charge transfer with perylene dyes. <i>Nature Chemistry</i> , 2009 , 1, 243-9	17.6	201
27	High population of individualized SWCNTs through the adsorption of water-soluble perylenes. Journal of the American Chemical Society, 2009 , 131, 2172-84	16.4	130
26	Tuning charge transfer energetics in reaction center mimics via T(h)-functionalization of fullerenes. <i>Journal of the American Chemical Society</i> , 2009 , 131, 8180-95	16.4	46
25	Fractioning HiPco and CoMoCAT SWCNTs via density gradient ultracentrifugation by the aid of a novel perylene bisimide derivative surfactant. <i>Chemical Communications</i> , 2009 , 2643-5	5.8	32
24	Preferred functionalization of metallic and small-diameter single walled carbon nanotubesvia reductive alkylation. <i>Journal of Materials Chemistry</i> , 2008 , 18, 1493		67
23	Preferred functionalization of metallic and small-diameter single-walled carbon nanotubes by nucleophilic addition of organolithium and -magnesium compounds followed by reoxidation. <i>Chemistry - A European Journal</i> , 2008 , 14, 1607-14	4.8	58
22	Covalent Sidewall Functionalization of SWNTs by Nucleophilic Addition of Lithium Amides. <i>European Journal of Organic Chemistry</i> , 2008 , 2008, 2544-2550	3.2	85
21	Evaluation of an Intramolecular Approach for the Synthesis of the Elusive C58N2 Heterofullerene Family. <i>European Journal of Organic Chemistry</i> , 2008 , 2008, 4109-4119	3.2	13
20	Metallic bundles of single-wall carbon nanotubes probed by electron spin resonance. <i>Physica Status Solidi (B): Basic Research</i> , 2007 , 244, 3885-3889	1.3	4
19	Monomeric azaheterofullerene derivatives RC59N: influence of the R moiety on spectroscopic and photophysical properties. <i>Chemistry - A European Journal</i> , 2006 , 12, 4813-20	4.8	11
18	Magnetic fullerenes inside single-wall carbon nanotubes. <i>Physical Review Letters</i> , 2006 , 97, 136801	7.4	54
17	Encapsulating C59N azafullerenes inside single-wall carbon nanotubes. <i>Physica Status Solidi (B):</i> Basic Research, 2006 , 243, 3263-3267	1.3	7
16	Encapsulating C59N azafullerene derivatives inside single-wall carbon nanotubes. <i>Carbon</i> , 2006 , 44, 19	958-1.96	230
15	Covalently linked heterofullereneporphyrin conjugates; new model systems for long-lived intramolecular charge separation. <i>Tetrahedron</i> , 2006 , 62, 1923-1927	2.4	23
14	Lower rim mono-functionalization of resorcinarenes. Chemical Communications, 2005, 4164-6	5.8	18
13	Quantitative Transduction of Excited-State Energy inFluorophore-Heterofullerene Conjugates. <i>European Journal of Organic Chemistry</i> , 2005 , 2005, 1741-1751	3.2	26

12	Molecular satellite dishes: attaching parabolic and planar arenes to heterofullerenes. <i>Chemical Communications</i> , 2004 , 766-7	5.8	18
11	The first fullerene-heterofullerene dyad. Chemical Communications, 2004, 600-1	5.8	15
10	Synthesis of the C59N+ carbocation. A monomeric azafullerene isoelectronic to C60. <i>Journal of the American Chemical Society</i> , 2003 , 125, 4024-5	16.4	75
9	Evidence of pronounced electronic coupling in a directly bonded fullereneferrocene dyad. <i>ChemPhysChem</i> , 2002 , 3, 195-205	3.2	74
8	Negative molecular ions of azafullerenes and their hydrogenated derivatives. <i>Physics of the Solid State</i> , 2002 , 44, 554-556	0.8	
7	Fullerenes (C60) versus heteroazafullerenes (C59N); a photophysical comparison of their monoadducts and hexaadducts. <i>Research on Chemical Intermediates</i> , 2002 , 28, 817-830	2.8	12
6	Supramolecular assembly of a quasi-linear heterofullereneporphyrin dyad. <i>Journal of Materials Chemistry</i> , 2002 , 12, 2088-2094		59
5	C59N+: A key intermediate in azaheterofullerene chemistry. <i>Tetrahedron</i> , 2001 , 57, 3697-3708	2.4	41
4	Regioselective formation of highly functionalised heterofullerenes: pentamalonates of RC59N involving an octahedral addition pattern. <i>Chemical Communications</i> , 2001 , 1316-1317	5.8	19
3	Mannich functionalization of C59N. <i>Chemical Communications</i> , 1999 , 2199-2200	5.8	27
2	Covalent Functionalization of Carbon Nanotubes135-198		12
1	Hierarchical Assembly and Sensing Activity of Patterned Graphene-Hamilton Receptor Nanostructures. Advanced Materials Interfaces, 2200425	4.6	1