

Blagoi Marinov

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2222221/blagoi-marinov-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

27
papers

350
citations

9
h-index

18
g-index

31
ext. papers

406
ext. citations

3.1
avg, IF

3.22
L-index

#	Paper	IF	Citations
27	Use of saliva stress biomarkers to estimate novice male endoscopists' stress during training in a high-end simulator. <i>Scandinavian Journal of Gastroenterology</i> , 2021 , 56, 1380-1385	2.4	0
26	Physics and Engineering - Unlocking Doors in Medicine Together. <i>Folia Medica</i> , 2020 , 6, 1-39	0.5	
25	Desaturation during Physical Exercise in COPD Patients - a Stable-over-time Phenomenon. <i>Folia Medica</i> , 2019 , 61, 204-212	0.5	2
24	Effects of acute hypoxic provocation on the autonomic nervous system in healthy young smokers, measured by heart rate variability. <i>Cardiovascular Journal of Africa</i> , 2019 , 30, 108-112	0.7	1
23	Assessment of the impact of 10-day intermittent hypoxia on the autonomic control measured by heart rate variability. <i>Physiology International</i> , 2018 , 105, 386-396	1.5	4
22	Striving for Better Medical Education: the Simulation Approach. <i>Folia Medica</i> , 2017 , 59, 123-131	0.5	12
21	Assessment of the acute impact of normobaric hypoxia as a part of an intermittent hypoxic training on heart rate variability. <i>Cor Et Vasa</i> , 2015 , 57, e251-e256	0.3	5
20	Evaluation of Acute Exogenous Hypoxia Impact on the Fraction of Exhaled Nitric Oxide in Healthy Males. <i>Folia Medica</i> , 2015 , 57, 230-4	0.5	1
19	Practical recommendations for exercise training in patients with COPD. <i>European Respiratory Review</i> , 2013 , 22, 178-86	9.8	125
18	Reference values for forced expiration parameters in Bulgarian children and adolescents aged 7 to 18 years. <i>Folia Medica</i> , 2012 , 54, 29-36	0.5	3
17	Effect of moderate and high-dose simvastatin on asymmetric dimethylarginine-homocysteine metabolic pathways in patients with newly detected severe hypercholesterolemia. <i>Cardiovascular Therapeutics</i> , 2011 , 29, 340-8	3.3	2
16	Predictors of the intima-media thickness of carotid artery in asymptomatic newly detected severe hypercholesterolemic patients. <i>Clinical Physiology and Functional Imaging</i> , 2010 , 30, 250-9	2.4	2
15	Standardized peak exercise perception score: validation of a new index of effort perception. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2010 , 30, 40-6	3.6	3
14	The influence of air pollution during intrauterine development and early childhood on respiratory functions at later age. <i>International Journal of Hygiene and Environmental Health</i> , 2009 , 212, 519-32	6.9	12
13	Intima-media thickness and flow-mediated vasodilation in asymptomatic subjects with newly detected severe hypercholesterolemia. <i>Echocardiography</i> , 2009 , 26, 1060-8	1.5	11
12	Relationship of asymmetric dimethylarginine with flow-mediated dilatation in subjects with newly detected severe hypercholesterolemia. <i>Clinical Physiology and Functional Imaging</i> , 2008 , 28, 417-25	2.4	20
11	The breathing control puzzle during chronic acid-base imbalance. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2008 , 177, 798; author reply 798	10.2	

10	Exercise performance and ventilatory efficiency in patients with mild and moderate liver cirrhosis. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2008 , 35, 135-40	3	17
9	Pictorial and verbal category-ratio scales for effort estimation in children. <i>Child: Care, Health and Development</i> , 2008 , 34, 35-43	2.8	6
8	Respiratory and cardiovascular functions among smoking and nonsmoking girls from two regions with different air pollution degree. <i>International Journal of Hygiene and Environmental Health</i> , 2007 , 210, 61-8	6.9	8
7	Exercise recovery phase: unrecovered part of the recommendations. <i>European Respiratory Journal</i> , 2007 , 30, 181-2; author reply 182-3	13.6	
6	Oxygen-uptake efficiency slope in healthy 7- to 18-year-old children. <i>Pediatric Exercise Science</i> , 2007 , 19, 159-70	2	30
5	Is the more (intricate) the better?. <i>Chest</i> , 2006 , 130, 1275; author reply 1275-6	5.3	
4	Dissociation of Lung Function and Airway Inflammation in Chronic Obstructive Pulmonary Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005 , 171, 1317-1317	10.2	
3	Anthropometric and cardiopulmonary parameters in Bulgarian and Romany children: cross-sectional study. <i>Croatian Medical Journal</i> , 2005 , 46, 294-301	1.6	7
2	University of Cincinnati Dyspnea Questionnaire for Evaluation of Dyspnoea during physical and speech activities in patients with chronic obstructive pulmonary disease: a validation analysis. <i>Clinical Physiology and Functional Imaging</i> , 2003 , 23, 269-74	2.4	15
1	Ventilatory efficiency and rate of perceived exertion in obese and non-obese children performing standardized exercise. <i>Clinical Physiology and Functional Imaging</i> , 2002 , 22, 254-60	2.4	64