Jiangxin Wang

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2223205/jiangxin-wang-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

56	6,397 citations	36	59
papers		h-index	g-index
59 ext. papers	7,517 ext. citations	15.2 avg, IF	6.27 L-index

#	Paper	IF	Citations
56	Artificial Muscles: Recent Progress in Artificial Muscles for Interactive Soft Robotics (Adv. Mater. 19/2021). <i>Advanced Materials</i> , 2021 , 33, 2170144	24	2
55	Recent Progress in Artificial Muscles for Interactive Soft Robotics. Advanced Materials, 2021, 33, e2003	088	40
54	A Tailorable Spray-Assembly Strategy of Silver Nanowires-Bundle Mesh for Transferable High-Performance Transparent Conductor. <i>Advanced Functional Materials</i> , 2021 , 31, 2006120	15.6	9
53	Anisotropic conductive networks for multidimensional sensing. <i>Materials Horizons</i> , 2021 , 8, 2615-2653	14.4	7
52	Inkjet-Printed Iontronics for Transparent, Elastic, and Strain-Insensitive Touch Sensing Matrix. <i>Advanced Intelligent Systems</i> , 2020 , 2, 2000088	6	7
51	Molecular Level Assembly for High-Performance Flexible Electrochromic Energy-Storage Devices. <i>ACS Energy Letters</i> , 2020 , 5, 1159-1166	20.1	54
50	Stretchable and Wearable Resistive Switching Random-Access Memory. <i>Advanced Intelligent Systems</i> , 2020 , 2, 2000007	6	8
49	Self-healable sticky porous elastomer for gas-solid interacted power generation. <i>Science Advances</i> , 2020 , 6, eabb4246	14.3	35
48	Reconfigurable and programmable origami dielectric elastomer actuators with 3D shape morphing and emissive architectures. <i>NPG Asia Materials</i> , 2019 , 11,	10.3	10
47	Printable Superelastic Conductors with Extreme Stretchability and Robust Cycling Endurance Enabled by Liquid-Metal Particles. <i>Advanced Materials</i> , 2018 , 30, e1706157	24	150
46	Deformable conductors for humanthachine interface. <i>Materials Today</i> , 2018 , 21, 508-526	21.8	119
45	A Deformable and Highly Robust Ethyl Cellulose Transparent Conductor with a Scalable Silver Nanowires Bundle Micromesh. <i>Advanced Materials</i> , 2018 , 30, e1802803	24	64
44	Core-shell nanofiber mats for tactile pressure sensor and nanogenerator applications. <i>Nano Energy</i> , 2018 , 44, 248-255	17.1	142
43	Diphylleia grayi-Inspired Stretchable Hydrochromics with Large Optical Modulation in the Visible-Near-Infrared Region. <i>ACS Applied Materials & Ap</i>	9.5	20
42	Skin-touch-actuated textile-based triboelectric nanogenerator with black phosphorus for durable biomechanical energy harvesting. <i>Nature Communications</i> , 2018 , 9, 4280	17.4	270
41	A Nonpresodiate Sodium-Ion Capacitor with High Performance. <i>Small</i> , 2018 , 14, e1804035	11	29
40	Holey graphene-wrapped porous TiNb24O62 microparticles as high-performance intercalation pseudocapacitive anode materials for lithium-ion capacitors. <i>NPG Asia Materials</i> , 2018 , 10, 406-416	10.3	46

39	Progress and Prospects in Stretchable Electroluminescent Devices. <i>Nanophotonics</i> , 2017 , 6, 435-451	6.3	21
38	Direct Observation of Indium Conductive Filaments in Transparent, Flexible, and Transferable Resistive Switching Memory. <i>ACS Nano</i> , 2017 , 11, 1712-1718	16.7	71
37	Strain Sensors: Extremely Stretchable Strain Sensors Based on Conductive Self-Healing Dynamic Cross-Links Hydrogels for Human-Motion Detection (Adv. Sci. 2/2017). <i>Advanced Science</i> , 2017 , 4,	13.6	4
36	Capacitors: A High-Performance Lithium-Ion Capacitor Based on 2D Nanosheet Materials (Small 6/2017). <i>Small</i> , 2017 , 13,	11	1
35	Coaxial Ag-base metal nanowire networks with high electrochemical stability for transparent and stretchable asymmetric supercapacitors. <i>Nanoscale Horizons</i> , 2017 , 2, 199-204	10.8	51
34	Fast charging self-powered electric double layer capacitor. <i>Journal of Power Sources</i> , 2017 , 342, 70-78	8.9	70
33	Wearable All-Fabric-Based Triboelectric Generator for Water Energy Harvesting. <i>Advanced Energy Materials</i> , 2017 , 7, 1701243	21.8	149
32	A Stretchable and Transparent Nanocomposite Nanogenerator for Self-Powered Physiological Monitoring. <i>ACS Applied Materials & Samp; Interfaces</i> , 2017 , 9, 42200-42209	9.5	92
31	Extremely Stretchable Strain Sensors Based on Conductive Self-Healing Dynamic Cross-Links Hydrogels for Human-Motion Detection. <i>Advanced Science</i> , 2017 , 4, 1600190	13.6	506
30	A High-Performance Lithium-Ion Capacitor Based on 2D Nanosheet Materials. <i>Small</i> , 2017 , 13, 1602893	11	61
29	A semitransparent snake-like tactile and olfactory bionic sensor with reversibly stretchable properties. <i>NPG Asia Materials</i> , 2017 , 9, e437-e437	10.3	16
28	Extremely Stretchable Electroluminescent Devices with Ionic Conductors. <i>Advanced Materials</i> , 2016 , 28, 4490-6	24	146
27	Enhanced Piezoelectric Energy Harvesting Performance of Flexible PVDF-TrFE Bilayer Films with Graphene Oxide. <i>ACS Applied Materials & Discrete States and States and</i>	9.5	221
26	Ultra-large optical modulation of electrochromic porous WO film and the local monitoring of redox activity. <i>Chemical Science</i> , 2016 , 7, 1373-1382	9.4	153
25	Next-Generation Multifunctional Electrochromic Devices. <i>Accounts of Chemical Research</i> , 2016 , 49, 1469	9 -374 3	345
24	Electroluminescent Devices: Extremely Stretchable Electroluminescent Devices with Ionic Conductors (Adv. Mater. 22/2016). <i>Advanced Materials</i> , 2016 , 28, 4489	24	1
23	Highly Stable Transparent Conductive Silver Grid/PEDOT:PSS Electrodes for Integrated Bifunctional	21.8	307
	Flexible Electrochromic Supercapacitors. Advanced Energy Materials, 2016 , 6, 1501882		

21	Sulfidation of NiMn-Layered Double Hydroxides/Graphene Oxide Composites toward Supercapacitor Electrodes with Enhanced Performance. <i>Advanced Energy Materials</i> , 2016 , 6, 1501745	21.8	205
20	Supercapacitors: Highly Stable Transparent Conductive Silver Grid/PEDOT:PSS Electrodes for Integrated Bifunctional Flexible Electrochromic Supercapacitors (Adv. Energy Mater. 4/2016). <i>Advanced Energy Materials</i> , 2016 , 6, n/a-n/a	21.8	2
19	Electrochromo-supercapacitor based on direct growth of NiO nanoparticles. <i>Nano Energy</i> , 2015 , 12, 258	3-256.7	268
18	Highly stretchable and self-deformable alternating current electroluminescent devices. <i>Advanced Materials</i> , 2015 , 27, 2876-82	24	186
17	Rewritable multilevel memory performance of a tetraazatetracene donor-acceptor derivative with good endurance. <i>Chemistry - an Asian Journal</i> , 2015 , 10, 116-9	4.5	58
16	Solution-assembled nanowires for high performance flexible and transparent solar-blind photodetectors. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 596-600	7.1	37
15	Synthesis, Characterization, and Memory Performance of Two Phenazine/Triphenylamine-Based Organic Small Molecules through Donor-Acceptor Design. <i>Asian Journal of Organic Chemistry</i> , 2015 , 4, 646-651	3	10
14	Electroluminescent Devices: Highly Stretchable and Self-Deformable Alternating Current Electroluminescent Devices (Adv. Mater. 18/2015). <i>Advanced Materials</i> , 2015 , 27, 2947-2947	24	2
13	Stretchable graphene thermistor with tunable thermal index. ACS Nano, 2015, 9, 2130-7	16.7	223
12	Graphene: Highly Stretchable Piezoresistive Graphene Nanocellulose Nanopaper for Strain Sensors (Adv. Mater. 13/2014). <i>Advanced Materials</i> , 2014 , 26, 1950-1950	24	15
11	Highly stretchable piezoresistive graphene-nanocellulose nanopaper for strain sensors. <i>Advanced Materials</i> , 2014 , 26, 2022-7	24	840
10	Synthesis, characterization, and non-volatile memory device application of an N-substituted heteroacene. <i>Chemistry - an Asian Journal</i> , 2014 , 9, 779-83	4.5	112
9	Stretchable Silver-Zinc Batteries Based on Embedded Nanowire Elastic Conductors. <i>Advanced Energy Materials</i> , 2014 , 4, 1301396	21.8	103
8	Stretchable and wearable electrochromic devices. ACS Nano, 2014, 8, 316-22	16.7	326
7	InorganicBrganic hybrid polymer with multiple redox for high-density data storage. <i>Chemical Science</i> , 2014 , 5, 3404-3408	9.4	138
6	High-efficiency transfer of percolating nanowire films for stretchable and transparent photodetectors. <i>Nanoscale</i> , 2014 , 6, 10734-9	7.7	88
5	Topotactic Phase Transformation of Hexagonal MoO3 to Layered MoO3-II and Its Two-Dimensional (2D) Nanosheets. <i>Chemistry of Materials</i> , 2014 , 26, 5533-5539	9.6	46
4	Flexible and Highly Scalable V2O5-rGO Electrodes in an Organic Electrolyte for Supercapacitor Devices. <i>Advanced Energy Materials</i> , 2014 , 4, 1400236	21.8	243

LIST OF PUBLICATIONS

3	An intrinsically stretchable nanowire photodetector with a fully embedded structure. <i>Advanced Materials</i> , 2014 , 26, 943-50	24	132
2	Nanowire Photodetectors: An Intrinsically Stretchable Nanowire Photodetector with a Fully Embedded Structure (Adv. Mater. 6/2014). <i>Advanced Materials</i> , 2014 , 26, 979-979	24	
1	Zn2GeO4 nanowires as efficient electron injection material for electroluminescent devices. <i>ACS Applied Materials & Distriction (Communication of the Communication of the Commun</i>	9.5	15