Pushkar Shrestha

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2223390/publications.pdf

Version: 2024-02-01

40 2,170 23
papers citations h-inc

23 41
h-index g-index

41 41 all docs citations

41 times ranked 1939 citing authors

| # | Article | IF | CITATIONS |
|----|---|----------|--------------|
| 1 | Engineering docosapentaenoic acid (DPA) and docosahexaenoic acid (DHA) in <i>Brassica juncea</i> Plant Biotechnology Journal, 2022, 20, 19-21. | 8.3 | 8 |
| 2 | <scp><i>Sesamum indicum</i></scp> Oleosin L improves oil packaging in <i>Nicotiana benthamiana</i> leaves. Plant Direct, 2021, 5, e343. | 1.9 | 7 |
| 3 | Lipid metabolic differences in cows producing small or large milk fat globules: Fatty acid origin and degree of saturation. Journal of Dairy Science, 2020, 103, 1920-1930. | 3.4 | 10 |
| 4 | Improvement of the Canola Oil Degumming Process by Applying a Megasonic Treatment. Industrial Crops and Products, 2020, 158, 112992. | 5.2 | 7 |
| 5 | Engineering Trienoic Fatty Acids into Cottonseed Oil Improves Low-Temperature Seed Germination, Plant Photosynthesis and Cotton Fiber Quality. Plant and Cell Physiology, 2020, 61, 1335-1347. | 3.1 | 24 |
| 6 | Development of a Brassica napus (Canola) Crop Containing Fish Oil-Like Levels of DHA in the Seed Oil. Frontiers in Plant Science, 2020, 11, 727. | 3.6 | 45 |
| 7 | A Synergistic Genetic Engineering Strategy Induced Triacylglycerol Accumulation in Potato (Solanum) Tj ETQq1 1 (| 0,784314 | rgBT /Overla |
| 8 | Improved canola oil expeller extraction using a pilot-scale continuous flow microwave system for pre-treatment of seeds and flaked seeds. Journal of Food Engineering, 2020, 284, 110053. | 5.2 | 12 |
| 9 | Upâ€regulation of lipid biosynthesis increases the oil content in leaves of <i>Sorghum bicolor</i> Plant Biotechnology Journal, 2019, 17, 220-232. | 8.3 | 75 |
| 10 | Comparison of the Substrate Preferences of ω3 Fatty Acid Desaturases for Long Chain Polyunsaturated Fatty Acids. International Journal of Molecular Sciences, 2019, 20, 3058. | 4.1 | 5 |
| 11 | Upregulated Lipid Biosynthesis at the Expense of Starch Production in Potato (Solanum tuberosum) Vegetative Tissues via Simultaneous Downregulation of ADP-Glucose Pyrophosphorylase and Sugar Dependent1 Expressions. Frontiers in Plant Science, 2019, 10, 1444. | 3.6 | 19 |
| 12 | Increased DHA Production in Seed Oil Using a Selective Lysophosphatidic Acid Acyltransferase. Frontiers in Plant Science, 2018, 9, 1234. | 3.6 | 10 |
| 13 | Liquid chromatography-mass spectrometry based approach for rapid comparison of lysophosphatidic acid acyltransferase activity on multiple substrates. Journal of Chromatography A, 2018, 1572, 100-105. | 3.7 | 3 |
| 14 | Genetic enhancement of oil content in potato tuber (<i>Solanum tuberosum</i> L.) through an integrated metabolic engineering strategy. Plant Biotechnology Journal, 2017, 15, 56-67. | 8.3 | 68 |
| 15 | Step changes in leaf oil accumulation via iterative metabolic engineering. Metabolic Engineering, 2017, 39, 237-246. | 7.0 | 98 |
| 16 | Genetic enhancement of palmitic acid accumulation in cotton seed oil through <scp>RNA</scp> i downâ€regulation of <i>gh<scp>KAS</scp>2</i> encoding βâ€ketoacylâ€ <scp>ACP</scp> synthase <scp>II</scp> (<scp>KASII</scp>). Plant Biotechnology Journal, 2017, 15, 132-143. | 8.3 | 50 |
| 17 | Comparative Lipidomics and Proteomics of Lipid Droplets in the Mesocarp and Seed Tissues of Chinese Tallow (Triadica sebifera). Frontiers in Plant Science, 2017, 8, 1339. | 3.6 | 37 |
| 18 | Reduced Triacylglycerol Mobilization during Seed Germination and Early Seedling Growth in Arabidopsis Containing Nutritionally Important Polyunsaturated Fatty Acids. Frontiers in Plant Science, 2016, 7, 1402. | 3.6 | 21 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Stable expression of silencingâ€suppressor protein enhances the performance and longevity of an engineered metabolic pathway. Plant Biotechnology Journal, 2016, 14, 1418-1426. | 8.3 | 11 |
| 20 | A case study on the genetic origin of the high oleic acid trait through FAD2-1 DNA sequence variation in safflower (Carthamus tinctorius L.). Frontiers in Plant Science, 2015, 6, 691. | 3.6 | 11 |
| 21 | Expression of Mouse MGAT in Arabidopsis Results in Increased Lipid Accumulation in Seeds. Frontiers in Plant Science, 2015, 6, 1180. | 3.6 | 11 |
| 22 | Lipidomic analysis of Arabidopsis seed genetically engineered to contain DHA. Frontiers in Plant Science, 2014, 5, 419. | 3.6 | 22 |
| 23 | Metabolic engineering of biomass for high energy density: oilseedâ€like triacylglycerol yields from plant leaves. Plant Biotechnology Journal, 2014, 12, 231-239. | 8.3 | 256 |
| 24 | Characterization of Oilseed Lipids from "DHA-Producing Camelina sativa― A New Transformed Land Plant Containing Long-Chain Omega-3 Oils. Nutrients, 2014, 6, 776-789. | 4.1 | 46 |
| 25 | Metabolic Engineering Camelina sativa with Fish Oil-Like Levels of DHA. PLoS ONE, 2014, 9, e85061. | 2.5 | 155 |
| 26 | AtDGAT2 is a functional acylâ€CoA:diacylglycerol acyltransferase and displays different acylâ€CoA substrate preferences than AtDGAT1. FEBS Letters, 2013, 587, 2371-2376. | 2.8 | 71 |
| 27 | Synergistic effect of WRI1 and DGAT1 coexpression on triacylglycerol biosynthesis in plants. FEBS Letters, 2013, 587, 364-369. | 2.8 | 172 |
| 28 | Rapid expression and validation of seed-specific constructs in transgenic LEC2 induced somatic embryos of Brassica napus. Plant Cell, Tissue and Organ Culture, 2013, 113, 543-553. | 2.3 | 26 |
| 29 | Modification of Seed Oil Composition in Arabidopsis by Artificial microRNA-Mediated Gene Silencing. Frontiers in Plant Science, 2012, 3, 168. | 3.6 | 41 |
| 30 | Recruiting a New Substrate for Triacylglycerol Synthesis in Plants: The Monoacylglycerol Acyltransferase Pathway. PLoS ONE, 2012, 7, e35214. | 2.5 | 45 |
| 31 | Transgenic production of arachidonic acid in oilseeds. Transgenic Research, 2012, 21, 139-147. | 2.4 | 27 |
| 32 | Metabolic Engineering Plant Seeds with Fish Oil-Like Levels of DHA. PLoS ONE, 2012, 7, e49165. | 2.5 | 126 |
| 33 | Mechanistic and Structural Insights into the Regioselectivity of an Acyl-CoA Fatty Acid Desaturase via Directed Molecular Evolution. Journal of Biological Chemistry, 2011, 286, 12860-12869. | 3.4 | 39 |
| 34 | Isolation and Characterisation of a High-Efficiency Desaturase and Elongases from Microalgae for Transgenic LC-PUFA Production. Marine Biotechnology, 2010, 12, 430-438. | 2.4 | 47 |
| 35 | Metabolic engineering of omega-3 long-chain polyunsaturated fatty acids in plants using an acyl-CoA Δ6-desaturase with ω3-preference from the marine microalga Micromonas pusilla. Metabolic Engineering, 2010, 12, 233-240. | 7.0 | 118 |
| 36 | ISOLATION OF THREE NOVEL LONG-CHAIN POLYUNSATURATED FATTY ACID Δ9-ELONGASES AND THE TRANSGENIC ASSEMBLY OF THE ENTIRE PAVLOVA SALINA DOCOSAHEXAENOIC ACID PATHWAY IN NICOTIANA BENTHAMIANA1. Journal of Phycology, 2010, 46, 917-925. | 2.3 | 19 |

| # | Article | IF | CITATION |
|----|---|-----|----------|
| 37 | Rapid expression of transgenes driven by seed-specific constructs in leaf tissue: DHA production. Plant Methods, 2010, 6, 8. | 4.3 | 67 |
| 38 | A leafâ€based assay using interchangeable design principles to rapidly assemble multistep recombinant pathways. Plant Biotechnology Journal, 2009, 7, 914-924. | 8.3 | 120 |
| 39 | Mobilization of arachidonyl moieties from triacylglycerols into chloroplastic lipids following recovery from nitrogen starvation of the microalga Parietochloris incisa. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2005, 1738, 63-71. | 2.4 | 109 |
| 40 | NITROGEN STARVATION INDUCES THE ACCUMULATION OF ARACHIDONIC ACID IN THE FRESHWATER GREEN ALGA PARIETOCHLORIS INCISA (TREBUXIOPHYCEAE)1. Journal of Phycology, 2002, 38, 991-994. | 2.3 | 112 |