Franois Goffinet

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2223579/francois-goffinet-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

100
papers2,408
citations24
h-index47
g-index106
ext. papers3,297
ext. citations3.7
avg, IF4.89
L-index

#	Paper	IF	Citations
100	Association between hospitals cesarean delivery rates for breech presentation and their success rates for external cephalic version <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2022 , 270, 156-163	2.4	O
99	Recent historic increase of infant mortality in France: A time-series analysis, 2001 to 2019 <i>Lancet Regional Health - Europe, The</i> , 2022 , 16, 100339		1
98	Contemporary duration of spontaneous labor and association with maternal characteristics: A French national population-based study. <i>Birth</i> , 2021 , 48, 86-95	3.1	1
97	Unisex vs sex-specific estimated fetal weight charts for fetal growth monitoring: a population-based study. <i>American Journal of Obstetrics & Cynecology MFM</i> , 2021 , 4, 100527	7.4	O
96	Current attitudes and beliefs toward perinatal care orientation before 25 weeks of gestation: The French perspective in 2020. <i>Seminars in Perinatology</i> , 2021 , 151533	3.3	
95	Term prelabor rupture of the membranes with unfavorable cervix: Frequency and factors associated with spontaneous onset of labor after two days of expectant management. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021 , 51, 102270	1.9	О
94	Comparison of the performance of estimated fetal weight charts for the detection of small- and large-for-gestational age newborns with adverse outcomes: a French population-based study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021,	3.7	2
93	Benefits of the «en caul» technique for extremely preterm breech vaginal delivery <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021 , 51, 102284	1.9	
92	Nulliparous women with an unfavourable cervix at 41 weeks: Which women go into spontaneous labor during the expectant period?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021 , 269, 35-40	2.4	O
91	Neurodevelopmental outcomes at age 5 among children born preterm: EPIPAGE-2 cohort study. <i>BMJ, The</i> , 2021 , 373, n741	5.9	21
90	Cohort Profile: the Etude Epidfhiologique sur les Petits Ages Gestationnels-2 (EPIPAGE-2) preterm birth cohort. <i>International Journal of Epidemiology</i> , 2021 , 50, 1428-1429m	7.8	2
89	The impact of chorionicity on pregnancy outcome and neurodevelopment at 2 years old among twins born preterm: the EPIPAGE-2 cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 281-291	3.7	4
88	Perinatal outcome after planned vaginal delivery in monochorionic compared with dichorionic twin pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 57, 592-599	5.8	4
87	Fetal heart rate nadir during bradycardia and umbilical artery acidemia at birth. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021 , 100, 964-970	3.8	3
86	Fetal scalp blood sampling: Do pH and lactates provide the same information?. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021 , 50, 101964	1.9	2
85	Frequency and determinants of misuse of augmentation of labor in France: A population-based study. <i>PLoS ONE</i> , 2021 , 16, e0246729	3.7	О
84	Respiratory morbidity in children with congenital heart disease. <i>Archives De Pediatrie</i> , 2021 , 28, 525-52	.9 _{1.8}	

83	Methods of induction of labor and women\section experience: a population-based cohort study with mediation analyses. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 621	3.2	О
82	Adrenalectomy during pregnancy: A 15-year experience at a tertiary referral center. <i>Surgery</i> , 2020 , 168, 335-339	3.6	4
81	Maternal Betamethasone for Prevention of Respiratory Distress Syndrome in Neonates: Population Pharmacokinetic and Pharmacodynamic Approach. <i>Clinical Pharmacology and Therapeutics</i> , 2020 , 108, 1026-1035	6.1	7
80	Association of Chorioamnionitis with Cerebral Palsy at Two Years after Spontaneous Very Preterm Birth: The EPIPAGE-2 Cohort Study. <i>Journal of Pediatrics</i> , 2020 , 222, 71-78.e6	3.6	6
79	Planned delivery route and outcomes of cephalic singletons born spontaneously at 24-31 weeksV gestation: The EPIPAGE-2 cohort study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2020 , 99, 1682-16	3 0 8	2
78	Severe maternal morbidity by mode of delivery in women with twin pregnancy and planned vaginal delivery. <i>Scientific Reports</i> , 2020 , 10, 4944	4.9	4
77	Increased risk of severe maternal morbidity in women with twin pregnancies resulting from oocyte donation. <i>Human Reproduction</i> , 2020 , 35, 1922-1932	5.7	4
76	Risk factors and high-risk subgroups of severe acute maternal morbidity in twin pregnancy: A population-based study. <i>PLoS ONE</i> , 2020 , 15, e0229612	3.7	2
75	Are there specific factors associated with prenatally undiagnosed foetal macrosomia?. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2020 , 49, 101802	1.9	
74	Target populations to reduce cesarean rates after induced labor: A national population-based cohort study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2020 , 99, 406-412	3.8	O
73	Intensity of perinatal care for extremely preterm babies and outcomes at a higher gestational age: evidence from the EPIPAGE-2 cohort study. <i>BMC Pediatrics</i> , 2020 , 20, 8	2.6	2
72	Association between planned mode of delivery and severe maternal morbidity in women with breech presentations: A secondary analysis of the PREMODA prospective general population study. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2020 , 49, 101662	1.9	2
71	Risk factors and high-risk subgroups of severe acute maternal morbidity in twin pregnancy: A population-based study 2020 , 15, e0229612		
70	Risk factors and high-risk subgroups of severe acute maternal morbidity in twin pregnancy: A population-based study 2020 , 15, e0229612		
69	Risk factors and high-risk subgroups of severe acute maternal morbidity in twin pregnancy: A population-based study 2020 , 15, e0229612		
68	Risk factors and high-risk subgroups of severe acute maternal morbidity in twin pregnancy: A population-based study 2020 , 15, e0229612		
67	Magnetic resonance imaging presentation of deep infiltrating endometriosis nodules before and after pregnancy: A case series. <i>PLoS ONE</i> , 2019 , 14, e0223330	3.7	2
66	Factors associated with neonatal hypoxic ischemic encephalopathy in infants with an umbilical artery pH less than 7.00. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 236, 69-74	2.4	5

65	Risk of cesarean after induction of labor in twin compared to singleton pregnancies. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019 , 237, 68-73	2.4	5
64	Risk of severe maternal morbidity associated with cesarean delivery and the role of maternal age: a population-based propensity score analysis. <i>Cmaj</i> , 2019 , 191, E352-E360	3.5	37
63	Association between gestational age and severe maternal morbidity and mortality of preterm cesarean delivery: a population-based cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 220, 399.e1-399.e9	6.4	14
62	Is induction of labor a reasonable option for breech presentation?. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2019 , 98, 885-893	3.8	7
61	Comparison of effectiveness and safety of cervical ripening methods for induction of labour: A population-based study using coarsened exact matching. <i>Paediatric and Perinatal Epidemiology</i> , 2019 , 33, 313-322	2.7	2
60	Monitoring quality of obstetric care from hospital discharge databases: A Delphi survey to propose a new set of indicators based on maternal health outcomes. <i>PLoS ONE</i> , 2019 , 14, e0211955	3.7	7
59	Women and academic careers in obstetrics and gynaecology: aspirations and obstacles among postgraduate trainees - a mixed-methods study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 770-777	3.7	5
58	Impact of mode of delivery of twins on the pelvic floor 3 and 12´months post-partum-part II. International Urogynecology Journal, 2019, 30, 893-899	2	7
57	Risk of new-onset urinary incontinence 3 and 12 months after vaginal or cesarean delivery of twins: Part I. <i>International Urogynecology Journal</i> , 2019 , 30, 881-891	2	2
56	Intraoperative adverse events associated with extremely preterm cesarean deliveries. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2018 , 97, 608-614	3.8	10
55	Neonatal morbidity associated with vaginal delivery of noncephalic second twins. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 218, 449.e1-449.e13	6.4	14
54	Labour induction practices in France: A population-based declarative survey in 94 maternity units. Journal of Gynecology Obstetrics and Human Reproduction, 2018 , 47, 57-62	1.9	22
53	Outcomes of pregnancies achieved by double gamete donation: A comparison with pregnancies obtained by oocyte donation alone. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018 , 222, 1-6	2.4	6
52	Preterm premature rupture of membranes at 22-25 weeks\gestation: perinatal and 2-year outcomes within a national population-based study (EPIPAGE-2). <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 219, 298.e1-298.e14	6.4	27
51	Undiagnosed abnormal postpartum blood loss: Incidence and risk factors. <i>PLoS ONE</i> , 2018 , 13, e01908	45 3.7	17
50	Antibiotics for amniotic-fluid colonization by Ureaplasma and/or Mycoplasma spp. to prevent preterm birth: A randomized trial. <i>PLoS ONE</i> , 2018 , 13, e0206290	3.7	7
49	Assessing the risk of preterm birth for newborns with congenital heart defects conceived following infertility treatments: a population-based study. <i>Open Heart</i> , 2018 , 5, e000836	3	2
48	Intensity of perinatal care, extreme prematurity and sensorimotor outcome at 2 years corrected age: evidence from the EPIPAGE-2 cohort study. <i>BMC Medicine</i> , 2018 , 16, 227	11.4	9

47	Cesarean delivery rate and staffing levels of the maternity unit. PLoS ONE, 2018, 13, e0207379	3.7	10
46	Neonatal Outcomes in Extremely Preterm Newborns Admitted to Intensive Care after No Active Antenatal Management: A Population-Based Cohort Study. <i>Journal of Pediatrics</i> , 2018 , 203, 150-155	3.6	10
45	Leiomyomatous uterus and preterm birth: an exposed/unexposed monocentric cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 219, 410.e1-410.e7	6.4	18
44	Comparison of the Hadlock and INTERGROWTH formulas for calculating estimated fetal weight in a preterm population in France. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 219, 476.e1-476	.6. 1 2	12
43	Risk factors of preterm birth in France in 2010 and changes since 1995: Results from the French National Perinatal Surveys. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2017 , 46, 19-28	1.9	18
42	Impact of Latency Duration on the Prognosis of Preterm Infants after Preterm Premature Rupture of Membranes at 24 to 32 WeeksVGestation: A National Population-Based Cohort Study. <i>Journal of Pediatrics</i> , 2017 , 182, 47-52.e2	3.6	37
41	Clinical features and prognostic factors of listeriosis: the MONALISA national prospective cohort study. <i>Lancet Infectious Diseases, The</i> , 2017 , 17, 510-519	25.5	227
40	Gestational age at diagnosis of early-onset fetal growth restriction and impact on management and survival: a population-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017 , 124, 1899-1906	3.7	19
39	Predictive value of vaginal IL-6 and TNFIbedside tests repeated until delivery for the prediction of maternal-fetal infection in cases of premature rupture of membranes. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017 , 211, 8-14	2.4	8
38	Fetal and neonatal outcomes of preterm infants born before 32 weeks of gestation according to antenatal vs postnatal assessments of restricted growth. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 216, 516.e1-516.e10	6.4	27
37	Tocolysis after preterm premature rupture of membranes and neonatal outcome: a propensity-score analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 217, 212.e1-212.e12	6.4	13
36	Histologic Chorioamnionitis and Bronchopulmonary Dysplasia in Preterm Infants: The Epidemiologic Study on Low Gestational Ages 2 Cohort. <i>Journal of Pediatrics</i> , 2017 , 187, 98-104.e3	3.6	21
35	More validation is needed before widespread adoption of INTERGROWTH-21 fetal growth reference standards in France. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 49, 547-548	5.8	5
34	Immune Modifications in Fetal Membranes Overlying the Cervix Precede Parturition in Humans. <i>Journal of Immunology</i> , 2017 , 198, 1345-1356	5.3	24
33	Trends in perinatal health in metropolitan France from 1995 to 2016: Results from the French National Perinatal Surveys. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2017 , 46, 701-713	1.9	144
32	Risk factors for chronic post-traumatic stress disorder development one year after vaginal delivery: a prospective, observational study. <i>Scientific Reports</i> , 2017 , 7, 8724	4.9	26
31	Impact of prenatal diagnosis on survival of newborns with four congenital heart defects: a prospective, population-based cohort study in France (the EPICARD Study). <i>BMJ Open</i> , 2017 , 7, e018285	;3	35
30	Providing active antenatal care depends on the place of birth for extremely preterm births: the EPIPAGE 2 cohort study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2017 , 102, F476-F48	8 12 7	17

29	Oocyte donation recipients of very advanced age: perinatal complications for singletons and twins. <i>Fertility and Sterility</i> , 2017 , 107, 89-96	4.8	13
28	Comparison of postpartum haemorrhage guidelines: discrepancies underline our lack of knowledge. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017 , 124, 718-722	3.7	28
27	Neurodevelopmental outcome at 2 years for preterm children born at 22 to 34 weeksVgestation in France in 2011: EPIPAGE-2 cohort study. <i>BMJ</i> , <i>The</i> , 2017 , 358, j3448	5.9	189
26	First nationwide web-based surveillance system for influenza-like illness in pregnant women: participation and representativeness of the French G-GrippeNet cohort. <i>BMC Public Health</i> , 2016 , 16, 253	4.1	5
25	Maternal and perinatal outcomes of pregnancies in women with cystic fibrosisA single centre case-control study. <i>Respiratory Medicine</i> , 2016 , 113, 22-7	4.6	16
24	Increased rate of spontaneous miscarriages in endometriosis-affected women. <i>Human Reproduction</i> , 2016 , 31, 1014-23	5.7	35
23	Influenza during pregnancy: Incidence, vaccination coverage and attitudes toward vaccination in the French web-based cohort G-GrippeNet. <i>Vaccine</i> , 2016 , 34, 2390-6	4.1	25
22	Does the Presence of Risk Factors for Fetal Growth Restriction Increase the Probability of Antenatal Detection? A French National Study. <i>Paediatric and Perinatal Epidemiology</i> , 2016 , 30, 46-55	2.7	19
21	Delivery room management of extremely preterm infants: the EPIPAGE-2 study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2016 , 101, F384-90	4.7	36
20	Placental Complications and Bronchopulmonary Dysplasia: EPIPAGE-2 Cohort Study. <i>Pediatrics</i> , 2016 , 137, e20152163	7.4	36
19	Re: The risks of planned vaginal breech delivery versus planned caesarean section for term breech birth: a meta-analysis including observational studies: Let value avoid simplistic radicalism when reality is complex. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 145-7	3.7	4
18	Why women with previous caesarean and eligible for a trial of labour have an elective repeat caesarean delivery? A national study in France. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 1664-73	3.7	10
17	Assessing sociodemographic differences (or lack thereof) in prenatal diagnosis of congenital heart defects: a population-based study. <i>BMJ Open</i> , 2016 , 6, e009353	3	8
16	Poor effectiveness of antenatal detection of fetal growth restriction and consequences for obstetric management and neonatal outcomes: a French national study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015 , 122, 518-27	3.7	91
15	Mortality and morbidity in early preterm breech singletons: impact of a policy of planned vaginal delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015 , 192, 61-5	2.4	24
14	Stabilising the caesarean rate: which target population?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015 , 122, 690-9	3.7	51
13	Survival and morbidity of preterm children born at 22 through 34 weeks\gestation in France in 2011: results of the EPIPAGE-2 cohort study. <i>JAMA Pediatrics</i> , 2015 , 169, 230-8	8.3	381
12	Variation in transplacental transfer of tyrosine kinase inhibitors in the human perfused cotyledon model. <i>Annals of Oncology</i> , 2015 , 26, 1500-4	10.3	17

LIST OF PUBLICATIONS

11	Tranexamic acid for the prevention and treatment of postpartum haemorrhage. <i>British Journal of Anaesthesia</i> , 2015 , 114, 576-87	5.4	79
10	Endometriosis also affects the decidua in contact with the fetal membranes during pregnancy. <i>Human Reproduction</i> , 2015 , 30, 392-405	5.7	19
9	The risk of prelabor and intrapartum cesarean delivery among overweight and obese women: possible preventive actions. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 212, 241.e1-9	6.4	26
8	Authors Vreply re: Stabilising the caesarean rate: which target population?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015 , 122, 1713-4	3.7	1
7	Neonatal outcome of very preterm twins: policy of planned vaginal or cesarean delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 213, 73.e1-73.e7	6.4	21
6	Continued pregnancy and vaginal delivery after 32 weeks of gestation for monoamniotic twins. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015 , 194, 194-8	2.4	13
5	Prognostic value of umbilical and cerebral Doppler in fetal growth restriction: comparison of dichorionic twins and singletons. <i>PLoS ONE</i> , 2015 , 10, e0123067	3.7	7
4	EPIPAGE 2: a preterm birth cohort in France in 2011. <i>BMC Pediatrics</i> , 2014 , 14, 97	2.6	86
3	Pregnancy-associated breast cancer is as chemosensitive as non-pregnancy-associated breast cancer in the neoadjuvant setting. <i>Annals of Oncology</i> , 2011 , 22, 1582-1587	10.3	21
2	Taxanes for breast cancer during pregnancy: a systematic review. <i>Annals of Oncology</i> , 2010 , 21, 425-426	5 10.3	110
1	O-198. Pregnancy rates after in-vitro fertilization in cases of tubal infertility with and without hydrosalpinx: metaanalysis of published comparative studies. <i>Human Reproduction</i> , 1999 , 14, 110-111	5.7	34