List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/222368/publications.pdf Version: 2024-02-01



ΙΟΗΝ STENOS

#	Article	IF	CITATIONS
1	Fatal Case of Mediterranean Spotted Fever Associated with Septic Shock, Iran. Emerging Infectious Diseases, 2022, 28, 485-488.	2.0	7
2	Detection of SARS-CoV-2 infection by microRNA profiling of the upper respiratory tract. PLoS ONE, 2022, 17, e0265670.	1.1	15
3	Comparison of the Serion IgM ELISA and Microscopic Agglutination Test for diagnosis of Leptospira spp. infections in sera from different geographical origins and estimation of Leptospira seroprevalence in the Wiwa indigenous population from Colombia. PLoS Neglected Tropical Diseases, 2022. 16. e0009876.	1.3	3
4	Exposure to Leptospira spp. and Associated Risk Factors in the Human, Cattle and Dog Populations in Bhutan. Pathogens, 2021, 10, 308.	1.2	4
5	National Seroprevalence of Coxiella burnetii in Chile, 2016–2017. Pathogens, 2021, 10, 531.	1.2	9
6	Scrub Typhus and Molecular Characterization of Orientia tsutsugamushi from Central Nepal. Pathogens, 2021, 10, 422.	1.2	2
7	A randomised controlled trial of the immunogenicity and safety of a formaldehyde-inactivated Coxiella burnetii vaccine in 8-week-old goats. Veterinary Immunology and Immunopathology, 2021, 236, 110253.	0.5	5
8	Serological Evidence of Exposure to Spotted Fever Group and Typhus Group Rickettsiae in Australian Wildlife Rehabilitators. Pathogens, 2021, 10, 745.	1.2	1
9	890The prevalence and risk factors for Coxiella burnetii on commercial dairy goat farms in Australia. International Journal of Epidemiology, 2021, 50, .	0.9	0
10	Molecular Evidence of Novel Spotted Fever Group Rickettsia Species in Amblyomma albolimbatum Ticks from the Shingleback Skink (Tiliqua rugosa) in Southern Western Australia. Pathogens, 2021, 10, 35.	1.2	6
11	Screening for Rickettsia, Coxiella and Borrelia Species in Ticks from Queensland, Australia. Pathogens, 2020, 9, 1016.	1.2	6
12	Evidence of Q Fever and Rickettsial Disease in Chile. Tropical Medicine and Infectious Disease, 2020, 5, 99.	0.9	7
13	Domestic dogs are mammalian reservoirs for the emerging zoonosis flea-borne spotted fever, caused by Rickettsia felis. Scientific Reports, 2020, 10, 4151.	1.6	46
14	Diagnostic evaluation of IgM ELISA and IgM Immunofluorescence assay for the diagnosis of Acute Scrub Typhus in central Nepal. BMC Infectious Diseases, 2020, 20, 138.	1.3	18
15	Molecular detection of <i>Coxiella burnetii</i> in raw meat intended for pet consumption. Zoonoses and Public Health, 2020, 67, 443-452.	0.9	21
16	Selection of Diagnostic Cutoffs for Murine Typhus IgM and IgG Immunofluorescence Assay: A Systematic Review. American Journal of Tropical Medicine and Hygiene, 2020, 103, 55-63.	0.6	9
17	Long-Lasting Transcriptional Changes in Circulating Monocytes of Acute Q Fever Patients. Open Forum Infectious Diseases, 2019, 6, .	0.4	5
18	Diagnosis of spotted fever group <i>Rickettsia</i> infections: the Asian perspective. Epidemiology and Infection, 2019, 147, e286.	1.0	64

#	Article	IF	CITATIONS
19	Validation of an indirect immunofluorescence assay (IFA) for the detection of IgG antibodies against Coxiella burnetii in bovine serum. Preventive Veterinary Medicine, 2019, 169, 104698.	0.7	17
20	A Short Report on the Lack of a Pyrogenic Response of Australian Genomic Group IV Isolates of Coxiella burnetii in Guinea Pigs. Tropical Medicine and Infectious Disease, 2019, 4, 18.	0.9	1
21	Biosafety and biosecurity requirements for Orientia spp. diagnosis and research: recommendations for risk-based biocontainment, work practices and the case for reclassification to risk group 2. BMC Infectious Diseases, 2019, 19, 1044.	1.3	2
22	Serological Evidence of <i>Rickettsia</i> , <i>Orientia</i> , and <i>Coxiella</i> in Domestic Animals from Bhutan: Preliminary Findings. Vector-Borne and Zoonotic Diseases, 2019, 19, 95-101.	0.6	7
23	A Molecular Survey of Tick-Borne Pathogens from Ticks Collected in Central Queensland, Australia. Vector-Borne and Zoonotic Diseases, 2018, 18, 151-163.	0.6	10
24	Scrub typhus diagnosis on acute specimens using serological and molecular assays — a 3-year prospective study. Diagnostic Microbiology and Infectious Disease, 2018, 91, 112-117.	0.8	10
25	Scrub typhus reinfection. Tropical Doctor, 2018, 48, 69-72.	0.2	8
26	A Concise Review of the Epidemiology and Diagnostics of Rickettsioses: Rickettsia and Orientia spp. Journal of Clinical Microbiology, 2018, 56, .	1.8	103
27	Isolation of a divergent strain of Rickettsia japonica from Dew's Australian bat Argasid ticks (Argas) Tj ETQq1	0.784314	rgBJ /Overlo
28	Rickettsial Infections and Q Fever Amongst Febrile Patients in Bhutan. Tropical Medicine and Infectious Disease, 2018, 3, 12.	0.9	13
29	Foreign tick smuggling rickettsia evades Australian border control. Medical Journal of Australia, 2018, 208, 505-505.	0.8	0
30	The epidemiology of Rickettsia felis infecting fleas of companion animals in eastern Australia. Parasites and Vectors, 2018, 11, 138.	1.0	5
31	â€~One Health' solutions for ticks and tick-borne diseases, and rickettsial pathogens of humans, domestic animals and wildlife. Ticks and Tick-borne Diseases, 2018, 9, 1604-1605.	1.1	3
32	Laboratory diagnosis of human infections transmitted by ticks, fleas, mites and lice in Australia. Microbiology Australia, 2018, 39, 182.	0.1	0
33	Peripartum dynamics of Coxiella burnetii infections in intensively managed dairy goats associated with a Q fever outbreak in Australia. Preventive Veterinary Medicine, 2017, 139, 58-66.	0.7	13
34	Serological evidence of exposure to Rickettsia felis and Rickettsia typhi in Australian veterinarians. Parasites and Vectors, 2017, 10, 129.	1.0	21
35	Tickâ€borne infectious diseases in Australia. Medical Journal of Australia, 2017, 206, 320-324.	0.8	45
36	A longitudinal study of serological responses to Coxiella burnetii and shedding at kidding among intensively-managed goats supports early use of vaccines. Veterinary Research, 2017, 48, 50.	1.1	11

#	Article	IF	CITATIONS
37	Scrub Typhus Outbreak in a Remote Primary School, Bhutan, 2014. Emerging Infectious Diseases, 2017, 23, 1412-1414.	2.0	12
38	Rickettsia gravesii sp. nov.: a novel spotted fever group rickettsia in Western Australian Amblyomma triguttatum triguttatum ticks. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3156-3161.	0.8	25
39	Seroprevalence of rickettsial infections and Q fever in Bhutan. PLoS Neglected Tropical Diseases, 2017, 11, e0006107.	1.3	25
40	Serological Evidence of Rickettsia spp. in Western Australian Dogs. American Journal of Tropical Medicine and Hygiene, 2017, 97, 407-412.	0.6	3
41	Ixodes holocyclus Tick-Transmitted Human Pathogens in North-Eastern New South Wales, Australia. Tropical Medicine and Infectious Disease, 2016, 1, 4.	0.9	16
42	Rickettsia Detected in the Reptile Tick Bothriocroton hydrosauri from the Lizard Tiliqua rugosa in South Australia. Pathogens, 2016, 5, 41.	1.2	15
43	One Health approach to controlling a Q fever outbreak on an Australian goat farm. Epidemiology and Infection, 2016, 144, 1129-1141.	1.0	68
44	Novel genotypes of Coxiella burnetii identified in isolates from Australian Q fever patients. International Journal of Medical Microbiology, 2016, 306, 463-470.	1.5	14
45	The natural history of acute Q fever: a prospective Australian cohort. QJM - Monthly Journal of the Association of Physicians, 2016, 109, 661-668.	0.2	6
46	Evidence of exposure to Rickettsia felis in Australian patients. One Health, 2016, 2, 95-98.	1.5	14
47	Is there a Lyme-like disease in Australia? Summary of the findings to date. One Health, 2016, 2, 42-54.	1.5	37
48	Bayesian Validation of the Indirect Immunofluorescence Assay and Its Superiority to the Enzyme-Linked Immunosorbent Assay and the Complement Fixation Test for Detecting Antibodies against Coxiella burnetii in Goat Serum. Vaccine Journal, 2016, 23, 507-514.	3.2	23
49	An outbreak of scrub typhus in military personnel despite protocols for antibiotic prophylaxis: doxycycline resistance excluded by a quantitative PCR-based susceptibility assay. Microbes and Infection, 2016, 18, 406-411.	1.0	22
50	An outbreak investigation of scrub typhus in Western Province, Solomon Islands, 2014. Western Pacific Surveillance and Response Journal: WPSAR, 2016, 7, 6-9.	0.3	4
51	Molecular confirmation of scrub typhus infection and characterization of genotype from Karnataka, India. Journal of Vector Borne Diseases, 2016, 53, 185-187.	0.1	3
52	Isolation of Coxiella burnetii from serum of patients with acute Q fever. Journal of Microbiological Methods, 2015, 119, 74-78.	0.7	15
53	Rickettsia felisInfections and Comorbid Conditions, Laos, 2003–2011. Emerging Infectious Diseases, 2014, 20, 1402-1404	2.0	21
54	Update on Tick-Borne Rickettsioses around the World: a Geographic Approach. Clinical Microbiology Reviews, 2014, 27, 166-166.	5.7	7

#	Article	IF	CITATIONS
55	Seroepidemiological Study of Outdoor Recreationists' Exposure to Spotted Fever Group Rickettsia in Western Australia. American Journal of Tropical Medicine and Hygiene, 2014, 91, 584-588.	0.6	6
56	Genome Sequence of Coxiella burnetii Strain AuQ01 (Arandale) from an Australian Patient with Acute Q Fever. Genome Announcements, 2014, 2, .	0.8	12
57	Seroprevalence and risk factors for Rickettsia felis exposure in dogs from Southeast Queensland and the Northern Territory, Australia. Parasites and Vectors, 2013, 6, 159.	1.0	30
58	Protein array of Coxiella burnetii probed with Q fever sera. Science China Life Sciences, 2013, 56, 453-459.	2.3	16
59	Update on Tick-Borne Rickettsioses around the World: a Geographic Approach. Clinical Microbiology Reviews, 2013, 26, 657-702.	5.7	1,033
60	Diversity of the 47-kD HtrA Nucleic Acid and Translated Amino Acid Sequences from 17 Recent Human Isolates of <i>Orientia</i> . Vector-Borne and Zoonotic Diseases, 2013, 13, 367-375.	0.6	41
61	Comparison of the performance of IFA, CFA, and ELISA assays for the serodiagnosis of acute Q fever by quality assessment. Diagnostic Microbiology and Infectious Disease, 2013, 75, 16-21.	0.8	30
62	Genome Sequence of Rickettsia gravesii, Isolated from Western Australian Ticks. Genome Announcements, 2013, 1, .	0.8	6
63	The Attenuated Nine Mile Phase II Clone 4/RSA439 Strain of Coxiella burnetii is Highly Virulent for Severe Combined Immunodeficient (SCID) Mice. American Journal of Tropical Medicine and Hygiene, 2013, 89, 800-803.	0.6	11
64	Scrub Typhus among Pediatric Patients in Dambadeniya:A Base Hospital in Sri Lanka. American Journal of Tropical Medicine and Hygiene, 2012, 87, 342-344.	0.6	10
65	An analysis of Q fever patients 6 years after an outbreak in Newport, Wales, UK. QJM - Monthly Journal of the Association of Physicians, 2012, 105, 1067-1073.	0.2	19
66	Potential serodiagnostic markers for Q fever identified in Coxiella burnetiiby immunoproteomic and protein microarray approaches. BMC Microbiology, 2012, 12, 35.	1.3	60
67	Detecting and measuring small numbers of viableCoxiella burnetii. FEMS Immunology and Medical Microbiology, 2012, 64, 61-65.	2.7	10
68	Comparative sensitivity of four different cell lines for the isolation of Coxiella burnetii. FEMS Microbiology Letters, 2012, 334, 75-78.	0.7	9
69	First probable Australian cases of human infection with Rickettsia felis (catâ€flea typhus). Medical Journal of Australia, 2011, 194, 41-43.	0.8	50
70	A comparison of methods for extracting DNA from Coxiella burnetii as measured by a duplex qPCR assay. Letters in Applied Microbiology, 2011, 52, 514-520.	1.0	31
71	Comparison of Conventional, Nested, and Real-Time Quantitative PCR for Diagnosis of Scrub Typhus. Journal of Clinical Microbiology, 2011, 49, 607-612.	1.8	61
72	<i>Rickettsia felis</i> , an emerging flea-transmitted human pathogen. Emerging Health Threats Journal, 2011, 4, 7168.	3.0	64

#	Article	IF	CITATIONS
73	Q Fever Cholecystitis in an Unvaccinated Butcher Diagnosed by Gallbladder Polymerase Chain Reaction. Vector-Borne and Zoonotic Diseases, 2010, 10, 421-423.	0.6	8
74	lsolation of a Novel <i>Orientia</i> Species ( <i>O. chuto</i> sp. nov.) from a Patient Infected in Dubai. Journal of Clinical Microbiology, 2010, 48, 4404-4409.	1.8	228
75	Coxiella burnetii. , 2010, , 145-148.		3
76	Rickettsia. , 2010, , 197-199.		1
77	Novel Rickettsia in Ticks, Tasmania, Australia. Emerging Infectious Diseases, 2009, 15, 1654-1656.	2.0	30
78	Rickettsioses in Australia. Annals of the New York Academy of Sciences, 2009, 1166, 151-155.	1.8	52
79	Real-time multiplex PCR assay for detection and differentiation of rickettsiae and orientiae. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2008, 102, 186-193.	0.7	57
80	Markers of exposure to spotted fever rickettsiae in patients with chronic illness, including fatigue, in two Australian populations. QJM - Monthly Journal of the Association of Physicians, 2008, 101, 269-274.	0.2	27
81	Flinders Island Spotted Fever Rickettsioses Caused by "marmionii―Strain of <i>Rickettsia honei,</i> Eastern Australia. Emerging Infectious Diseases, 2007, 13, 566-573.	2.0	65
82	Three Rickettsioses, Darnley Island, Australia. Emerging Infectious Diseases, 2007, 13, 1105-1107.	2.0	24
83	Flinders Island Spotted Fever Rickettsioses Caused by "marmionii―Strain of Rickettsia honei, Eastern Australia. Emerging Infectious Diseases, 2007, 13, 566-573.	2.0	38
84	Patient and sample-related factors that effect the success of in vitro isolation of Orientia tsutsugamushi. Southeast Asian Journal of Tropical Medicine and Public Health, 2007, 38, 91-6.	1.0	37
85	Rickettsia felisin Fleas, Western Australia. Emerging Infectious Diseases, 2006, 12, 841-843.	2.0	49
86	Potentially pathogenic spotted fever group rickettsiae present in Western Australia. Australian Journal of Rural Health, 2006, 14, 284-285.	0.7	15
87	Rickettsioses in Australia. Annals of the New York Academy of Sciences, 2006, 1078, 74-79.	1.8	17
88	Detection and Identification of a Novel Spotted Fever Group Rickettsia in Western Australia. Annals of the New York Academy of Sciences, 2006, 1078, 197-199.	1.8	18
89	Q Fever Outbreak at a Cosmetics Supply Factory. Clinical Infectious Diseases, 2006, 42, e50-e52.	2.9	15
90	Not only â€~Flinders Island' spotted fever. Pathology, 2005, 37, 242-245.	0.3	24

#	Article	IF	CITATIONS
91	A HIGHLY SENSITIVE AND SPECIFIC REAL-TIME PCR ASSAY FOR THE DETECTION OF SPOTTED FEVER AND TYPHUS GROUP RICKETTSIAE. American Journal of Tropical Medicine and Hygiene, 2005, 73, 1083-1085.	0.6	228
92	A highly sensitive and specific real-time PCR assay for the detection of spotted fever and typhus group Rickettsiae. American Journal of Tropical Medicine and Hygiene, 2005, 73, 1083-5.	0.6	100
93	Murine typhus: the first reported case from Victoria. Medical Journal of Australia, 2004, 180, 482-482.	0.8	10
94	<i>Rickettsia honei</i> . Annals of the New York Academy of Sciences, 2003, 990, 62-66.	1.8	44
95	Ultrastructural and Genetic Evidence of a Reptilian Tick, <i>Aponomma hydrosauri</i> , as a Host of <i>Rickettsia honei</i> in Australia. Annals of the New York Academy of Sciences, 2003, 990, 67-74.	1.8	28
96	APONOMMA HYDROSAURI, THE REPTILE-ASSOCIATED TICK RESERVOIR OF RICKETTSIA HONEI ON FLINDERS ISLAND, AUSTRALIA. American Journal of Tropical Medicine and Hygiene, 2003, 69, 314-317.	0.6	62
97	Aponomma hydrosauri, the reptile-associated tick reservoir of Rickettsia honei on Flinders Island, Australia. American Journal of Tropical Medicine and Hygiene, 2003, 69, 314-7.	0.6	23
98	Spotted fever group rickettsial infection in South-Eastern Australia: Isolation of rickettsiae. Comparative Immunology, Microbiology and Infectious Diseases, 1993, 16, 223-233.	0.7	41
99	Quantification of Rickettsia Australis. American Journal of Tropical Medicine and Hygiene, 1992, 47, 141-146.	0.6	12
100	Validation of an Indirect Immunofluorescence Assay and Commercial Q Fever Enzyme-Linked Immunosorbent Assay for Use in Macropods. Journal of Clinical Microbiology, 0, , .	1.8	0