

Mohamed H Al-Marzouqi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2224059/publications.pdf>

Version: 2024-02-01

55
papers

1,727
citations

236833

25
h-index

289141

40
g-index

57
all docs

57
docs citations

57
times ranked

1282
citing authors

#	ARTICLE	IF	CITATIONS
1	CO ₂ capture and ions removal through reaction with potassium hydroxide in desalination reject brine: Statistical optimization. <i>Chemical Engineering and Processing: Process Intensification</i> , 2022, 170, 108722.	1.8	13
2	Removal of Bromine from the non-metallic fraction in printed circuit board via its Co-pyrolysis with alumina. <i>Waste Management</i> , 2022, 137, 283-293.	3.7	31
3	Intensification of CO ₂ absorption using MDEA-based nanofluid in a hollow fibre membrane contactor. <i>Scientific Reports</i> , 2021, 11, 2649.	1.6	17
4	A CFD Investigation on the Effect of IPSBR Operational Conditions on Liquid Phase Hydrodynamics. , 2021, , .		3
5	Effects of potassium hydroxide and aluminum oxide on the performance of a modified solvay process for CO ₂ capture: A comparative study. <i>International Journal of Energy Research</i> , 2021, 45, 13952-13964.	2.2	22
6	Current and future trends in polymer membrane-based gas separation technology: A comprehensive review. <i>Journal of Industrial and Engineering Chemistry</i> , 2021, 98, 103-129.	2.9	154
7	A New Process for the Recovery of Ammonia from Ammoniated High-Salinity Brine. <i>Sustainability</i> , 2021, 13, 10014.	1.6	9
8	KOH-Based Modified Solvay Process for Removing Na Ions from High Salinity Reject Brine at High Temperatures. <i>Sustainability</i> , 2021, 13, 10200.	1.6	15
9	Effective and sustainable adsorbent materials for oil spill cleanup based on a multistage desalination process. <i>Journal of Environmental Management</i> , 2021, 299, 113652.	3.8	18
10	Comprehensive Optimization of the Dispersion of Mixing Particles in an Inert-Particle Spouted-Bed Reactor (IPSBR) System. <i>Processes</i> , 2021, 9, 1921.	1.3	6
11	Fabricating carbon nanofibers from a lignin/r-PET blend: the synergy of mass ratio with the average fiber diameter. <i>Applied Nanoscience (Switzerland)</i> , 2020, 10, 1331-1343.	1.6	6
12	Electrospun Lignin-Derived Carbon Micro- and Nanofibers: A Review on Precursors, Properties, and Applications. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 13868-13893.	3.2	48
13	Computational fluid dynamics simulation of an Inert Particles Spouted Bed Reactor (IPSBR) system. <i>International Journal of Chemical Reactor Engineering</i> , 2020, .	0.6	8
14	The nanoscale dimension determines the carbonization outcome of electrospun lignin/recycled-PET fibers. <i>Chemical Engineering Science</i> , 2019, 202, 26-35.	1.9	15
15	Carbon Nanomaterials for the Adsorptive Desulfurization of Fuels. <i>Journal of Nanotechnology</i> , 2019, 2019, 1-13.	1.5	30
16	Experimental and modeling of CO ₂ removal from gas mixtures using membrane contactors packed with glass beads. <i>Separation and Purification Technology</i> , 2019, 217, 240-246.	3.9	10
17	Carbon Capture From Natural Gas via Polymeric Membranes. <i>Advances in Environmental Engineering and Green Technologies Book Series</i> , 2019, , 117-131.	0.3	0
18	Carbon Capture From Natural Gas via Polymeric Membranes. , 2018, , 3043-3055.		0

#	ARTICLE	IF	CITATIONS
19	High pressure removal of acid gases using hollow fiber membrane contactors: Further characterization and long-term operational stability. <i>Journal of Natural Gas Science and Engineering</i> , 2017, 37, 192-198.	2.1	26
20	Regenerating Diethanolamine Aqueous Solution for CO ₂ Absorption Using Microalgae. <i>Industrial Biotechnology</i> , 2016, 12, 105-108.	0.5	9
21	Correlating the physical solubility of CO ₂ in several amines to the concentrations of amine groups. <i>Journal of Natural Gas Science and Engineering</i> , 2016, 34, 841-848.	2.1	4
22	Portable analyzer for continuous monitoring of sulfur dioxide in gas stream based on amperometric detection and stabilized gravity-driven flow. <i>Sensors and Actuators B: Chemical</i> , 2016, 225, 24-33.	4.0	8
23	Thermal Conductivity of Aqueous Solvents Used in CO ₂ Capture. <i>Journal of Chemical Engineering Research Updates</i> , 2016, 3, 25-30.	0.1	0
24	Absorption of CO ₂ from natural gas using different amino acid salt solutions and regeneration using hollow fiber membrane contactors. <i>Journal of Natural Gas Science and Engineering</i> , 2015, 26, 108-117.	2.1	58
25	Modeling and Experimental Study of Gas-Liquid Membrane Contactor. , 2015, , 5442-5453.		0
26	Absorption of CO ₂ Form Natural Gas via Gas-liquid PVDF Hollow Fiber Membrane Contactor and Potassium Glycinate as Solvent. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2014, 69, .	0.3	6
27	Stripping of CO ₂ from different aqueous solvents using PVDF hollow fiber membrane contacting process. <i>Journal of Natural Gas Science and Engineering</i> , 2014, 21, 886-893.	2.1	33
28	H ₂ S absorption at high pressure using hollow fibre membrane contactors. <i>Chemical Engineering and Processing: Process Intensification</i> , 2014, 83, 33-42.	1.8	27
29	Gas-liquid membrane contactor for ethylene/ethane separation by aqueous silver nitrate solution. <i>Separation and Purification Technology</i> , 2014, 127, 140-148.	3.9	21
30	Portable dual-channel gas analyzer for continuous monitoring of carbon dioxide in gas streams. <i>Microchemical Journal</i> , 2013, 110, 185-191.	2.3	3
31	Modeling of CO ₂ absorption in a membrane contactor considering solvent evaporation. <i>Separation and Purification Technology</i> , 2013, 110, 1-10.	3.9	35
32	Effect of PVDF concentration on the morphology and performance of hollow fiber membrane employed as gas-liquid membrane contactor for CO ₂ absorption. <i>Separation and Purification Technology</i> , 2012, 98, 174-185.	3.9	78
33	Effect of polymer extrusion temperature on poly(vinylidene fluoride) hollow fiber membranes: Properties and performance used as gas-liquid membrane contactor for CO ₂ absorption. <i>Separation and Purification Technology</i> , 2012, 99, 91-103.	3.9	53
34	Simultaneous removal of CO ₂ and H ₂ S from pressurized CO ₂ -H ₂ S-CH ₄ gas mixture using hollow fiber membrane contactors. <i>Separation and Purification Technology</i> , 2012, 86, 88-97.	3.9	68
35	Preparation and properties of polyethersulfone hollow fiber membranes with o-xylene as an additive used in membrane contactors for CO ₂ absorption. <i>Separation and Purification Technology</i> , 2012, 92, 1-10.	3.9	36
36	Analyzer for continuous monitoring of H ₂ S in gas streams based on a novel thermometric detection. <i>Sensors and Actuators B: Chemical</i> , 2012, 162, 377-383.	4.0	9

#	ARTICLE	IF	CITATIONS
37	Effect of quenching temperature on the performance of poly(vinylidene fluoride) microporous hollow fiber membranes fabricated via thermally induced phase separation technique on the removal of CO ₂ from CO ₂ -gas mixture. <i>International Journal of Greenhouse Gas Control</i> , 2011, 5, 1550-1558.	2.3	59
38	Effects of Shear Rate, Temperature, and Polymer Composition on the Shear Stress of Polyethersulfone/1-Methyl-2-pyrrolidone Cast Solutions. <i>Journal of Chemical & Engineering Data</i> , 2011, 56, 4444-4448.	1.0	7
39	Experimental and theoretical study on propylene absorption by using PVDF hollow fiber membrane contactors with various membrane structures. <i>Journal of Membrane Science</i> , 2010, 346, 86-97.	4.1	38
40	H ₂ S absorption via carbonate solution in membrane contactors: Effect of species concentrations. <i>Journal of Membrane Science</i> , 2010, 350, 200-210.	4.1	18
41	Removal of carbon dioxide from pressurized CO ₂ -CH ₄ gas mixture using hollow fiber membrane contactors. <i>Journal of Membrane Science</i> , 2010, 351, 21-27.	4.1	80
42	Evaluation of the removal of CO ₂ using membrane contactors: Membrane wettability. <i>Journal of Membrane Science</i> , 2010, 350, 410-416.	4.1	60
43	Removal of percentile level of H ₂ S from pressurized H ₂ S-CH ₄ gas mixture using hollow fiber membrane contactors and absorption solvents. <i>Journal of Membrane Science</i> , 2010, 360, 436-441.	4.1	34
44	Simple analyzer for continuous monitoring of sulfur dioxide in gas streams. <i>Microchemical Journal</i> , 2010, 95, 207-212.	2.3	11
45	Gas analyzer for continuous monitoring of carbon dioxide in gas streams. <i>Sensors and Actuators B: Chemical</i> , 2010, 145, 398-404.	4.0	11
46	CO ₂ removal from natural gas at high pressure using membrane contactors: Model validation and membrane parametric studies. <i>Journal of Membrane Science</i> , 2010, 365, 232-241.	4.1	51
47	Effects of a Rapid Peer-Based HIV/AIDS Educational Intervention on Knowledge and Attitudes of High School Students in a High-Income Arab Country. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009, 52, 86-98.	0.9	30
48	Effect of Temperature, Composition, and Shear Rate on Polyvinylidene Fluoride/Dimethylacetamide Solution Viscosity. <i>Journal of Chemical & Engineering Data</i> , 2009, 54, 3276-3280.	1.0	9
49	CO ₂ Removal from CO ₂ -CH ₄ Gas Mixture Using Different Solvents and Hollow Fiber Membranes. <i>Industrial & Engineering Chemistry Research</i> , 2009, 48, 3600-3605.	1.8	39
50	Mathematical modeling for the simultaneous absorption of CO ₂ and H ₂ S using MEA in hollow fiber membrane contactors. <i>Journal of Membrane Science</i> , 2009, 342, 269-278.	4.1	147
51	Modeling of CO ₂ absorption in membrane contactors. <i>Separation and Purification Technology</i> , 2008, 59, 286-293.	3.9	144
52	Effect of competitive interference on the biosorption of lead(II) by <i>Chlorella vulgaris</i> . <i>Chemical Engineering and Processing: Process Intensification</i> , 2007, 46, 1391-1399.	1.8	51
53	Facilitated Transport of CO ₂ through Immobilized Liquid Membrane. <i>Industrial & Engineering Chemistry Research</i> , 2005, 44, 9273-9278.	1.8	31
54	Analytical solution for facilitated transport across a membrane. <i>Chemical Engineering Science</i> , 2002, 57, 4817-4829.	1.9	15

#	ARTICLE	IF	CITATIONS
55	Determining Pore Size Distribution of Gas Separation Membranes from Adsorption Isotherm Data. Energy Sources Part A Recovery, Utilization, and Environmental Effects, 1999, 21, 31-38.	0.5	7