

Antonella Mosca

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2225357/antonella-mosca-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

139
papers

7,502
citations

50
h-index

84
g-index

152
ext. papers

8,983
ext. citations

5.2
avg. IF

5.83
L-index

#	Paper	IF	Citations
139	Homozygosity for the patatin-like phospholipase-3/adiponutrin I148M polymorphism influences liver fibrosis in patients with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2010 , 51, 1209-17	11.2	445
138	Nonalcoholic fatty liver disease. <i>Nature Reviews Disease Primers</i> , 2015 , 1, 15080	51.1	366
137	Gut microbiota profiling of pediatric nonalcoholic fatty liver disease and obese patients unveiled by an integrated meta-omics-based approach. <i>Hepatology</i> , 2017 , 65, 451-464	11.2	354
136	Diagnosis of nonalcoholic fatty liver disease in children and adolescents: position paper of the ESPGHAN Hepatology Committee. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 54, 700-13	2.8	311
135	Lifestyle intervention and antioxidant therapy in children with nonalcoholic fatty liver disease: a randomized, controlled trial. <i>Hepatology</i> , 2008 , 48, 119-28	11.2	307
134	Accuracy and reproducibility of transient elastography for the diagnosis of fibrosis in pediatric nonalcoholic steatohepatitis. <i>Hepatology</i> , 2008 , 48, 442-8	11.2	292
133	NAFLD in children: a prospective clinical-pathological study and effect of lifestyle advice. <i>Hepatology</i> , 2006 , 44, 458-65	11.2	273
132	Docosahexaenoic acid supplementation decreases liver fat content in children with non-alcoholic fatty liver disease: double-blind randomised controlled clinical trial. <i>Archives of Disease in Childhood</i> , 2011 , 96, 350-3	2.2	195
131	Performance of ELF serum markers in predicting fibrosis stage in pediatric non-alcoholic fatty liver disease. <i>Gastroenterology</i> , 2009 , 136, 160-7	13.3	195
130	Correlation of serum TNF-alpha levels and histologic liver injury scores in pediatric nonalcoholic fatty liver disease. <i>American Journal of Clinical Pathology</i> , 2007 , 127, 954-60	1.9	136
129	A 360-degree overview of paediatric NAFLD: recent insights. <i>Journal of Hepatology</i> , 2013 , 58, 1218-29	13.4	120
128	Liver biopsy in children: position paper of the ESPGHAN Hepatology Committee. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2015 , 60, 408-20	2.8	119
127	Intestinal permeability is increased in children with non-alcoholic fatty liver disease, and correlates with liver disease severity. <i>Digestive and Liver Disease</i> , 2014 , 46, 556-60	3.3	115
126	Hepatic progenitor cells activation, fibrosis, and adipokines production in pediatric nonalcoholic fatty liver disease. <i>Hepatology</i> , 2012 , 56, 2142-53	11.2	108
125	Pediatric nonalcoholic fatty liver disease in 2009. <i>Journal of Pediatrics</i> , 2009 , 155, 469-74	3.6	106
124	NAFLD in children: new genes, new diagnostic modalities and new drugs. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2019 , 16, 517-530	24.2	105
123	Endotoxin and plasminogen activator inhibitor-1 serum levels associated with nonalcoholic steatohepatitis in children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010 , 50, 645-9	2.8	105

122	The pediatric NAFLD fibrosis index: a predictor of liver fibrosis in children with non-alcoholic fatty liver disease. <i>BMC Medicine</i> , 2009 , 7, 21	11.4	98
121	Intrauterine growth retardation, insulin resistance, and nonalcoholic fatty liver disease in children. <i>Diabetes Care</i> , 2007 , 30, 2638-40	14.6	98
120	Metformin use in children with nonalcoholic fatty liver disease: an open-label, 24-month, observational pilot study. <i>Clinical Therapeutics</i> , 2008 , 30, 1168-76	3.5	97
119	Serum uric acid concentrations and fructose consumption are independently associated with NASH in children and adolescents. <i>Journal of Hepatology</i> , 2017 , 66, 1031-1036	13.4	94
118	Role of docosahexaenoic acid treatment in improving liver histology in pediatric nonalcoholic fatty liver disease. <i>PLoS ONE</i> , 2014 , 9, e88005	3.7	94
117	Pediatric nonalcoholic fatty liver disease, metabolic syndrome and cardiovascular risk. <i>World Journal of Gastroenterology</i> , 2011 , 17, 3082-91	5.6	89
116	The Role of Tissue Macrophage-Mediated Inflammation on NAFLD Pathogenesis and Its Clinical Implications. <i>Mediators of Inflammation</i> , 2017 , 2017, 8162421	4.3	85
115	Comparison of the Phenotype and Approach to Pediatric vs Adult Patients With Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2016 , 150, 1798-810	13.3	84
114	Serum cytokeratin-18 fragment levels are useful biomarkers for nonalcoholic steatohepatitis in children. <i>American Journal of Gastroenterology</i> , 2013 , 108, 1526-31	0.7	83
113	Nonalcoholic fatty liver disease: a challenge for pediatricians. <i>JAMA Pediatrics</i> , 2015 , 169, 170-6	8.3	82
112	Pediatric nonalcoholic fatty liver disease: a multidisciplinary approach. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2012 , 9, 152-61	24.2	79
111	Gut Microbiota Markers in Obese Adolescent and Adult Patients: Age-Dependent Differential Patterns. <i>Frontiers in Microbiology</i> , 2018 , 9, 1210	5.7	78
110	LPS-induced TNF- α factor mediates pro-inflammatory and pro-fibrogenic pattern in non-alcoholic fatty liver disease. <i>Oncotarget</i> , 2015 , 6, 41434-52	3.3	78
109	Non-alcoholic fatty liver disease and metabolic syndrome in adolescents: pathogenetic role of genetic background and intrauterine environment. <i>Annals of Medicine</i> , 2012 , 44, 29-40	1.5	78
108	Vitamin D levels and liver histological alterations in children with nonalcoholic fatty liver disease. <i>European Journal of Endocrinology</i> , 2014 , 170, 547-53	6.5	73
107	The Benefit of Sleeve Gastrectomy in Obese Adolescents on Nonalcoholic Steatohepatitis and Hepatic Fibrosis. <i>Journal of Pediatrics</i> , 2017 , 180, 31-37.e2	3.6	73
106	Diagnosis, treatment and prevention of pediatric obesity: consensus position statement of the Italian Society for Pediatric Endocrinology and Diabetology and the Italian Society of Pediatrics. <i>Italian Journal of Pediatrics</i> , 2018 , 44, 88	3.2	71
105	Indications and limitations of bariatric intervention in severely obese children and adolescents with and without nonalcoholic steatohepatitis: ESPGHAN Hepatology Committee Position Statement. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2015 , 60, 550-61	2.8	69

104	Association between Serum Atypical Fibroblast Growth Factors 21 and 19 and Pediatric Nonalcoholic Fatty Liver Disease. <i>PLoS ONE</i> , 2013 , 8, e67160	3.7	69
103	Development and validation of a new histological score for pediatric non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2012 , 57, 1312-8	13.4	60
102	Gut-liver axis and fibrosis in nonalcoholic fatty liver disease: an input for novel therapies. <i>Digestive and Liver Disease</i> , 2013 , 45, 543-51	3.3	60
101	Synbiotics Alter Fecal Microbiomes, But Not Liver Fat or Fibrosis, in a Randomized Trial of Patients With Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2020 , 158, 1597-1610.e7	13.3	59
100	Nonalcoholic Fatty Liver Disease in Children. <i>Seminars in Liver Disease</i> , 2018 , 38, 1-13	7.3	59
99	Nonalcoholic fatty pancreas disease and Nonalcoholic fatty liver disease: more than ectopic fat. <i>Clinical Endocrinology</i> , 2015 , 83, 656-62	3.4	59
98	Plasma levels of homocysteine and cysteine increased in pediatric NAFLD and strongly correlated with severity of liver damage. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 21202-14	6.3	59
97	Low levels of 25-hydroxyvitamin D(3) in children with biopsy-proven nonalcoholic fatty liver disease. <i>Hepatology</i> , 2010 , 51, 2229; author reply 2230	11.2	59
96	Docosahexanoic Acid Plus Vitamin D Treatment Improves Features of NAFLD in Children with Serum Vitamin D Deficiency: Results from a Single Centre Trial. <i>PLoS ONE</i> , 2016 , 11, e0168216	3.7	56
95	Bifidobacteria and lactobacilli in the gut microbiome of children with non-alcoholic fatty liver disease: which strains act as health players?. <i>Archives of Medical Science</i> , 2018 , 14, 81-87	2.9	55
94	Good adherence to the Mediterranean diet reduces the risk for NASH and diabetes in pediatric patients with obesity: The results of an Italian Study. <i>Nutrition</i> , 2017 , 39-40, 8-14	4.8	54
93	Intrauterine growth retardation and nonalcoholic Fatty liver disease in children. <i>International Journal of Endocrinology</i> , 2011 , 2011, 269853	2.7	54
92	Nonalcoholic fatty liver disease in children. <i>Journal of the American College of Nutrition</i> , 2008 , 27, 667-763,5		54
91	The development of the pediatric NAFLD fibrosis score (PNFS) to predict the presence of advanced fibrosis in children with nonalcoholic fatty liver disease. <i>PLoS ONE</i> , 2014 , 9, e104558	3.7	52
90	Intima-media thickness and liver histology in obese children and adolescents with non-alcoholic fatty liver disease. <i>Atherosclerosis</i> , 2010 , 209, 463-8	3.1	52
89	Liver Stiffness in Pediatric Patients with Fatty Liver Disease: Diagnostic Accuracy and Reproducibility of Shear-Wave Elastography. <i>Radiology</i> , 2017 , 283, 820-827	20.5	47
88	Markers of activated inflammatory cells correlate with severity of liver damage in children with nonalcoholic fatty liver disease. <i>International Journal of Molecular Medicine</i> , 2012 , 30, 49-56	4.4	46
87	Portal inflammation is independently associated with fibrosis and metabolic syndrome in pediatric nonalcoholic fatty liver disease. <i>Hepatology</i> , 2016 , 63, 745-53	11.2	45

86	Risk of severe liver disease in NAFLD with normal ALT levels: a pediatric report. <i>Hepatology</i> , 2008 , 48, 2087-8; author reply 2088	11.2	41
85	Macrophage Activation in Pediatric Nonalcoholic Fatty Liver Disease (NAFLD) Correlates with Hepatic Progenitor Cell Response via Wnt3a Pathway. <i>PLoS ONE</i> , 2016 , 11, e0157246	3.7	41
84	Influence of dietary pattern, physical activity, and I148M PNPLA3 on steatosis severity in at-risk adolescents. <i>Genes and Nutrition</i> , 2014 , 9, 392	4.3	38
83	Serum bilirubin level is inversely associated with nonalcoholic steatohepatitis in children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013 , 57, 114-8	2.8	38
82	Non invasive evaluation of liver fibrosis in paediatric patients with nonalcoholic steatohepatitis. <i>World Journal of Gastroenterology</i> , 2006 , 12, 7821-5	5.6	38
81	Focal adhesion kinase depletion reduces human hepatocellular carcinoma growth by repressing enhancer of zeste homolog 2. <i>Cell Death and Differentiation</i> , 2017 , 24, 889-902	12.7	36
80	Causative role of gut microbiota in non-alcoholic fatty liver disease pathogenesis. <i>Frontiers in Cellular and Infection Microbiology</i> , 2012 , 2, 132	5.9	36
79	Altered gut-liver axis and hepatic adiponectin expression in OSAS: novel mediators of liver injury in paediatric non-alcoholic fatty liver. <i>Thorax</i> , 2015 , 70, 769-81	7.3	34
78	Efficacy of docosahexaenoic acid-choline-vitamin E in paediatric NASH: a randomized controlled clinical trial. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017 , 42, 948-954	3	33
77	Plasma cathepsin D levels: a novel tool to predict pediatric hepatic inflammation. <i>American Journal of Gastroenterology</i> , 2015 , 110, 462-70	0.7	33
76	Association of serum interleukin-8 levels with the degree of fibrosis in infants with chronic liver disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2004 , 39, 540-4	2.8	32
75	Serum Bile Acid Levels in Children With Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2015 , 61, 85-90	2.8	31
74	Atherogenic dyslipidemia and cardiovascular risk factors in obese children. <i>International Journal of Endocrinology</i> , 2015 , 2015, 912047	2.7	30
73	Transient elastography for assessment of fibrosis in paediatric liver disease. <i>Pediatric Radiology</i> , 2011 , 41, 1232-8	2.8	30
72	Management of chronic hepatitis B in children: an unresolved issue. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 912-9	4	29
71	Nonalcoholic fatty liver disease in children. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2010 , 13, 397-402	3.8	29
70	Omega-3 fatty acids: Mechanisms of benefit and therapeutic effects in pediatric and adult NAFLD. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2016 , 53, 106-20	9.4	28
69	Nutritional and lipidomics biomarkers of docosahexaenoic acid-based multivitamin therapy in pediatric NASH. <i>Scientific Reports</i> , 2019 , 9, 2045	4.9	27

68	EKlotho gene variation is associated with liver damage in children with NAFLD. <i>Journal of Hepatology</i> , 2020 , 72, 411-419	13.4	27
67	Clinical implications of understanding the association between oxidative stress and pediatric NAFLD. <i>Expert Review of Gastroenterology and Hepatology</i> , 2017 , 11, 371-382	4.2	26
66	Is juvenile liver biopsy unsafe? Putting an end to a common misapprehension. <i>Pediatric Radiology</i> , 2009 , 39, 959-61	2.8	26
65	Obalon intragastric balloon in the treatment of paediatric obesity: a pilot study. <i>Pediatric Obesity</i> , 2015 , 10, e1-4	4.6	25
64	Hepatic farnesoid X receptor protein level and circulating fibroblast growth factor 19 concentration in children with NAFLD. <i>Liver International</i> , 2018 , 38, 342-349	7.9	24
63	Does vitamin E improve the outcomes of pediatric nonalcoholic fatty liver disease? A systematic review and meta-analysis. <i>Saudi Journal of Gastroenterology</i> , 2014 , 20, 143-53	3	24
62	Evaluations of Lifestyle, Dietary, and Pharmacologic Treatments for Pediatric Nonalcoholic Fatty Liver Disease: A Systematic Review. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 1457-1476.e7	6.9	23
61	Extrahepatic portal vein thrombosis in children and adolescents: Influence of genetic thrombophilic disorders. <i>World Journal of Gastroenterology</i> , 2010 , 16, 6123-7	5.6	23
60	Low Birthweight Increases the Likelihood of Severe Steatosis in Pediatric Non-Alcoholic Fatty Liver Disease. <i>American Journal of Gastroenterology</i> , 2017 , 112, 1277-1286	0.7	22
59	The Health Care Transition of Youth With Liver Disease Into the Adult Health System: Position Paper From ESPGHAN and EASL. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018 , 66, 976-990	2.8	21
58	Macrophages and fibrosis in adipose tissue are linked to liver damage and metabolic risk in obese children. <i>Obesity</i> , 2014 , 22, 1512-9	8	21
57	Meta-omic platforms to assist in the understanding of NAFLD gut microbiota alterations: tools and applications. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 684-711	6.3	21
56	A review of the pathogenic and therapeutic role of nutrition in pediatric nonalcoholic fatty liver disease. <i>Nutrition Research</i> , 2018 , 58, 1-16	4	21
55	Pediatric Nonalcoholic Fatty Liver Disease: Current Thinking. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018 , 66, 188-192	2.8	19
54	Beverage consumption and paediatric NAFLD. <i>Eating and Weight Disorders</i> , 2016 , 21, 581-588	3.6	18
53	Prevalence of prediabetes and diabetes in children and adolescents with biopsy-proven non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2019 , 71, 802-810	13.4	18
52	Paediatric nonalcoholic fatty liver disease. <i>Current Opinion in Gastroenterology</i> , 2013 , 29, 279-84	3	17
51	A new ABCB11 mutation in two Italian children with familial intrahepatic cholestasis. <i>Journal of Gastroenterology</i> , 2006 , 41, 598-603	6.9	17

50	Autoimmune thyroiditis associated with autoimmune hepatitis. <i>Thyroid</i> , 2005 , 15, 1193-5	6.2	17
49	Laparoscopic Sleeve Gastrectomy Improves Nonalcoholic Fatty Liver Disease-Related Liver Damage in Adolescents by Reshaping Cellular Interactions and Hepatic Adipocytokine Production. <i>Journal of Pediatrics</i> , 2018 , 194, 100-108.e3	3.6	17
48	Plasma N-terminal propeptide of type III procollagen accurately predicts liver fibrosis severity in children with non-alcoholic fatty liver disease. <i>Liver International</i> , 2019 , 39, 2317-2329	7.9	14
47	Coeliac disease screening among a large cohort of overweight/obese children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2015 , 60, 405-7	2.8	14
46	Elevated Hemoglobin Level Is Associated With Advanced Fibrosis in Pediatric Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2017 , 65, 150-155	2.8	13
45	Pediatric liver diseases: current challenges and future perspectives. <i>Expert Review of Gastroenterology and Hepatology</i> , 2016 , 10, 255-65	4.2	13
44	The association between retinal microvascular changes, metabolic risk factors, and liver histology in pediatric patients with non-alcoholic fatty liver disease (NAFLD). <i>Journal of Gastroenterology</i> , 2015 , 50, 903-12	6.9	13
43	Hepatic fibrosis in Kabuki syndrome. <i>American Journal of Medical Genetics Part A</i> , 2004 , 124A, 209-12		13
42	Liver zonation in children with non-alcoholic fatty liver disease: Associations with dietary fructose and uric acid concentrations. <i>Liver International</i> , 2018 , 38, 1102-1109	7.9	12
41	The Liver in Children With Metabolic Syndrome. <i>Frontiers in Endocrinology</i> , 2019 , 10, 514	5.7	11
40	Does Nox2 Overactivate in Children with Nonalcoholic Fatty Liver Disease?. <i>Antioxidants and Redox Signaling</i> , 2019 , 30, 1325-1330	8.4	11
39	Fulminant autoimmune hepatitis in a girl with 22q13 deletion syndrome: a previously unreported association. <i>European Journal of Pediatrics</i> , 2009 , 168, 225-7	4.1	11
38	Association between nocturnal blood pressure dipping and insulin resistance in children affected by NAFLD. <i>European Journal of Pediatrics</i> , 2014 , 173, 1511-8	4.1	10
37	Plasma methylcitric acid and its correlations with other disease biomarkers: The impact in the follow up of patients with propionic and methylmalonic acidemia. <i>Journal of Inherited Metabolic Disease</i> , 2020 , 43, 1173-1185	5.4	10
36	European paediatric non-alcoholic fatty liver disease registry (EU-PNAFLD): Design and rationale. <i>Contemporary Clinical Trials</i> , 2018 , 75, 67-71	2.3	10
35	The Number of Liver Galectin-3 Positive Cells Is Dually Correlated with NAFLD Severity in Children. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	9
34	The pharmacological management of NAFLD in children and adolescents. <i>Expert Review of Clinical Pharmacology</i> , 2017 , 10, 1225-1237	3.8	9
33	Relationship between portal chronic inflammation and disease severity in paediatric non-alcoholic fatty liver disease. <i>Digestive and Liver Disease</i> , 2011 , 43, 143-6	3.3	9

32	Alcoholic and non-alcoholic fatty liver in adolescents: a worrisome convergence. <i>Alcohol and Alcoholism</i> , 2011 , 46, 627-9	3.5	9
31	The Role of Genetic Predisposition, Programming During Fetal Life, Family Conditions, and Post-natal Diet in the Development of Pediatric Fatty Liver Disease. <i>Journal of Pediatrics</i> , 2019 , 211, 72-77.e4	3.6	8
30	Unmet needs in pediatric NAFLD research: what do we need to prioritize for the future?. <i>Expert Review of Gastroenterology and Hepatology</i> , 2018 , 12, 961-967	4.2	8
29	Fighting Fatty Liver Diseases with Nutritional Interventions, Probiotics, Symbiotics, and Fecal Microbiota Transplantation (FMT). <i>Advances in Experimental Medicine and Biology</i> , 2019 , 1125, 85-100	3.6	8
28	Therapeutic strategies for pediatric non-alcoholic fatty liver disease: a challenge for health care providers. <i>World Journal of Gastroenterology</i> , 2007 , 13, 2639-41	5.6	7
27	Relationship between non-alcoholic steatohepatitis, PNPLA3 I148M genotype and bone mineral density in adolescents. <i>Liver International</i> , 2018 , 38, 2301-2308	7.9	7
26	Epicardial adipose tissue and signs of metabolic syndrome in children. <i>Eating and Weight Disorders</i> , 2016 , 21, 269-76	3.6	6
25	In a pilot study, reduced fatty acid desaturase 1 function was associated with nonalcoholic fatty liver disease and response to treatment in children. <i>Pediatric Research</i> , 2018 , 84, 696-703	3.2	6
24	Docosahexaenoic Acid and Its Role in G-Protein-Coupled Receptor 120 Activation in Children Affected by Nonalcoholic Fatty Liver Disease. <i>Endocrine Development</i> , 2016 , 30, 29-36		6
23	Current pharmacotherapy for treating pediatric nonalcoholic fatty liver disease. <i>Expert Opinion on Pharmacotherapy</i> , 2014 , 15, 2501-11	4	6
22	Similarities and Differences in Allocation Policies for Pediatric Liver Transplantation Across the World. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2019 , 68, 700-705	2.8	6
21	Is there any link between dietary pattern and development of nonalcoholic fatty liver disease in adolescence? An expert review. <i>Expert Review of Gastroenterology and Hepatology</i> , 2013 , 7, 601-4	4.2	5
20	The Contribution of the Adipose Tissue-Liver Axis in Pediatric Patients with Nonalcoholic Fatty Liver Disease after Laparoscopic Sleeve Gastrectomy. <i>Journal of Pediatrics</i> , 2020 , 216, 117-127.e2	3.6	5
19	Association of Bright Liver With the PNPLA3 I148M Gene Variant in 1-Year-Old Toddlers. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 2163-2170	5.6	4
18	The relationship between body mass index and children's presentations to a tertiary pediatric emergency department. <i>Italian Journal of Pediatrics</i> , 2018 , 44, 38	3.2	4
17	The contribution of plasma oxysterols in the challenging diagnostic work-up of infantile cholestasis. <i>Clinica Chimica Acta</i> , 2020 , 507, 181-186	6.2	3
16	Pancreatic disorders in children: New clues on the horizon. <i>Digestive and Liver Disease</i> , 2018 , 50, 886-893.3		3
15	Non-alcoholic fatty liver disease. <i>Paediatrics and Child Health (United Kingdom)</i> , 2013 , 23, 529-534	0.6	3

14	Noninvasive diagnostic tools for pediatric NAFLD: where are we now?. <i>Expert Review of Gastroenterology and Hepatology</i> , 2020 , 14, 1035-1046	4.2	3
13	Omega-3 Fatty Acids and Fatty Liver Disease in Children. <i>Advances in Food and Nutrition Research</i> , 2018 , 85, 59-77	6	3
12	First case of nonalcoholic steatohepatitis in a child with del(1p36) and dup (Xp22): review of the literature. <i>Clinical Dysmorphology</i> , 2018 , 27, 42-45	0.9	2
11	The wide spectrum of hepatic iron overload. <i>Hepatology</i> , 2011 , 53, 1057-8; author reply 1058-9	11.2	2
10	Plasma lipidomics identifies a signature of NAFLD in children that couples with cardiometabolic outcomes in adults		2
9	The Use of Probiotics in Pediatric Nonalcoholic Fatty Liver Disease: Teachable Moment or Missed Opportunity?. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2017 , 64, 336-337	2.8	1
8	Reply to: "Fructose, uric acid and zonal differences in NASH". <i>Journal of Hepatology</i> , 2017 , 67, 1118-1119	13.4	1
7	Autoimmune sclerosing cholangitis in two sisters. <i>European Journal of Pediatrics</i> , 2008 , 167, 107-8	4.1	1
6	Changes in Total Homocysteine and Glutathione Levels After Laparoscopic Sleeve Gastrectomy in Children with Metabolic-Associated Fatty Liver Disease. <i>Obesity Surgery</i> , 2021 , 1	3.7	1
5	From pregnant women to infants: Non-alcoholic fatty liver disease is a poor inheritance. <i>Journal of Hepatology</i> , 2020 , 73, 1590-1592	13.4	0
4	Obesity and Nonalcoholic Fatty Liver Disease in Children 2019 , 209-222		0
3	Reply to "Definition of Small for Gestational Age and Low Birthweight". <i>American Journal of Gastroenterology</i> , 2018 , 113, 442	0.7	
2	Author response re. "Mediterranean diet to prevent/treat nonalcoholic fatty liver disease in children: A promising approach". <i>Nutrition</i> , 2017 , 43-44, 99-100	4.8	
1	Reply to: "Energy drinks and adolescents - A hepatic health hazard?". <i>Journal of Hepatology</i> , 2018 , 68, 857-858	13.4	