

Pengwei Huo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2225857/pengwei-huo-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147 papers	4,783 citations	39 h-index	62 g-index
153 ext. papers	6,352 ext. citations	7.4 avg, IF	6.19 L-index

#	Paper	IF	Citations
147	A review on heterogeneous photocatalysis for environmental remediation: From semiconductors to modification strategies. <i>Chinese Journal of Catalysis</i> , 2022 , 43, 178-214	11.3	45
146	Leaf-Vein structure like g-C ₃ N ₄ /P-MWNTs donor-accepter hybrid catalyst for efficient CO ₂ photoreduction. <i>Carbon</i> , 2022 , 188, 59-69	10.4	3
145	Tailored Linker Defects in UiO-67 with High Ligand-to-Metal Charge Transfer toward Efficient Photoreduction of CO ₂ . <i>Inorganic Chemistry</i> , 2022 , 61, 1765-1777	5.1	4
144	Interior and Surface Synergistic Modifications Modulate the SnNbO/Ni-Doped ZnInS S-Scheme Heterojunction for Efficient Photocatalytic H Evolution.. <i>Inorganic Chemistry</i> , 2022 ,	5.1	2
143	Fabricated hierarchical CdS/Ni-MOF heterostructure for promoting photocatalytic reduction of CO ₂ . <i>Applied Surface Science</i> , 2021 , 151792	6.7	3
142	Constructing Schottky junctions via Pd nanosheets on DUT-67 surfaces to accelerate charge transfer. <i>Journal of Colloid and Interface Science</i> , 2021 , 608, 3022-3022	9.3	2
141	Thickness regulation of graphitic carbon nitride and its influence on the photocatalytic performance towards CO ₂ reduction. <i>Applied Surface Science</i> , 2021 , 151810	6.7	3
140	Multichannel Electron Transmission and Fluorescence Resonance Energy Transfer in InS/Au/rGO Composite for CO Photoreduction. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 11755-11764	9.5	12
139	Synergy between Cu doping and catalytic platform in 2D Ni-MOFs/Cu-Zn _{0.5} Cd _{0.5} S for efficient water-to-hydrogen conversion. <i>Chemical Engineering Journal</i> , 2021 , 410, 128316	14.7	12
138	Insight into the Effect of the Cl 3p Orbital on g-C ₃ N ₄ Mimicking Photosynthesis under CO ₂ Reduction. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 9646-9656	3.8	4
137	Cu media constructed Z-scheme heterojunction of UiO-66-NH ₂ /Cu ₂ O/Cu for enhanced photocatalytic induction of CO ₂ . <i>Applied Surface Science</i> , 2021 , 545, 148967	6.7	16
136	Fabricating intramolecular donor-acceptor system via covalent bonding of carbazole to carbon nitride for excellent photocatalytic performance towards CO conversion. <i>Journal of Colloid and Interface Science</i> , 2021 , 594, 550-560	9.3	7
135	Ag/BiOI/C enhanced photocatalytic activity under visible light irradiation. <i>Journal of Dispersion Science and Technology</i> , 2021 , 42, 1116-1124	1.5	2
134	Synergistic interaction of Z-scheme 2D/3D g-CN/BiOI heterojunction and porous PVDF membrane for greatly improving the photodegradation efficiency of tetracycline. <i>Journal of Colloid and Interface Science</i> , 2021 , 586, 335-348	9.3	31
133	Boosting charge carriers separation and migration efficiency via fabricating all organic van der Waals heterojunction for efficient photoreduction of CO ₂ . <i>Chemical Engineering Journal</i> , 2021 , 408, 127292	14.7	10
132	In situ construction of BiVO ₄ (-)/cellulose fibers@CDs(-)/polyvinyl alcohol composites for tetracycline photocatalytic degradation. <i>Science China Technological Sciences</i> , 2021 , 64, 548-558	3.5	4
131	CeO ₂ /3D g-C ₃ N ₄ heterojunction deposited with Pt cocatalyst for enhanced photocatalytic CO ₂ reduction. <i>Applied Surface Science</i> , 2021 , 537, 147891	6.7	62

130	Confinement of ultrasmall CoFeO nanoparticles in hierarchical ZnInS microspheres with enhanced interfacial charge separation for photocatalytic H evolution. <i>Journal of Colloid and Interface Science</i> , 2021 , 581, 764-773	9.3	32
129	Enhanced electron-hole separation in SnS ₂ /Au/g-C ₃ N ₄ embedded structure for efficient CO ₂ photoreduction. <i>Chemical Engineering Journal</i> , 2021 , 406, 126776	14.7	26
128	Local surface plasma resonance effect enhanced Z-scheme ZnO/Au/g-C ₃ N ₄ film photocatalyst for reduction of CO ₂ to CO. <i>Applied Catalysis B: Environmental</i> , 2021 , 283, 119638	21.8	63
127	Construction of high-performance electrode materials of NiCoO nanoparticles encapsulated in ultrathin N-doped carbon nanosheets for supercapacitors. <i>Dalton Transactions</i> , 2021 , 50, 1097-1105	4.3	3
126	Azobenzene-modified Ag/Ag ₂ O/CN photocatalysts with photoresponsive performance for controllable photodegradation of tetracyclines. <i>New Journal of Chemistry</i> , 2021 , 45, 9677-9690	3.6	1
125	Boosting charge carrier separation efficiency by constructing an intramolecular DA system towards efficient photoreduction of CO ₂ . <i>New Journal of Chemistry</i> , 2021 , 45, 6042-6052	3.6	2
124	Construction of a CsPbBr ₃ modified porous g-C ₃ N ₄ photocatalyst for effective reduction of CO ₂ and mechanism exploration. <i>New Journal of Chemistry</i> , 2021 , 45, 1082-1091	3.6	4
123	Fabricated Ga (III) heterovalent substituted NiCo layered double hydroxides (NiCoGa-LDHs) electrode material for designed hybrid supercapacitor. <i>Journal of Alloys and Compounds</i> , 2021 , 871, 159487	5.7	1
122	Boosting H ₂ Production over C-Mediated NH ₂ -MIL-125(Ti)/Zn Cd S S-Scheme Heterojunction via Enhanced Interfacial Carrier Separation. <i>Small</i> , 2021 , 17, e2102539	11	9
121	Interface engineering of CoS/CdInS ohmic junction for efficient photocatalytic H evolution under visible light. <i>Journal of Colloid and Interface Science</i> , 2021 , 600, 794-803	9.3	11
120	rGO modified R-CeO ₂ /g-C ₃ N ₄ multi-interface contact S-scheme photocatalyst for efficient CO ₂ photoreduction. <i>Applied Surface Science</i> , 2021 , 563, 150042	6.7	10
119	G-C ₃ N ₄ quantum dots and Au nano particles co-modified CeO ₂ /Fe ₃ O ₄ micro-flowers photocatalyst for enhanced CO ₂ photoreduction. <i>Renewable Energy</i> , 2021 , 179, 756-765	8.1	6
118	Nitrogen defect engineering and E-conjugation structure decorated g-C ₃ N ₄ with highly enhanced visible-light photocatalytic hydrogen evolution and mechanism insight. <i>Chemical Engineering Journal</i> , 2021 , 425, 131844	14.7	14
117	Design of a ZnS/CdS/rGO composite nanosheet photocatalyst with multi-interface electron transfer for high conversion of CO ₂ . <i>Sustainable Energy and Fuels</i> , 2021 , 5, 4606-4617	5.8	2
116	Sulfur-doped g-C ₃ N ₄ for efficient photocatalytic CO ₂ reduction: insights by experiment and first-principles calculations. <i>Catalysis Science and Technology</i> , 2021 , 11, 1725-1736	5.5	12
115	Constructed Z-Scheme g-CN/AgVO/rGO Photocatalysts with Multi-interfacial Electron-Transfer Paths for High Photoreduction of CO. <i>Inorganic Chemistry</i> , 2021 , 60, 1755-1766	5.1	14
114	Construction of hierarchical layered hydroxide grown on carbon tubes derived from a metal-organic framework for asymmetric supercapacitors. <i>Dalton Transactions</i> , 2021 , 50, 7337-7347	4.3	4
113	Freestanding flexible molecularly imprinted nanocomposite membranes for selective separation applications: an imitated core-shell PEI@SiO ₂ -based MIM design. <i>New Journal of Chemistry</i> , 2020 , 44, 19091-19102	3.6	2

112	Enhanced light utilization efficiency and fast charge transfer for excellent CO photoreduction activity by constructing defect structures in carbon nitride. <i>Journal of Colloid and Interface Science</i> , 2020 , 578, 574-583	9.3	27
111	Fabricating C and O co-doped carbon nitride with intramolecular donor-acceptor systems for efficient photoreduction of CO ₂ to CO. <i>Applied Catalysis B: Environmental</i> , 2020 , 268, 118736	21.8	73
110	Thermo-responsive functionalized PNIPAM@Ag/Ag ₃ PO ₄ /CN-heterostructure photocatalyst with switchable photocatalytic activity. <i>Chinese Journal of Catalysis</i> , 2020 , 41, 1573-1588	11.3	10
109	Fabrication of CoFe ₂ O ₄ -modified and HNTs-supported g-C ₃ N ₄ heterojunction photocatalysts for enhancing MBT degradation activity under visible light. <i>Journal of Materials Science</i> , 2020 , 55, 4358-4374	4.3	11
108	A heterojunction photocatalyst constructed by the modification of 2D-CeO ₂ on 2D-MoS ₂ nanosheets with enhanced degrading activity. <i>Catalysis Science and Technology</i> , 2020 , 10, 788-800	5.5	11
107	A 2D mesoporous photocatalyst constructed by the modification of biochar on BiOCl ultrathin nanosheets for enhancing the TC-HCl degradation activity. <i>New Journal of Chemistry</i> , 2020 , 44, 79-86	3.6	16
106	TiO ₂ modified g-C ₃ N ₄ with enhanced photocatalytic CO ₂ reduction performance. <i>Solid State Sciences</i> , 2020 , 100, 106099	3.4	28
105	Designed Redox Ions Pairs imprinted photocatalyst of Fe ³⁺ @PoPD/TiO ₂ /HNTs for enhanced photocatalytic activity. <i>Materials Technology</i> , 2020 , 35, 843-852	2.1	3
104	Synthesis Ce-doped biomass carbon-based g-C ₃ N ₄ via plant growing guide and temperature-programmed technique for degrading 2-Mercaptobenzothiazole. <i>Applied Catalysis B: Environmental</i> , 2020 , 268, 118432	21.8	57
103	Direct Z-Scheme WO ₃ /Graphitic Carbon Nitride Nanocomposites for the Photoreduction of CO ₂ . <i>ACS Applied Nano Materials</i> , 2020 , 3, 1298-1306	5.6	63
102	Biomass derived the V-doped carbon/BiO composite for efficient photocatalysts. <i>Environmental Research</i> , 2020 , 182, 108998	7.9	10
101	Fabricated g-C ₃ N ₄ /Ag/m-CeO ₂ composite photocatalyst for enhanced photoconversion of CO ₂ . <i>Applied Surface Science</i> , 2020 , 506, 144931	6.7	32
100	A novel resource utilization type 3-dimensional flower spheroidal Fe ₃ O ₄ @C@(BiO) ₂ CO ₃ : High-efficiency degradation of tetracycline under visible light. <i>Inorganic Chemistry Communication</i> , 2020 , 111, 107630	3.1	1
99	Fabrication of highly stable CdS/g-C ₃ N ₄ composite for enhanced photocatalytic degradation of RhB and reduction of CO ₂ . <i>Journal of Materials Science</i> , 2020 , 55, 3299-3313	4.3	17
98	Development of magnetic imprinted PEDOT/CdS heterojunction photocatalytic nanoreactors: 3-Dimensional specific recognition for selectively photocatalyzing danofloxacin mesylate. <i>Applied Catalysis B: Environmental</i> , 2020 , 268, 118433	21.8	75
97	g-C ₃ N ₄ quantum dots-modified mesoporous CeO ₂ composite photocatalyst for enhanced CO ₂ photoreduction. <i>Journal of Materials Science: Materials in Electronics</i> , 2020 , 31, 20495-20512	2.1	1
96	Fabricating acid-sensitive controlled PAA@Ag/AgCl/CN photocatalyst with reversible photocatalytic activity transformation. <i>Journal of Colloid and Interface Science</i> , 2020 , 580, 753-767	9.3	3
95	Synthesized Z-scheme photocatalyst ZnO/g-C ₃ N ₄ for enhanced photocatalytic reduction of CO ₂ . <i>New Journal of Chemistry</i> , 2020 , 44, 16390-16399	3.6	14

94	Construction of a multi-interfacial-electron transfer scheme for efficient CO ₂ photoreduction: a case study using CdIn ₂ S ₄ micro-flower spheres modified with Au nanoparticles and reduced graphene oxide. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 18707-18714	13	39
93	Preparation of 3D porous g-C ₃ N ₄ @V ₂ O ₅ composite electrode via simple calcination and chemical precipitation for supercapacitors. <i>Journal of Alloys and Compounds</i> , 2020 , 817, 152707	5.7	19
92	A Z-scheme TiO ₂ quantum dots fragment-Bi ₁₂ TiO ₂₀ composites for enhancing photocatalytic activity. <i>Renewable Energy</i> , 2020 , 147, 856-863	8.1	10
91	The Role of Fluorine in F-La/TiO Photocatalysts on Photocatalytic Decomposition of Methanol-Water Solution. <i>Materials</i> , 2019 , 12,	3.5	10
90	Ce doping TiO ₂ /halloysite nanotubes photocatalyst for enhanced electrons transfer and photocatalytic degradation of Tetracycline. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 19126-19136	2.1	8
89	Fabricated Ag dots/flower-like MoS ₂ /rGO multidimensional photocatalyst for enhanced photocatalytic activity. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2019 , 104, 177-186	5.3	5
88	Photocatalytic removal using g-CN quantum dots/BiTiO composites. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019 , 213, 19-27	4.4	16
87	Enhanced selectivity for photodegrading ciprofloxacin by a magnetic photocatalyst modified with a POPD@DS heterojunction embedded imprinted layer. <i>New Journal of Chemistry</i> , 2019 , 43, 2610-2623	3.6	8
86	Heterojunction photocatalyst fabricated by deposition Co ₃ O ₄ nanoparticles on MoS ₂ nanosheets with enhancing photocatalytic performance and mechanism insight. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2019 , 97, 158-169	5.3	24
85	Improved charge transfer by size-dependent plasmonic Au on C ₃ N ₄ for efficient photocatalytic oxidation of RhB and CO ₂ reduction. <i>Chinese Journal of Catalysis</i> , 2019 , 40, 928-939	11.3	74
84	Constructing novel visible-light-driven ternary photocatalyst of AgBr nanoparticles decorated 2D/2D heterojunction of g-C ₃ N ₄ /BiOBr nanosheets with remarkably enhanced photocatalytic activity for water-treatment. <i>Ceramics International</i> , 2019 , 45, 19197-19205	5.1	27
83	Fabricated 2D/2D CdIn ₂ S ₄ /N-rGO multi-heterostructure photocatalyst for enhanced photocatalytic activity. <i>Carbon</i> , 2019 , 152, 565-574	10.4	31
82	Molecularly imprinted Ag/AgVO/g-CN Z-scheme photocatalysts for enhanced preferential removal of tetracycline. <i>Journal of Colloid and Interface Science</i> , 2019 , 552, 271-286	9.3	60
81	Magnetic functional heterojunction reactors with 3D specific recognition for selective photocatalysis and synergistic photodegradation in binary antibiotic solutions. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 13986-14000	13	110
80	In-suit preparation of CdSe quantum dots/porous channel biochar for improving photocatalytic activity for degradation of tetracycline. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2019 , 99, 180-192	5.3	21
79	Chemical precipitation synthesis of porous Ni ₂ P ₂ O ₇ nanowires for supercapacitor. <i>Journal of Alloys and Compounds</i> , 2019 , 790, 36-41	5.7	34
78	Enhanced photocatalytic reduction of CO ₂ by fabricating In ₂ O ₃ /CeO ₂ /HATP hybrid multi-junction photocatalyst. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2019 , 99, 93-103	5.3	24
77	Photocatalytic degradation of 2-Mercaptobenzothiazole by a novel Bi ₂ WO ₆ nanocubes/In(OH) ₃ photocatalyst: Synthesis process, degradation pathways, and an enhanced photocatalytic performance mechanism study. <i>Applied Surface Science</i> , 2019 , 481, 1313-1326	6.7	22

76	Construction of ion imprinted layer modified ZnFe ₂ O ₄ for selective Cr(VI) reduction with simultaneous organic pollutants degradation based on different reaction channels. <i>Applied Surface Science</i> , 2019 , 483, 453-462	6.7	29
75	Carbon dots modifying sphere-flower CdIn ₂ S ₄ on N-rGO sheet multi-dimensional photocatalyst for efficient visible degradation of 2,4-dichlorophenol. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2019 , 99, 142-153	5.3	18
74	Fabricated rGO-modified AgS nanoparticles/g-CN nanosheets photocatalyst for enhancing photocatalytic activity. <i>Journal of Colloid and Interface Science</i> , 2019 , 554, 468-478	9.3	53
73	MOF-derived Co ₃ O ₄ -C/Ni ₂ P ₂ O ₇ electrode material for high performance supercapacitors. <i>Chemical Engineering Journal</i> , 2019 , 378, 122242	14.7	53
72	Construction of Heterogenous S-C-S MoS ₂ /SnS/r-GO Heterojunction for Efficient CO Photoreduction. <i>Inorganic Chemistry</i> , 2019 , 58, 15590-15601	5.1	31
71	Neodymium doped zinc oxide for ultrasensitive SERS substrate. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 20537-20543	2.1	4
70	Two Hybrid Au-ZnO Heterostructures with Different Hierarchical Structures: Towards Highly Efficient Photocatalysts. <i>Scientific Reports</i> , 2019 , 9, 16863	4.9	4
69	Insight into the effect of co-doped to the photocatalytic performance and electronic structure of g-C ₃ N ₄ by first principle. <i>Applied Catalysis B: Environmental</i> , 2019 , 241, 319-328	21.8	82
68	CQDS preluded carbon-incorporated 3D burger-like hybrid ZnO enhanced visible-light-driven photocatalytic activity and mechanism implication. <i>Journal of Catalysis</i> , 2019 , 369, 450-461	7.3	45
67	Fast electron transfer and enhanced visible light photocatalytic activity by using poly-o-phenylenediamine modified AgCl/g-C ₃ N ₄ nanosheets. <i>Chinese Journal of Catalysis</i> , 2019 , 40, 80-94 ¹⁻³	14.3	35
66	Enhanced Selectivity for Oriented Catalyzing Tetracycline by the Functional Inorganic Imprinted ZnFe ₂ O ₄ @Ag ₃ PO ₄ /SiO ₂ Photocatalyst with Excellent Stability. <i>Nano</i> , 2019 , 14, 1950004	1.1	1
65	Improved recyclability and selectivity of environment-friendly MFA-based heterojunction imprinted photocatalyst for secondary pollution free tetracycline orientation degradation. <i>Chemical Engineering Journal</i> , 2019 , 360, 1262-1276	14.7	120
64	Studying of Co-doped g-C ₃ N ₄ and modified with Fe ₃ O ₄ quantum dots on removing tetracycline. <i>Journal of Alloys and Compounds</i> , 2019 , 775, 248-258	5.7	29
63	Selective reduction of Cu ²⁺ with simultaneous degradation of tetracycline by the dual channels ion imprinted POPD-CoFe ₂ O ₄ heterojunction photocatalyst. <i>Chemical Engineering Journal</i> , 2019 , 360, 750-761 ¹⁻⁷	14.7	82
62	La ₂ O ₃ media enhanced electrons transfer for improved CeVO ₄ @halloysite nanotubes photocatalytic activity for removing tetracycline. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2019 , 96, 281-298	5.3	25
61	Facile microwave synthesis of a Z-scheme imprinted ZnFe ₂ O ₄ /Ag/PEDOT with the specific recognition ability towards improving photocatalytic activity and selectivity for tetracycline. <i>Chemical Engineering Journal</i> , 2018 , 337, 228-241	14.7	187
60	Improved photoelectric performance via fabricated heterojunction g-C ₃ N ₄ /TiO ₂ /HNTs loaded photocatalysts for photodegradation of ciprofloxacin. <i>Journal of Industrial and Engineering Chemistry</i> , 2018 , 64, 206-218	6.3	40
59	Fabrication of magnetically recoverable photocatalysts using g-C ₃ N ₄ for effective separation of charge carriers through like-Z-scheme mechanism with Fe ₃ O ₄ mediator. <i>Chemical Engineering Journal</i> , 2018 , 331, 615-625	14.7	141

58	Construction of 3D porous g-C ₃ N ₄ /AgBr/rGO composite for excellent visible light photocatalytic activity. <i>Applied Surface Science</i> , 2018 , 458, 586-596	6.7	73
57	Fabrication of Ag/In ₂ O ₃ /TiO ₂ /HNTs hybrid-structured and plasma effect photocatalysts for enhanced charges transfer and photocatalytic activity. <i>Journal of Industrial and Engineering Chemistry</i> , 2018 , 67, 164-174	6.3	24
56	Direct Detection of Potential Pyrethroids in Yangtze River via an Imprinted Multilayer Phosphorescence Probe. <i>Analytical Sciences</i> , 2018 , 34, 613-618	1.7	
55	Fabricated Ag/Ag ₂ S/reduced graphene oxide composite photocatalysts for enhancing visible light photocatalytic and antibacterial activity. <i>Journal of Industrial and Engineering Chemistry</i> , 2018 , 57, 125-133	6.3	55
54	Visible-light driven photocatalyst of CdTe/CdS homologous heterojunction on N-rGO photocatalyst for efficient degradation of 2,4-dichlorophenol. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2018 , 93, 603-615	5.3	36
53	Fabrication of magnetic g-C ₃ N ₄ for effectively enhanced tetracycline degradation with RGO as mediator. <i>New Journal of Chemistry</i> , 2018 , 42, 15974-15984	3.6	13
52	Making of a metal-free graphitic carbon nitride composites based on biomass carbon for efficiency enhanced tetracycline degradation activity. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2018 , 89, 151-161	5.3	17
51	Honeycomb tubular biochar from fargesia leaves as an effective adsorbent for tetracyclines pollutants. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2018 , 91, 299-308	5.3	24
50	Carbon quantum dots modified CdSe loaded reduced graphene oxide for enhancing photocatalytic activity. <i>Journal of Industrial and Engineering Chemistry</i> , 2017 , 50, 147-154	6.3	33
49	Construction of vesicle CdSe nano-semiconductors photocatalysts with improved photocatalytic activity: Enhanced photo induced carriers separation efficiency and mechanism insight. <i>Journal of Environmental Sciences</i> , 2017 , 60, 98-107	6.4	18
48	Intercalation Effect of Attapulgite in g-C ₃ N ₄ Modified with Fe ₃ O ₄ Quantum Dots To Enhance Photocatalytic Activity for Removing 2-Mercaptobenzothiazole under Visible Light. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 10614-10623	8.3	90
47	Microwave-hydrothermal synthesis of a novel, recyclable and stable photocatalytic nanoreactor for recognition and degradation of tetracycline. <i>Catalysis Science and Technology</i> , 2017 , 7, 4092-4104	5.5	37
46	Construction of stable core-shell imprinted Ag-(poly-o-phenylenediamine)/CoFe ₂ O ₄ photocatalyst endowed with the specific recognition capability for selective photodegradation of ciprofloxacin. <i>RSC Advances</i> , 2017 , 7, 48894-48903	3.7	36
45	Bioinspired Synthesis of Photocatalytic Nanocomposite Membranes Based on Synergy of Au-TiO ₂ and Polydopamine for Degradation of Tetracycline under Visible Light. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 23687-23697	9.5	90
44	Fast electron transfer and enhanced visible light photocatalytic activity using multi-dimensional components of carbon quantum dots@3D daisy-like In ₂ S ₃ /single-wall carbon nanotubes. <i>Applied Catalysis B: Environmental</i> , 2017 , 204, 224-238	21.8	107
43	Weakly Supervised Actor-Action Segmentation via Robust Multi-task Ranking 2017 ,		16
42	Fabricated temperature sensitive photocatalyst of PNIPAM@ZnO/C for controllable photocatalytic activity. <i>Chinese Chemical Letters</i> , 2017 , 28, 2259-2262	8.1	12
41	Preparation of macroscopic spherical porous carbons@carboxymethylcellulose sodium gel beads and application for removal of tetracycline. <i>RSC Advances</i> , 2016 , 6, 84536-84546	3.7	11

40	High photocatalytic degradation of tetracycline under visible light with Ag/AgCl/activated carbon composite plasmonic photocatalyst. <i>Journal of Industrial and Engineering Chemistry</i> , 2016 , 35, 83-92	6.3	34
39	Preparation of Ag ₂ O/Ag ₂ CO ₃ /MWNTs composite photocatalysts for enhancement of ciprofloxacin degradation. <i>Applied Surface Science</i> , 2016 , 366, 1-8	6.7	54
38	Green synthesis of highly luminescent ZnS:Mn ²⁺ quantum dots. <i>Journal of Materials Science: Materials in Electronics</i> , 2016 , 27, 6175-6178	2.1	6
37	Incorporation of NiO/CdS/Graphene oxide composite photocatalyst for enhanced photocatalytic activity under visible light. <i>Journal of Alloys and Compounds</i> , 2016 , 670, 198-209	5.7	80
36	Preparation of highly porous carbon from sustainable cellulose for superior removal performance of tetracycline and sulfamethazine from water. <i>RSC Advances</i> , 2016 , 6, 28023-28033	3.7	32
35	Synthesis and Characterization of Novel BiVO ₄ /Ag ₃ VO ₄ Heterojunction with Enhanced Visible-Light-Driven Photocatalytic Degradation of Dyes. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 757-766	8.3	137
34	Fabrication of conductive and high-dispersed Ppy@Ag/g-C ₃ N ₄ composite photocatalysts for removing various pollutants in water. <i>Applied Surface Science</i> , 2016 , 387, 366-374	6.7	89
33	Well-dispersed nebula-like ZnO/CeO ₂ @HNTs heterostructure for efficient photocatalytic degradation of tetracycline. <i>Chemical Engineering Journal</i> , 2016 , 304, 917-933	14.7	99
32	Enhanced selective photocatalytic properties of a novel magnetic retrievable imprinted ZnFe ₂ O ₄ /PPy composite with specific recognition ability. <i>RSC Advances</i> , 2016 , 6, 51877-51887	3.7	18
31	Hydrothermal synthesis of the cauliflower-like CdS microspheres to enhance solar photocatalytic degradation of Oxytetracycline hydrochloride. <i>Desalination and Water Treatment</i> , 2015 , 55, 2144-2154		3
30	Visible light driven Ag/Ag ₃ PO ₄ /AC photocatalyst with highly enhanced photodegradation of tetracycline antibiotics. <i>Applied Surface Science</i> , 2015 , 353, 391-399	6.7	50
29	Enhancement of photocatalytic activity on salicylic acid by nonmetal-doped TiO ₂ with solvothermal method. <i>Desalination and Water Treatment</i> , 2015 , 54, 2504-2515		1
28	Enhanced photocatalytic degradation of tetracycline antibiotics by reduced graphene oxide/CdS/ZnS heterostructure photocatalysts. <i>New Journal of Chemistry</i> , 2015 , 39, 5150-5160	3.6	60
27	Enhanced visible light photocatalytic activity of alkaline earth metal ions-doped CdSe/rGO photocatalysts synthesized by hydrothermal method. <i>Applied Catalysis B: Environmental</i> , 2015 , 172-173, 174-184	21.8	105
26	Preparation of polypyrrole/TiO ₂ and its adsorption and photocatalytic degradation of salicylic acid. <i>Desalination and Water Treatment</i> , 2015 , 54, 3291-3299		5
25	Enhanced photocatalytic activity of g-C ₃ N ₄ /NiO/HNT composite heterostructure photocatalysts for degradation of tetracycline under visible light irradiation. <i>RSC Advances</i> , 2015 , 5, 91177-91189	3.7	70
24	Microwave-assisted synthesis of monoclinic/tetragonal BiVO ₄ heterojunctions with enhanced visible-light-driven photocatalytic degradation of tetracycline. <i>RSC Advances</i> , 2015 , 5, 90255-90264	3.7	33
23	Effect of metal ion (Zn ²⁺ , Bi ³⁺ , Cr ³⁺ , and Ni ²⁺)-doped CdS/halloysite nanotubes (HNTs) photocatalyst for the degradation of tetracycline under visible light. <i>Desalination and Water Treatment</i> , 2015 , 53, 794-805		17

22	Transfer Charge and Energy of Ag@CdSe QDs-rGO Core-Shell Plasmonic Photocatalyst for Enhanced Visible Light Photocatalytic Activity. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 28231-43	9.5	70
21	Enhanced visible-light-driven photocatalytic degradation of tetracycline by Cr ³⁺ doping SrTiO ₃ cubic nanoparticles. <i>RSC Advances</i> , 2015 , 5, 21290-21296	3.7	26
20	Selective degradation of ciprofloxacin with modified NaCl/TiO ₂ photocatalyst by surface molecular imprinted technology. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014 , 441, 420-426	5.1	53
19	Metal ion doped CdSe quantum dots prepared by hydrothermal synthesis: enhanced photocatalytic activity and stability under visible light. <i>Desalination and Water Treatment</i> , 2014 , 1-10		3
18	Photocatalytic degradation of antibiotics in water using metal ion@TiO ₂ /HNTs under visible light. <i>Desalination and Water Treatment</i> , 2014 , 52, 6985-6995		14
17	Heteropolyacid-chitosan/TiO ₂ composites for the degradation of tetracycline hydrochloride solution. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2014 , 111, 347-360	1.6	29
16	ENHANCED VISIBLE-LIGHT-DRIVEN PHOTOCATALYTIC DEGRADATION PERFORMANCE OF CIP ON BiVO ₄ /Bi ₂ WO ₆ NANO-HETEROJUNCTION PHOTOCATALYSTS. <i>Nano</i> , 2014 , 09, 1450015	1.1	6
15	Performance of removal of salicylic acid residues from aqueous solution based on the magnetic TiO ₂ nanocomposites. <i>Desalination and Water Treatment</i> , 2014 , 52, 6598-6610		4
14	Graphene Acting as Surface Phase Junction in Anatase-Graphene-Rutile Heterojunction Photocatalysts for H ₂ Production from Water Splitting. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 23519-23526	3.8	23
13	A novel CdS photocatalyst based on magnetic fly ash cenospheres as the carrier: performance and mechanism. <i>RSC Advances</i> , 2014 , 4, 60148-60157	3.7	7
12	HYDROTHERMAL SYNTHESIS AND ENHANCED VISIBLE-LIGHT PHOTOCATALYTIC ACTIVITY OF CdS QUANTUM DOTS SENSITIZED CARBON NANOTUBES (CNTs) NANOCOMPOSITE. <i>Nano</i> , 2014 , 09, 1450017	1.1	0
11	Performance of molecularly imprinted photocatalysts based on fly-ash cenospheres for selective photodegradation of single and ternary antibiotics solution. <i>Journal of Molecular Catalysis A</i> , 2013 , 378, 91-98		65
10	Microwave-assisted in situ synthesis of reduced graphene oxide-BiVO ₄ composite photocatalysts and their enhanced photocatalytic performance for the degradation of ciprofloxacin. <i>Journal of Hazardous Materials</i> , 2013 , 250-251, 106-114	12.8	169
9	Preparation and photodegradation properties of transition metal ion-poly-o-phenylenediamine/TiO ₂ /fly-ash cenospheres by ion imprinting technology. <i>RSC Advances</i> , 2013 , 3, 14807	3.7	29
8	Microwave-assisted synthesis of selective degradation photocatalyst by surface molecular imprinting method for the degradation of tetracycline onto ClTiO ₂ . <i>Chemical Engineering Journal</i> , 2013 , 217, 398-406	14.7	75
7	Hydrothermal Synthesis of CdSe Quantum Dots and Their Photocatalytic Activity on Degradation of Cefalexin. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 15015-15023	3.9	39
6	Preparation and performance of a novel magnetic conductive imprinted photocatalyst for selective photodegradation of antibiotic solution. <i>RSC Advances</i> , 2013 , 3, 18373	3.7	38
5	Synthesis of thermal-responsive photocatalysts by surface molecular imprinting for selective degradation of tetracycline. <i>RSC Advances</i> , 2013 , 3, 26334	3.7	27

4	Switched recognition and release ability of temperature responsive molecularly imprinted polymers based on magnetic halloysite nanotubes. <i>Journal of Materials Chemistry</i> , 2012 , 22, 17167		51
3	Molecularly imprinted polymers based on magnetic fly-ash-cenosphere composites for bisphenol A recognition. <i>Journal of Materials Chemistry</i> , 2011 , 21, 15741		33
2	Construction of Carbon Nitride Based Intramolecular D π A System for Effective Photocatalytic Reduction of CO ₂ . <i>Catalysis Letters</i> , 1	2.8	1
1	NiS Cocatalyst Modified ZnIn ₂ S ₄ as Ohmic-Junction Photocatalyst for Efficient Conversion of CO ₂ . <i>Energy Technology</i> , 2101158	3.5	1